





## LED Filament GLS

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament GLS is an all rounder for decorative applications due to the wide range of wattages we offer.

- LED Technology with the elegance of Incandescent Lamps
- Ideal Replacement for Incandescent Lamps
- Creates a welcoming atmosphere with retro feel
- Up to 92% Energy Saving
- Argon gas filled to improve life
- High temperature capping cement
- Smooth dimming on rotary and digital dimming systems
- Full glass envelope



Clear

Satin

Warm White

Cool White

3.3/5.7W H 108mm Ø60mm

11W H 128mm Ø70mm



technical@belllighting.co.uk  
sales@belllighting.co.uk



## LED Filament GLS

Code	Lamp Type	CCT	Lm	Dim	V	Hours
Non Dimmable						
60749	3.3W LED Filament Clear GLS Non Dim - BC	2700K	470	Non Dim	240	15000
60750	3.3W LED Filament Clear GLS Non Dim - ES	2700K	470	Non Dim	240	15000
60751	5.7W LED Filament Clear GLS Non Dim - BC	2700K	810	Non Dim	240	15000
60752	5.7W LED Filament Clear GLS Non Dim - ES	2700K	810	Non Dim	240	15000
60753	3.3W LED Filament Satin GLS Non Dim - BC	2700K	470	Non Dim	240	15000
60754	3.3W LED Filament Satin GLS Non Dim - ES	2700K	470	Non Dim	240	15000
60755	5.7W LED Filament Satin GLS Non Dim - BC	2700K	810	Non Dim	240	15000
60756	5.7W LED Filament Satin GLS Non Dim - ES	2700K	810	Non Dim	240	15000
60757	3.3W LED Filament Clear GLS Non Dim - BC	4000K	470	Non Dim	240	15000
60758	3.3W LED Filament Clear GLS Non Dim - ES	4000K	470	Non Dim	240	15000
60759	5.7W LED Filament Clear GLS Non Dim - BC	4000K	810	Non Dim	240	15000
60760	5.7W LED Filament Clear GLS Non Dim - ES	4000K	810	Non Dim	240	15000
60823	11W LED Filament Clear GLS Non Dim - BC	2700K	1550	Non Dim	240	15000
60761	11W LED Filament Clear GLS Non Dim - ES	2700K	1550	Non Dim	240	15000
Dimmable						
60762	3.3W LED Filament Clear GLS Dimmable - BC	2700K	470	Dim	240	15000
60763	3.3W LED Filament Clear GLS Dimmable - ES	2700K	470	Dim	240	15000
60764	5.7W LED Filament Clear GLS Dimmable - BC	2700K	810	Dim	240	15000
60765	5.7W LED Filament Clear GLS Dimmable - ES	2700K	810	Dim	240	15000
60766	3.3W LED Filament Satin GLS Dimmable - BC	2700K	470	Dim	240	15000
60767	3.3W LED Filament Satin GLS Dimmable - ES	2700K	470	Dim	240	15000
60768	5.7W LED Filament Satin GLS Dimmable - BC	2700K	810	Dim	240	15000
60769	5.7W LED Filament Satin GLS Dimmable - ES	2700K	810	Dim	240	15000
60770	3.3W LED Filament Clear GLS Dimmable - BC	4000K	470	Dim	240	15000
60771	3.3W LED Filament Clear GLS Dimmable - ES	4000K	470	Dim	240	15000
60772	5.7W LED Filament Clear GLS Dimmable - BC	4000K	810	Dim	240	15000
60773	5.7W LED Filament Clear GLS Dimmable - ES	4000K	810	Dim	240	15000
60824	11W LED Filament Clear GLS Dimmable - BC	2700K	1550	Dim	240	15000
60774	11W LED Filament Clear GLS Dimmable - ES	2700K	1550	Dim	240	15000



<sup>1</sup> Exceeds EU standard of 70 for Lumens Maintenance Ratio

<sup>2</sup> Exceeds EU standard of RA 80 for Colour Rendering Index

<sup>3</sup> Subject to terms & conditions (Contact Customer Service)

Call Customer Service or see website for maximum loading and dimmer compatibility.



[technical@belllighting.co.uk](mailto:technical@belllighting.co.uk)

[sales@belllighting.co.uk](mailto:sales@belllighting.co.uk)