





LED Filament Squirrel Cage

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament Squirrel Cage has a contemporary timeless design ideal for bars & restaurants.

- LED Technology with the elegance of Incandescent Lamps
- Ideal Replacement for Incandescent Lamps
- Creates a welcoming atmosphere with retro feel
- 92% Energy Saving
- Argon gas filled to improve life
- High temperature capping cement
- Smooth dimming on rotary and digital dimming systems
- Full glass envelope



Clear

H 126mm Ø58mm

Code	Lamp Type	CCT	Lm	Dim	V	Hours
Non Dimmable						
60775	3.3W LED Filament Squirrel Cage Non Dim - BC	2700K	470	Non Dim	240	15000
60776	3.3W LED Filament Squirrel Cage Non Dim - ES	2700K	470	Non Dim	240	15000
Dimmable						
60777	3.3W LED Filament Squirrel Cage Dimmable - BC	2700K	470	Dim	240	15000
60778	3.3W LED Filament Squirrel Cage Dimmable - ES	2700K	470	Dim	240	15000

¹ Exceeds EU standard of 70 for Lumens Maintenance Ratio

² Exceeds EU standard of RA 80 for Colour Rendering Index

³ Subject to terms & conditions (Contact Customer Service)

Call Customer Service or see website for maximum loading and dimmer compatibility.







LED Filament Tubular

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Tubular Filaments provide a distinctive look when illuminated in any bar or restaurant.

- LED Technology with the elegance of Incandescent Lamps
- Creates a welcoming atmosphere with retro feel
- Argon gas filled to improve life



Clear

Warm White

Short H 110mm Ø45mm

Medium H 130mm Ø30mm

Long H 280mm Ø30mm

Code	Lamp Type	CCT	Lm	Dim	V	Hours
Non Dimmable						
60779	3.3W LED Filament Tubular Short Non Dim - BC	2700K	470	Non Dim	240	15000
60780	3.3W LED Filament Tubular Short Non Dim - ES	2700K	470	Non Dim	240	15000
60781	3.3W LED Filament Tubular Med Non Dim - ES	2700K	470	Non Dim	240	15000
60782	5.7W LED Filament Tubular Long Non Dim - ES	2700K	810	Non Dim	240	15000
Dimmable						
60783	3.3W LED Filament Tubular Short Dimmable - BC	2700K	470	Dim	240	15000
60784	3.3W LED Filament Tubular Short Dimmable - ES	2700K	470	Dim	240	15000
60785	3.3W LED Filament Tubular Med Dimmable - ES	2700K	470	Dim	240	15000
60786	5.7W LED Filament Tubular Long Dimmable - ES	2700K	810	Dim	240	15000

¹ Exceeds EU standard of 70 for Lumens Maintenance Ratio

² Exceeds EU standard of RA 80 for Colour Rendering Index

³ Subject to terms & conditions (Contact Customer Service)

Call Customer Service or see website for maximum loading and dimmer compatibility.





LED Filament Clear Globe

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament Globes are available in two sizes and are an ideal lamp to illuminate any home, hotel, bar or restaurant.

- LED Technology with the elegance of Incandescent Lamps
- Creates a welcoming atmosphere with retro feel
- Argon gas filled to improve life



Clear

Warm White

60787/88/89/90 H 115mm Ø80mm

60791/92/93/94 H 178mm Ø125mm

Code	Lamp Type	CCT	Lm	Dim	V	Hours
Non Dimmable						
60787	3.3W LED Filament Globe Non Dim - BC	2700K	470	Non Dim	240	15000
60788	3.3W LED Filament Globe Non Dim - ES	2700K	470	Non Dim	240	15000
60791	3.3W LED Filament Large Globe Non Dim - BC	2700K	470	Non Dim	240	15000
60792	3.3W LED Filament Large Globe Non Dim - ES	2700K	470	Non Dim	240	15000
Dimmable						
60789	3.3W LED Filament Globe Dimmable - BC	2700K	470	Dim	240	15000
60790	3.3W LED Filament Globe Dimmable - ES	2700K	470	Dim	240	15000
60793	3.3W LED Filament Large Globe Dimmable - BC	2700K	470	Dim	240	15000
60794	3.3W LED Filament Large Globe Dimmable - ES	2700K	470	Dim	240	15000

¹ Exceeds EU standard of 70 for Lumens Maintenance Ratio

² Exceeds EU standard of RA 80 for Colour Rendering Index

³ Subject to terms & conditions (Contact Customer Service)

Call Customer Service or see website for maximum loading and dimmer compatibility.

