





LED Filament GLS

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament GLS is an all rounder for decorative applications due to the wide range of wattages we offer.

- LED Technology with the elegance of Incandescent Lamps
- Ideal Replacement for Incandescent Lamps
- Creates a welcoming atmosphere with retro feel
- Up to 92% Energy Saving
- Argon gas filled to improve life
- High temperature capping cement
- Smooth dimming on rotary and digital dimming systems
- Full glass envelope



Clear

Satin

Warm White

Cool White

3.3/5.7W H 108mm Ø60mm

11W H 128mm Ø70mm



LED Filament GLS

| Code | Lamp Type | CCT | Lm | Dim | V | Hours |
|---------------------|---|-------|------|---------|-----|-------|
| Non Dimmable | | | | | | |
| 60749 | 3.3W LED Filament Clear GLS Non Dim - BC | 2700K | 470 | Non Dim | 240 | 15000 |
| 60750 | 3.3W LED Filament Clear GLS Non Dim - ES | 2700K | 470 | Non Dim | 240 | 15000 |
| 60751 | 5.7W LED Filament Clear GLS Non Dim - BC | 2700K | 810 | Non Dim | 240 | 15000 |
| 60752 | 5.7W LED Filament Clear GLS Non Dim - ES | 2700K | 810 | Non Dim | 240 | 15000 |
| 60753 | 3.3W LED Filament Satin GLS Non Dim - BC | 2700K | 470 | Non Dim | 240 | 15000 |
| 60754 | 3.3W LED Filament Satin GLS Non Dim - ES | 2700K | 470 | Non Dim | 240 | 15000 |
| 60755 | 5.7W LED Filament Satin GLS Non Dim - BC | 2700K | 810 | Non Dim | 240 | 15000 |
| 60756 | 5.7W LED Filament Satin GLS Non Dim - ES | 2700K | 810 | Non Dim | 240 | 15000 |
| 60757 | 3.3W LED Filament Clear GLS Non Dim - BC | 4000K | 470 | Non Dim | 240 | 15000 |
| 60758 | 3.3W LED Filament Clear GLS Non Dim - ES | 4000K | 470 | Non Dim | 240 | 15000 |
| 60759 | 5.7W LED Filament Clear GLS Non Dim - BC | 4000K | 810 | Non Dim | 240 | 15000 |
| 60760 | 5.7W LED Filament Clear GLS Non Dim - ES | 4000K | 810 | Non Dim | 240 | 15000 |
| 60823 | 11W LED Filament Clear GLS Non Dim - BC | 2700K | 1550 | Non Dim | 240 | 15000 |
| 60761 | 11W LED Filament Clear GLS Non Dim - ES | 2700K | 1550 | Non Dim | 240 | 15000 |
| Dimmable | | | | | | |
| 60762 | 3.3W LED Filament Clear GLS Dimmable - BC | 2700K | 470 | Dim | 240 | 15000 |
| 60763 | 3.3W LED Filament Clear GLS Dimmable - ES | 2700K | 470 | Dim | 240 | 15000 |
| 60764 | 5.7W LED Filament Clear GLS Dimmable - BC | 2700K | 810 | Dim | 240 | 15000 |
| 60765 | 5.7W LED Filament Clear GLS Dimmable - ES | 2700K | 810 | Dim | 240 | 15000 |
| 60766 | 3.3W LED Filament Satin GLS Dimmable - BC | 2700K | 470 | Dim | 240 | 15000 |
| 60767 | 3.3W LED Filament Satin GLS Dimmable - ES | 2700K | 470 | Dim | 240 | 15000 |
| 60768 | 5.7W LED Filament Satin GLS Dimmable - BC | 2700K | 810 | Dim | 240 | 15000 |
| 60769 | 5.7W LED Filament Satin GLS Dimmable - ES | 2700K | 810 | Dim | 240 | 15000 |
| 60770 | 3.3W LED Filament Clear GLS Dimmable - BC | 4000K | 470 | Dim | 240 | 15000 |
| 60771 | 3.3W LED Filament Clear GLS Dimmable - ES | 4000K | 470 | Dim | 240 | 15000 |
| 60772 | 5.7W LED Filament Clear GLS Dimmable - BC | 4000K | 810 | Dim | 240 | 15000 |
| 60773 | 5.7W LED Filament Clear GLS Dimmable - ES | 4000K | 810 | Dim | 240 | 15000 |
| 60824 | 11W LED Filament Clear GLS Dimmable - BC | 2700K | 1550 | Dim | 240 | 15000 |
| 60774 | 11W LED Filament Clear GLS Dimmable - ES | 2700K | 1550 | Dim | 240 | 15000 |



¹ Exceeds EU standard of 70 for Lumens Maintenance Ratio

² Exceeds EU standard of RA 80 for Colour Rendering Index

³ Subject to terms & conditions (Contact Customer Service)

Call Customer Service or see website for maximum loading and dimmer compatibility.



technical@belllighting.co.uk
sales@belllighting.co.uk