

pectrum



LED Emergency 6 in 1 Exit Blade

Surface / Suspended / Recessed / Wall / Parallel / Angled Mounting

The Spectrum 6 in 1 Exit Blade is a product unique to BELL. This product has the ability to be displayed in 6 different ways, so therefore is one of the most cost-effective, complete products on the market.

- Selectable Self Test or Manual Emergency Mode
- Suitable for commercial and industrial installations
- Different legend options available
- Maintained / Non Maintained
- Viewable from both sides
- Viewing distance 25m












Manual Push Test Indicator

Once activated, unit illuminates for 5 minutes to indicate fitting is functioning correctly. Key Test feature can also be used.





pectrum

LED Emergency 6 in 1 Exit Blade

Legend Options



09067 New (ISO) Legend Reversible Left & Right

09068 (ISO) New Legend Down

Technical Specification				
Construction	Polycarbonate			
LED Chip	Samsung			
IP Rating	IP20			
Operating Temp	0°C to +35°C			
Input Voltage	220 - 240V			
Power Factor	> 0.9			
Battery	LiFeP04			

Code	W	Description	Viewing Distance	Temp	Hours
09066V2	2	LED Emergency 6 in 1 Exit Blade. Including New (ISO) Up Legend	25M	6500K	30000
09067	_	New (ISO) Legend Reversible Left & Right	-	_	-
09068	_	New (ISO) Legend Down	-	-	-

Must be tested in line with the requirements of BS5266, failure to do so may effect battery life and warranty.

