Lamps / LED

# Halo 3.2W LED Dimmable GU10 - 38° Beam - 3000K



The Halo GU10 is our most popular GU10 lamp to date. This cost effective GU10 is available as Non-Dimmable and Dimmable in 4 colour temperatures and wattages. This true fit size GU10 combines price fighting qualities with sleek aesthetics to feature as one of our best "all-rounders".

- Energy saving benefits of LED.
- Improved efficiency up to 70 Lm/W.
- Rimless lens for improved aesthetics.
- True fit GU10 size.
- Suitable for fire rated and IP rated fixtures.

## Technical Specification

| | |
|---|---|
| **Product Code** | 60611 |

### Reference

| | |
|---|---|
| **Guarantee** | 3 Years |
| **EAN** | 5013588606118 |
| **Commodity Code** | 8539520000 |
| **Country of Origin** | CN |
| **UNSPSC Code** | 39101628 |



This document is uncontrolled if printed, all information is subject to change. Generated on 12/14/2024 1:08:47 AM

## Technical Specification

| | |
|---|---|
| **Watts (W)** | 3.2 |
| **Volts (V)** | 240 |
| **Colour Temp (K)** | 3000 |
| **Lumens (lm)** | 330 |
| **Lumens per Watt (lm/W)** | 104 |
| **Candelas (cd)** | 510 |
| **CRI (ra)** | 80 |
| **Frequency (Hz)** | 50/60 |
| **LED Drive Current** | 25mA |
| **Energy Consumption (kWh/1000h)** | 4 |
| **Life Hours** | 20000 |
| **Switching Cycles** | 7500 |
| **Energy Rating** | F |

## Dimensions

| | |
|---|---|
| **Height (mm)** | 56 |
| **Diameter (mm)** | 50 |

## Packaging Information

| | |
|---|---|
| **Height (mm)** | 56 |
| **Diameter (mm)** | 50 |
| **Individual Product Weight (kg)** | 0.02 |
| **Single Carton Height (mm)** | 58 |
| **Single Carton Width (mm)** | 52 |
| **Single Carton Depth (mm)** | 52 |
| **Single Carton Weight (kg)** | 0.057 |
| **Individual Volume** | 0.00016 |
| **Inner Box Qty** | 10 |
| **Inner Box Height (mm)** | 70 |
| **Inner Box Width (mm)** | 265 |
| **Inner Box Depth (mm)** | 110 |
| **Inner Box Weight (kg)** | 0.546 |
| **Inner Box Volume** | 0.00204 |
| **Outer Box Qty** | 100 |
| **Outer Box Height (mm)** | 160 |
| **Outer Box Width (mm)** | 580 |
| **Outer Box Depth (mm)** | 280 |
| **Outer Box Weight (kg)** | 4.26 |
| **Outer Box Volume** | 0.02598 |

**E:** sales@belllighting.co.uk
**T:** 01924 893380



This document is uncontrolled if printed, all information is subject to change. Generated on 12/14/2024 1:08:47 AM