Product datasheet

Specifications



END FEED UNIT 63 A

Local distributor code:

2224619 KNA63AB4

EAN Code: 3606480003172

Main

Range of product	Canalis
Product name	KN
Device short name	KNA
Product compatibility	Canalis KNA busbar trunking 40…63 A
Product or component type	Feed unit
Conductors material	Aluminium
[Ie] rated operational current	63 A
[Ue] rated operational voltage	230...500 V
Number of circuits	1
Busbar trunking polarity	3L + N + PE L + N + PE
Protection type	Without protection
Control type	Without
Colour	White (RAL 9001)

Complementary

Provided equipment	End cover
Mounting location	Left Right
mounting mode	By clips
Mounting support	Busbar
Connections - terminals	Terminal block for 16 mm² flexible Terminal block for 25 mm² rigid
Width	265 mm
Depth	71 mm
Height	92 mm
Net weight	580 g
Standards	IEC 61439-6

Environment

IP degree of protection	IP55 conforming to IEC 60529
IK degree of protection	IK08 conforming to IEC 62262

Packing Units

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.000 cm
Package 1 Width	11.000 cm
Package 1 Length	29.900 cm
Package 1 Weight	666.000 g
Unit Type of Package 2	P06
Number of Units in Package 2	36
Package 2 Height	37.400 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	28.976 kg

Logistical informations

Country of origin	FR

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
SCIP Number	A5d263af-9391-4a5f-a09e-31902cdfb36a
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Halogen free product
PVC free	Yes
Silicone-free	Yes

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins