BGC/45

ACCESSORIES

PRODUCT-NO.: 075115

Threaded immersion heater for sealed unvented heating and DHW heating systems. Variable temperature adjustment from approx. 10 °C to 80 °C. The temperature can be limited to 45/60/80 °C. Integral temperature controller with high limit safety cut-out. Heating element and protective pipe material: copper; threaded connection: brass, thread G 1½ with PTFE gasket.



The main features

- Threaded immersion heater for sealed unvented heating systems and DHW heating systems.
- For matching to individual usage scenarios
- High hot water convenience thanks to powerful heating elements
- Variable temperature setting via rotary selector



BGC
Product-No.: 003769





Type	BGC	BGC/45
Part no.	003769	075115

Technical data

Connected load ~ 230 V	2-4 kW	2-4 kW
Connected load ~ 400 V	6 kW	6 kW
Power supply	1/N/PE, 2/PE, 3/PE	1/N/PE, 2/PE, 3/PE
Rated voltage	230/400 V	230/400 V
Frequency	50/60 Hz	50/60 Hz
Version	Universal flange	Universal flange
IP rating	IP44	IP44
Immersion depth	500 mm	455 mm

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:
Call 0151 346 2300
Or send an e-mail to
sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.