

# FORUM

11.1

LIGHTING SOLUTIONS



No part of this brochure may be reprinted or duplicated without our consent. All sizes and measurements are approximate but we try to make sure they're accurate as possible. In the interest of continuous production development Forum Lighting Solutions reserves the right to alter specification as necessary. Forum Lighting Solutions is a registered trademark.





# contents

## Lighting Controls

|                              |    |
|------------------------------|----|
| Kinetic Wireless Switches    | 11 |
| Kinetic RF & Wi-fi Receivers | 14 |
| Kinetic Grid Switches        | 16 |
| Ikonec Smart Home Solutions  | 18 |
| Sensors                      | 22 |

## Outdoor Lighting

|                             |     |
|-----------------------------|-----|
| Wall/Lantern                | 32  |
| Bulkheads/Security          | 74  |
| Garden/Guidelight           | 78  |
| Coastal Wall/Lantern        | 84  |
| Coastal Bulkhead/Guidelight | 96  |
| Outdoor Heating             | 102 |

## Downlights

|                    |     |
|--------------------|-----|
| Kitchen & Bathroom | 118 |
| Indoor Downlights  | 124 |

## Bathroom Lighting

|             |     |
|-------------|-----|
| Ceiling     | 132 |
| Spotlights  | 148 |
| Wall Lights | 158 |
| Mirrors     | 168 |
| Chandeliers | 176 |

## Kitchen Lighting

|                         |     |
|-------------------------|-----|
| Kitchen/Dining Pendants | 182 |
| Undercabinet            | 190 |
| Track                   | 200 |
| Plinth                  | 204 |

## Professional LED Tape

|             |     |
|-------------|-----|
| LED Tape    | 208 |
| Drivers     | 210 |
| Controllers | 214 |
| Accessories | 218 |

## Indoor Lighting

|                |     |
|----------------|-----|
| Spotlights     | 226 |
| Plaster Lights | 232 |
| Pendants       | 238 |

## Worksite Lighting

|               |     |
|---------------|-----|
| Rechargeables | 240 |
| Head Torches  | 242 |
| Hand Torches  | 244 |

## LED Lamps

|           |     |
|-----------|-----|
| Oversized | 246 |
| E27       | 248 |
| G9        | 250 |
| GU10      | 252 |
| E14       | 253 |
| B22       | 253 |



Forum Lighting Solutions Ltd. is one of the UK's largest suppliers of lighting and smart controls. We are ISO 9001 and ISO 14001 registered and a member of the Lighting Industry Association.

Forum prides itself on excellent customer service, cutting edge technology such as its Kinetic range and a wealth of knowledge and experience in the sector. We aim to provide our customers with aesthetically pleasing product at competitive prices, with next day delivery and excellent after sales service.

Forum, founded in 2013, is based in the Northwest of England, we have 30,000 sq ft of showrooms at our warehouse and distribution facility. Part of the Cascade Holding Group, which has been trading in the UK for more than 60 years. The family run business has built a strong reputation as a supplier of highly desirable decorative lighting to some of the UK's largest retailers.

---

Find out more







# Lighting Controls

Illuminate intelligently. Control confidently.

At Forum Lighting Solutions, we believe lighting should do more than just illuminate. It should adapt, respond, and elevate your environment. Our advanced Smart Lighting Controls seamlessly integrate cutting-edge technology with modern design to give you complete control over your lighting systems.

Whether you're managing a single room or an entire facility, our smart solutions offer energy efficiency, user-friendly interfaces, and customisable automation. From occupancy sensing and daylight harvesting to wireless control and IoT integration, Forum's intelligent systems are designed to optimize comfort, enhance productivity, and reduce operational costs.

# Lighting Controls

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |    |
| CUL-40031-65<br>P.11                                                                | CUL-40033-65<br>P.11                                                                | CUL-40035-65<br>P.11                                                                | KN-46045<br>P.12                                                                    | KN-46047<br>P.12                                                                    | KN-46052<br>P.13                                                                     | KN-46054<br>P.13                                                                      |
|    |    |    |    |    |    |    |
| CUL-45728<br>P.14                                                                   | CUL-45729<br>P.14                                                                   | CUL-45730<br>P.14                                                                   | CUL-45731<br>P.14                                                                   | CUL-40038<br>P.15                                                                   | CUL-40039<br>P.15                                                                    | CUL-40040<br>P.15                                                                     |
|    |    |    |    |    |    |    |
| CUL-44552<br>P.13                                                                   | CUL-45722<br>P.15                                                                   | CUL-45723<br>P.15                                                                   | CUL-45724<br>P.15                                                                   | CUL-44764<br>P.16                                                                   | CUL-44765<br>P.16                                                                    | CUL-42496<br>P.17                                                                     |
|  |  |  |  |   |  |  |
| CUL-42498<br>P.17                                                                   | CUL-40037<br>P.17                                                                   | CUL-45740<br>P.17                                                                   | CUL-44766<br>P.17                                                                   | CUL-45733<br>P.17                                                                   | IKS-100026-BRS<br>P.20                                                               | IKS-100028-BRS<br>P.20                                                                |
|  |  |  |  |  |  |  |
| IKS-100001-CCH<br>P.32                                                              | ZN-33579-BLK<br>P.23                                                                | ZN-25151-BLK<br>P.23                                                                | ZN-38600-WHT<br>P.23                                                                | ZN-33615-WHT<br>P.23                                                                | ZN-25152-WHT<br>P.23                                                                 | ZN-25153-WHT<br>P.24                                                                  |
|  |  |  |  |  |  |  |
| ZN-25154-WHT<br>P.24                                                                | ZN-25155-WHT<br>P.24                                                                | ZN-35690-WHT<br>P.24                                                                | ZN-44371-WHT<br>P.24                                                                | ZN-44375-WHT<br>P.24                                                                | ZN-31805-WHT<br>P.25                                                                 | ZN-29185-WHT<br>P.25                                                                  |



ZN-29186-WHT  
P.25



ZN-29187-WHT  
P.25



ZN-25156-BLK  
P.25



ZN-38599-BLK  
P.25






## Flexible Lighting Control

Add a light switch anywhere you want without the need for wiring.

## How it works

1. Choose your switch
2. Choose the right receiver

Connect a receiver of your choice to wiring circuit for your light. Pair with your chosen Kinetic wireless switch to operate. No wiring is required for the switch and can be easily fitted to any surface. Control of your lights is now from the Kinetic wireless switch which can be located anywhere you choose. Indoor range of 25m, outdoor range of 80m. You can control one receiver from up to 10 switches, or have one switch to control multiple receivers via the Tuya App. When paired with the intermediate and advanced receivers you can use voice control with Amazon Alexa or Google Home. Selected Kinetic wireless switches can be used in a bathroom as they are IP65 rated.





1

Choose your switch



## IP65 PUSH SWITCHES

### FEATURES:

- Suitable for general use, outdoor and bathrooms
- Works with dimmable and non-dimmable receivers
- No batteries required
- No wiring required
- Standard UK switch size (86 x 86 x 15.8mm)



|              | FINISH     | MODEL  |
|--------------|------------|--------|
| CUL-40031-65 | White      | 1 Gang |
| CUL-40032-65 | Matt Black | 1 Gang |
| CUL-40033-65 | White      | 2 Gang |
| CUL-40034-65 | Matt Black | 2 Gang |
| CUL-40035-65 | White      | 3 Gang |
| CUL-40036-65 | Matt Black | 3 Gang |

KINETIC RECEIVERS  
AVAILABLE ON PAGE 14-15





## DECORATIVE SWITCHES

- FEATURES:**
- Works with dimmable and non-dimmable receivers
  - No batteries required
  - No wiring required
  - Standard UK switch size (86 x 86 x 15.8mm)



| ON/OFF   | DIMMABLE | FINISH                           | MODEL  | IP |
|----------|----------|----------------------------------|--------|----|
| KN-46028 | KN-46040 | Black Chrome/White Switch & Body | 1 Gang | 20 |
| KN-46029 | KN-46041 | Black Chrome/Black Switch & Body | 1 Gang | 20 |
| KN-46030 | KN-46042 | Black Chrome/White Switch & Body | 2 Gang | 20 |
| KN-46031 | KN-46043 | Black Chrome/Black Switch & Body | 2 Gang | 20 |
| KN-46032 | KN-46044 | Satin Nickel/White Switch & Body | 1 Gang | 20 |
| KN-46033 | KN-46045 | Satin Nickel/Black Switch & Body | 1 Gang | 20 |
| KN-46034 | KN-46046 | Satin Nickel/White Switch & Body | 2 Gang | 20 |
| KN-46035 | KN-46047 | Satin Nickel/Black Switch & Body | 2 Gang | 20 |
| KN-46036 | KN-46048 | Satin Brass/White Switch & Body  | 1 Gang | 20 |
| KN-46037 | KN-46049 | Satin Brass/Black Switch & Body  | 1 Gang | 20 |
| KN-46038 | KN-46050 | Satin Brass/White Switch & Body  | 2 Gang | 20 |
| KN-46039 | KN-46051 | Satin Brass/Black Switch & Body  | 2 Gang | 20 |



SLIMLINE SWITCHES

FEATURES:

- Slimline profile
- Works with dimmable and non-dimmable receivers
- No batteries required
- No wiring required
- Standard UK switch size (86 x 86 x 15.8mm)



| ON/OFF   |  | DIMMABLE | FINISH                    | MODEL  | IP |
|----------|--|----------|---------------------------|--------|----|
| KN-46052 |  | KN-46056 | White/White Switch & Body | 1 Gang | 20 |
| KN-46053 |  | KN-46057 | Black/Black Switch & Body | 1 Gang | 20 |
| KN-46054 |  | KN-46058 | White/White Switch & Body | 2 Gang | 20 |
| KN-46055 |  | KN-46059 | Black/Black Switch & Body | 2 Gang | 20 |

KINETIC SWITCH KIT

FEATURES:

- Kit includes:
  - a) CUL-40038 - 1 Channel Kinetic Receiver RF Version
  - b) CUL-42495/CUL-42499 - 1 Gang Slimline Kinetic Switch
- Convenient starter kit utilising the best selling Kinetic slimline switch and RF receiver in one pack

| CODE      | DESCRIPTION         |
|-----------|---------------------|
| CUL-44552 | Kinetic Starter Kit |



STARTER KIT



# 2

Choose your receiver



## PROFESSIONAL KINETIC RECEIVERS

### FEATURES:

- Quick-fit connectors
- Easy installation for trade professionals



| CODE      | MODEL                                           | LOAD                        | IP |
|-----------|-------------------------------------------------|-----------------------------|----|
| CUL-45728 | 1 Channel RF ON/OFF Receiver                    | max. 10A / 1000W LED        | 20 |
| CUL-45729 | 1 Channel + Smart RF ON/OFF Receiver            | max. 10A / 1000W LED        | 20 |
| CUL-45730 | 2 Channel RF ON/OFF Receiver                    | max. 2 x 6A / 2 x 6000W LED | 20 |
| CUL-45731 | 1 Channel + Smart + Dimmable RF ON/OFF Receiver | max. 1.3A / 300W LED        | 20 |

SWITCH AND ACCESSORIES  
AVAILABLE ON PAGES 11-13



## STANDARD KINETIC RECEIVERS

### FEATURES:

- Ideal for small spaces



CUL-40038



CUL-40039

| CODE      | SPEC         | MODEL                                | LOAD                | IP |
|-----------|--------------|--------------------------------------|---------------------|----|
| CUL-40038 | Standard     | 1 Channel RF ON/OFF Receiver         | max. 5A<br>300W LED | 20 |
| CUL-40039 | Intermediate | 1 Channel + Smart RF ON/OFF Receiver | max. 5A<br>300W LED | 20 |

## INTEGRAL ELECTRIC TO KINETIC WALL SWITCHES

### FEATURES:

- The quickest way to add kinetic to your lighting controls
- Simple replacement for existing light switches
- No neutral wire needed
- Both black and white covers/switches are included



| CODE      | LOAD                         | MODEL  | IP |
|-----------|------------------------------|--------|----|
| CUL-45722 | max. 4A / 800W LED           | 1 Gang | 20 |
| CUL-45723 | max. 2 x 3A / 2 x 400W LED   | 2 Gang | 20 |
| CUL-45724 | max. 3 x 2.5A / 3 x 250W LED | 3 Gang | 20 |



CUL-45724

FOR SPECIALIST TECHNICAL HELP ON OUR KINETIC RANGE CONTACT OUR CUSTOMER SERVICES TEAM ON  
**0161 359 4949**



### GRID SWITCHES

**FEATURES:**

- Compatible with Scolmore click mini grid yokes available from all electrical wholesalers
- Centre retractive switch for ON/OFF and dimming when paired with a dimmable receiver
- ON/OFF kinetic switch



| CODE      | FINISH          | DESCRIPTION              | MODEL  | IP |
|-----------|-----------------|--------------------------|--------|----|
| CUL-44764 | White           | Mini Grid Switch ON/OFF  | 1 Gang | 20 |
| CUL-45738 | Matt Black      | Mini Grid Switch ON/OFF  | 1 Gang | 20 |
| CUL-45734 | Stainless Steel | Mini Grid Switch ON/OFF  | 1 Gang | 20 |
| CUL-44765 | White           | Mini Grid Switch DIMMING | 1 Gang | 20 |
| CUL-45739 | Matt Black      | Mini Grid Switch DIMMING | 1 Gang | 20 |
| CUL-45735 | Stainless Steel | Mini Grid Switch DIMMING | 1 Gang | 20 |



## GRID SWITCHES

### FEATURES:

- Compatible with MK grid yokes available from all electrical wholesalers
- Centre retractive switch for ON/OFF and dimming when paired with a dimmable receiver
- ON/OFF kinetic switch



| CODE      | FINISH | DESCRIPTION            | MODEL  | IP |
|-----------|--------|------------------------|--------|----|
| CUL-42495 | White  | MK Grid Switch ON/OFF  | 1 Gang | 20 |
| CUL-42496 | Black  | MK Grid Switch ON/OFF  | 1 Gang | 20 |
| CUL-42497 | White  | MK Grid Switch DIMMING | 1 Gang | 20 |
| CUL-42498 | Black  | MK Grid Switch DIMMING | 1 Gang | 20 |



CUL-40037



CUL-45740



CUL-44766




CUL-44767

## KINETIC ACCESSORIES

| CODE      | DESCRIPTION                            |
|-----------|----------------------------------------|
| CUL-40037 | Keyfob ON/OFF kinetic switch           |
| CUL-45740 | Keyfob 2G ON/OFF kinetic switch        |
| CUL-44766 | RF Smart UK 3 pin plug                 |
| CUL-44767 | RF + WIFI Smart UK 3 pin plug          |
| CUL-45732 | RF B22 Pendant Kit 150cm Drop ▲        |
| CUL-45733 | RF + WIFI B22 Pendant Kit 150cm Drop ▲ |

▲ integrated receiver



PENDANT KITS



# SMART HOME

## A QUICK SWITCH TO A SMART HOME

The quickest and easiest way  
to switch to a smart home



A Quick Switch to a Smart Home Transform your home with ikonects, an innovative, advanced, and comprehensive smart home system designed for quick and effortless installation. Our patented technology. Using our patented technology, convert any home into a smart-home in less than 60 minutes, then just pair any switches or devices you want to control and manage everything from a user-friendly app on your Smartphone. The smart switches do not require a neutral wire or the installation of an additional capacitor. Household light switches are easily installed by removing and replacing the existing switches using only a screwdriver. Best Part? No neutral wire is needed so the average installation time is less than 2 minutes per switch. You can configure the switches from your phone or tablet to function as one of 5 different built-in switch types. One switch does all The unique patent allows installation of a smart home without Neutral Wires. This means no changes to the current electrical infrastructure. Everything stays the way it is. The installation is particularly fast and simple, clean and with no hassle. Each switch button can be configured to function as an ON/OFF switch, a dimmer switch, a 2-way switch, a group/scenario switch or an Auto-Shut Off switch.





### SEAMLESS SMART SOLUTIONS

iKonects offers complete smart lighting solutions and more. All controlled through an intuitive and user-friendly app.



### ENHANCED AUTOMATION

Customise your smart home with automation powered by timers and unique fully customisable scenarios.



### STYLISH SMART SWITCHES

Replace outdated switches with sleek, decorative touch smart switches that enhance the appearance of your home.



### EFFORTLESS INSTALLATION

Using patent-protected technology, iKonects allows you to upgrade your home without rewiring.



EXPERIENCE CONVENIENCE  
CONTROL AND MODERN  
AESTHETICS WITH IKONECTS  
THE FUTURE OF SMART LIVING



# Enhance your smart switches

Our decorative frames crafted from durable and scratch-resistant tempered glass. Designed for both functionality and style.



## DECORATIVE GLASS SWITCHES

### FEATURES:

- **Strength & Durability:** made from durable high-quality tempered glass
- **Colours:** available in classic white, black, brass or chrome
- **Customisable Lighting:** Set the colour and brightness through the app
- **Quick and simple installation:** convert your light switches effortlessly
- **No-neutral wire needed:** compatible with all standard UK wiring systems
- **Universal Compatibility:** works with all existing light switches including dimmers



White      Black      Brass      Chrome      Black Surround      White Surround

| CODE           | FINISH | SURROUND | LOAD                 | MODEL  | RANGE | FREQUENCY       |
|----------------|--------|----------|----------------------|--------|-------|-----------------|
| IKS-100002-WH  | White  | White    | max. 30A / 1100W LED | 1 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100003-WH  | White  | White    | max. 30A / 1100W LED | 2 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100004-BLK | Black  | Black    | max. 30A / 1100W LED | 1 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100005-BLK | Black  | Black    | max. 30A / 1100W LED | 2 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100022     | Brass  | Black    | max. 30A / 1100W LED | 1 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100023     | Chrome | Black    | max. 30A / 1100W LED | 1 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100024     | Brass  | Black    | max. 30A / 1100W LED | 2 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100025     | Chrome | Black    | max. 30A / 1100W LED | 2 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100026     | Brass  | White    | max. 30A / 1100W LED | 1 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100027     | Chrome | White    | max. 30A / 1100W LED | 1 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100028     | Brass  | White    | max. 30A / 1100W LED | 2 Gang | 100m  | MHz 433.5-434.5 |
| IKS-100029     | Chrome | White    | max. 30A / 1100W LED | 2 Gang | 100m  | MHz 433.5-434.5 |



## GATEWAY UNIT

### FEATURES:

- **Private and Secure Data Storage:** keeps your system settings and encryption keys protected for maximum security
- **Smart Automation:** manages all connected devices, timers and customisable scenarios for seamless home automation
- **Reliable System Control:** Ensures smooth operation and communication between smart devices
- **Separate Low-Frequency Radio Network:** Your Wi-Fi bandwidth remains unaffected by the operation of your iKonnects devices, keeping your home network fast and reliable
- **Enhanced Reliability:** iKonnects will continue to work even if your internet goes down. This provides added security and convenience, ensuring your smart devices remain operational without relying on internet connection



CODE

MODEL

IKS-100001-CCH    iKonect Gateway Unit

### iKonects App

Control and automate your home through the app. Take full control of your home with built-in timer features, allowing you to automate your devices for ultimate convenience.

**Custom Timers:** Activate your devices at specific times, such as turning on the bedroom lamps in the morning or lighting up your garden at night. Smart functionality allows you to easily set up personalised scenarios tailored to your lifestyle and preferences. You can create a customised dashboard within the smart home app, enabling you to control various devices and settings with just a tap.

For example:

- **Movie Night:** Create the ideal ambiance for a cozy movie night.
  - **Romantic Evening:** Dim the lights to set a romantic mood for you and your partner.
  - **Bedtime Routine:** Automate the lighting, for the kids as part of their bedtime routine.
  - **Entertaining Friends:** Create a lively atmosphere in your garden or living room by adjusting the lighting.
- By setting up these personalised scenarios, you can easily transition between different activities, all with a simple touch or automatic triggers, enhancing comfort and convenience in your home.




Available on the  
**App Store**



GET IT ON  
**Google Play**

# Sensors

Make your lighting smarter and more efficient.



PIR Sensors, microwave sensors and photocells each bring unique benefits to the table. PIR Sensors are great for homes adding both convenience and peace of mind. For commercial spaces, microwave sensors offer advanced detection and reliability and when it comes to outdoor areas. Photocells automatically adjust lighting based on natural daylight. Perfect for saving energy. By combining these smart technologies you can create a lighting set up thats not only efficient , but also sustainable and easy to use.



## dion ADJUSTABLE PIR SENSOR

ZN-33579-WHT



Manual  
Override



PIR  
Sensor



| IP<br>RATING | DETECTION<br>ANGLE | DETECTION<br>RANGE | INSTALL<br>HEIGHT | LUX    | TIMER      | LOAD                      |
|--------------|--------------------|--------------------|-------------------|--------|------------|---------------------------|
| 65           | 180°               | 12m max            | 1.8-2.5m          | 3-2000 | 10s-15mins | 300W LED<br>1200W Halogen |



Manual  
Override



PIR  
Sensor



PIR  
Sensor



PIR  
Sensor



Manual  
Override



PIR  
Sensor



Corner mount



PIR  
Sensor



PIR  
Sensor



Available in white

|              | RANGE NAME | DESCRIPTION              | DETECTION ANGLE | DETECTION RANGE | INSTALL HEIGHT | LUX    | TIMER      | LOAD                      | IP |
|--------------|------------|--------------------------|-----------------|-----------------|----------------|--------|------------|---------------------------|----|
| ZN-33579-BLK | DION       | Adjustable motion sensor | 180°            | 12m max         | 1.8-2.5m       | 3-2000 | 10s-15mins | 300W LED<br>1200W Halogen | 65 |
| ZN-25151-BLK | DION       | Motion sensor            | 180°            | 12m max         | 1.8-2.5m       | 3-2000 | 10s-15mins | 300W LED<br>1200W Halogen | 44 |
| ZN-38600-WHT | DION       | Batten motion sensor     | 360°            | 10m max         | 2-6m           | 3-2000 | 10s-30mins | 500W LED<br>1200W Halogen | 65 |
| ZN-33615-BLK | ALIA       | Motion sensor            | 180°            | 12m max         | 1.6-2.5m       | 3-2000 | –          | 300W LED<br>1200W Halogen | 44 |
| ZN-33615-WHT | ALIA       | Motion sensor            | 180°            | 12m max         | 1.6-2.5m       | 3-2000 | –          | 300W LED<br>1200W Halogen | 44 |
| ZN-25152-BLK | ALIA       | Corner Motion sensor     | 360°            | 12m max         | 1.8-2.5m       | 3-2000 | 10s-15mins | 300W LED<br>1200W Halogen | 44 |
| ZN-25152-WHT | ALIA       | Corner Motion sensor     | 360°            | 12m max         | 1.8-2.5m       | 3-2000 | 10s-15mins | 300W LED<br>1200W Halogen | 44 |





ZN-25153-WHT



PIR  
Sensor



ZN-25154-WHT



PIR  
Sensor



ZN-25155-WHT



PIR  
Sensor



ZN-35690-WHT



PIR  
Sensor



ZN-44371-WHT



PIR  
Sensor



ZN-44375-WHT



PIR  
Sensor

|              | RANGE<br>NAME | DESCRIPTION                      | DETECTION<br>ANGLE | DETECTION<br>RANGE | INSTALL<br>HEIGHT | LUX    | TIMER      | LOAD                       | IP | CUTOUT  |
|--------------|---------------|----------------------------------|--------------------|--------------------|-------------------|--------|------------|----------------------------|----|---------|
| ZN-25153-WHT | LOCA          | Surface mount PIR                | 360°               | 6m max             | 2-2.4m            | 3-2000 | 10s-15mins | 300W LED<br>1200W Halogen  | 20 | -       |
| ZN-25154-WHT | LOCA          | Surface mount PIR                | 360°               | 12m max            | 2-2.4m            | 3-2000 | 10s-15mins | 300W LED<br>1200W Halogen  | 20 | -       |
| ZN-25155-WHT | LOCA          | Recessed PIR                     | 360°               | 8m max             | 2-2.4m            | 3-2000 | 10s-15mins | 400W LED<br>800W Halogen   | 20 | 40mm    |
| ZN-35690-WHT | RENO          | LED Recessed PIR<br>spotlight    | 360°               | 6m max             | 1.8-3m            | 3-2000 | 10s-15mins | 8W, 390LM<br>4000K         | 20 | 80mm    |
| ZN-44371-WHT | TERA          | Recessed real<br>presence sensor | 360°               | 3m max             | 2-4m              | 3-2000 | 10s-12mins | 600W LED<br>1200W Halogen  | 54 | 63-66mm |
| ZN-44375-WHT | CETA          | Surface mount PIR                | 360°               | 30m max            | 2.2-4m            | 3-2000 | 10s-15mins | 1000W LED<br>2000W Halogen | 20 | -       |



ZN-31805-WHT

Recessed, surface mounted  
or conduit mountedPIR  
Sensor

ZN-29185-WHT

Microwave  
Sensor

ZN-29186-WHT

Microwave  
Sensor

ZN-29187-WHT

Microwave  
Sensor

ZN-25156-BLK

Photocell  
Sensor

ZN-38599-BLK

Photocell  
Sensor

▲ wall max height 3.5m, ceiling max height 8m

|              | RANGE<br>NAME | DESCRIPTION                      | DETECTION<br>ANGLE | DETECTION<br>RANGE | INSTALL<br>HEIGHT | LUX    | TIMER      | LOAD                       | IP | CUTOUT |
|--------------|---------------|----------------------------------|--------------------|--------------------|-------------------|--------|------------|----------------------------|----|--------|
| ZN-31805-WHT | THEA          | Conduit motion sensor            | 360°               | 8m max             | 2.2-4m            | 3-2000 | 10s-30mins | 400W LED<br>800W Halogen   | 20 | –      |
| ZN-29185-WHT | THEA          | Wall/Ceiling microwave sensor    | 180/360°           | 15m max            | 3.5-8m ▲          | 3-2000 | 10s-12mins | 300W LED<br>1200W Halogen  | 20 | –      |
| ZN-29186-WHT | THEA          | Stealth microwave sensor         | 360°               | 8m max             | 2-6m              | 3-2000 | 10s-12mins | 1000W LED<br>2000W Halogen | 20 | –      |
| ZN-29187-WHT | THEA          | Recessed microwave sensor        | 360°               | 8m max             | 1.5-3.5m          | 3-2000 | 10s-12mins | 300W LED<br>1200W Halogen  | 20 | 62mm   |
| ZN-38599-BLK | ADRA          | Photocell sensor                 | –                  | –                  | –                 | 3-500  | 1-9hours   | –                          | 65 | –      |
| ZN-25156-BLK | ADRA          | Dusk till dawn sensor with timer | –                  | –                  | –                 | <10    | –          | –                          | 65 | –      |





# Outdoor Lighting

Durability meets design. Lighting and comfort for every environment.

Forum Lighting Solutions brings performance and style outdoors with our innovative line of Outdoor Lighting and Heaters. Designed to withstand the elements while enhancing aesthetics, our outdoor solutions deliver reliable illumination and comfortable warmth across domestic and commercial spaces.

From sleek, weather-resistant fixtures to energy efficient radiant heaters, each product is engineered for both function and form - ensuring safety, ambiance, and year-round usability. Whether you're lighting pathways, deterring intruders or creating inviting outdoor experiences, Forum's solutions are built to perform in any environment.

# Outdoor Lighting

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |    |
| ZN-20941-SST<br>P.32                                                                | ZN-29179-ANTH-65<br>P.33                                                            | ZN-34022-BLK-65<br>P.33                                                             | ZN-37940-SST-65<br>P.34                                                             | ZN-37938-BLK-65<br>P.34                                                             | ZN-45626-SST<br>P.35                                                                 | ZN-26536-SST-65<br>P.35                                                               |
|    |    |    |    |    |    |    |
| ZN-34018-SST-65<br>P.37                                                             | ZN-29180-SST-65<br>P.37                                                             | ZN-29189-ATR<br>P.38                                                                | ZN-34042-ANTH<br>P.38                                                               | ZN-29190-ATR<br>P.39                                                                | ZN-34043-ANTH<br>P.39                                                                | ZN-35594-BLK<br>P.40                                                                  |
|    |    |    |    |    |    |    |
| ZN-35685-BLK<br>P.40                                                                | ZN-35593-BLK<br>P.41                                                                | ZN-35686-BLK<br>P.41                                                                | ZN-32255-BLK<br>P.43                                                                | ZN-35072-BLK<br>P.43                                                                | ZN-41102-RBRS<br>P.44                                                                | ZN-41101-RBRS<br>P.44                                                                 |
|    |    |    |    |    |    |    |
| ZN-31759-ANTH<br>P.45                                                               | ZN-31758-ANTH<br>P.45                                                               | ZN-38636-ANTH<br>P.45                                                               | ZN-20930-BLK<br>P.46                                                                | ZN-29181-BLK<br>P.46                                                                | ZN-40001-ANTH<br>P.47                                                                | ZN-33460-BLK-65<br>P.47                                                               |
|  |  |  |  |  |  |  |
| ZN-34019-ANTH<br>P.47                                                               | ZN-29347-BLK<br>P.48                                                                | ZN-43121-SST<br>P.49                                                                | ZN-42019-SST<br>P.49                                                                | ZN-44262-BLK<br>P.50                                                                | ZN-44263-BLK<br>P.50                                                                 | ZN-44264-BLK<br>P.51                                                                  |
|  |  |  |  |  |  |  |
| ZN-44260-BLK<br>P.51                                                                | ZN-44553-BLK<br>P.53                                                                | ZN-44223-BLK<br>P.54                                                                | ZN-46082-BLK<br>P.55                                                                | ZN-46083-BLK<br>P.55                                                                | ZN-44227-BLK<br>P.56                                                                 | ZN-44218-ANTH<br>P.56                                                                 |
|  |  |  |  |  |  |  |
| ZN-44219-ANTH<br>P.57                                                               | ZN-44411-BLK<br>P.57                                                                | ZN-38623-ANTH<br>P.58                                                               | ZN-38624-ANTH<br>P.58                                                               | ZN-38637-BLK<br>P.59                                                                | ZN-31768-BLK<br>P.59                                                                 | ZN-44251-BLK<br>P.60                                                                  |



ZN-44245-ANTH  
P.60



ZN-42066-BLK  
P.61



ZN-29995-BLK  
P.61



ZN-43344-ANTH  
P.61



ZN-20944-BLK  
P.63



ZN-32070-BLK  
P.63



ZN-20955-BLK  
P.64



ZN-38640-MBLK  
P.64



ZN-25464-BLK  
P.65



ZN-38602-BLK  
P.65



ZN-46033-BLK  
P.66



ZN-40002-BLK  
P.66



ZN-46039-BLK  
P.67



ZN-46040-BLK  
P.67



ZN-20945-BLK  
P.68



ZN-38630-BLK  
P.68



ZN-20957-BLK  
P.69



ZN-31757-ANTH  
P.69



ZN-25340-SST  
P.70



ZN-28708-BLK  
P.71



ZN-40004-BLK/  
BRS P.72



ZN-31807-TBLK  
P.72



ZN-31809-SST  
P.73



ZN-46036-BLK  
P.73



ZN-44230-GLD  
P.74



ZN-44231-SIL  
P.75



ZN-35688-BLK  
P.76



ZN-23454-BLK  
P.76



CZ-44370-BLK  
P.77



ZN-37052-BLK  
P.77



ZN-41106  
P.78



ZN-20965-SST  
P.79



ZN-29184-BLK  
P.79



ZN-29997-BLK  
P.79



ZN-38622-BLK  
P.80



ZN-44237-BLK  
P.81



ZN-44238-ANTH  
P.81











Stainless Steel

▲ lamps not included – GU10 lamps available on page 252



# leto

## UP/DOWN WALL LIGHT

**FEATURES:**

- Stainless steel construction
- Push-fit connector
- 5 colour options

|                  | FINISH          | LAMP       | WATTS      | IP | CLASS |
|------------------|-----------------|------------|------------|----|-------|
| ZN-20941-SST-65  | Stainless Steel | GU10 x 2 ▲ | 7W max LED | 65 |       |
| ZN-20941-ANTH-65 | Anthracite      | GU10 x 2 ▲ | 7W max LED | 65 |       |
| ZN-20941-BLK-65  | Textured Black  | GU10 x 2 ▲ | 7W max LED | 65 |       |
| ZN-20941-COP-65  | Copper          | GU10 x 2 ▲ | 7W max LED | 65 |       |
| ZN-20941-WHT-65  | White           | GU10 x 2 ▲ | 7W max LED | 65 |       |




# leto

## UP/DOWN WALL LIGHT WITH PIR

### FEATURES:

- Stainless steel construction
- Push-fit connector
- PIR sensor
- Adjustable LUX, sensitivity and timer
- 10secs to 8mins timer
- Up to 6m detection distance
- Override function
- 3 colour options



PIR Sensor



Anthracite

▲ lamps not included – GU10 lamps available on page 252


|                         | FINISH          | LAMP       | WATTS      | IP | CLASS |
|-------------------------|-----------------|------------|------------|----|-------|
| <b>ZN-29179-ANTH-65</b> | Anthracite      | GU10 x 2 ▲ | 7W max LED | 65 | ⊕     |
| <b>ZN-29179-BLK-65</b>  | Textured Black  | GU10 x 2 ▲ | 7W max LED | 65 | ⊕     |
| <b>ZN-29179-SST-65</b>  | Stainless Steel | GU10 x 2 ▲ | 7W max LED | 65 | ⊕     |

# leto


## UP/DOWN WALL LIGHT WITH PHOTOCELL

### FEATURES:

- Stainless steel construction
- Push-fit connector
- Dusk to dawn sensor



Photocell Sensor



Black

▲ lamps not included – GU10 lamps available on page 252


|                        | FINISH          | LAMP       | WATTS      | IP | CLASS |
|------------------------|-----------------|------------|------------|----|-------|
| <b>ZN-34022-BLK-65</b> | Textured Black  | GU10 x 2 ▲ | 7W max LED | 65 | ⊕     |
| <b>ZN-34022-SST-65</b> | Stainless Steel | GU10 x 2 ▲ | 7W max LED | 65 | ⊕     |

# leto

## DOWNLIGHT

**FEATURES:**

- Stainless steel construction
- Push-fit connector
- 3 colour options



Stainless Steel

▲ lamps not included – GU10 lamps available on page 252


|                         | FINISH          | LAMP       | WATTS      | IP | CLASS |
|-------------------------|-----------------|------------|------------|----|-------|
| <b>ZN-37940-SST-65</b>  | Stainless Steel | GU10 x 1 ▲ | 7W max LED | 65 |       |
| <b>ZN-37940-BLK-65</b>  | Textured Black  | GU10 x 1 ▲ | 7W max LED | 65 |       |
| <b>ZN-37940-ANTH-65</b> | Anthracite      | GU10 x 1 ▲ | 7W max LED | 65 |       |

# leto

## DOWNLIGHT WITH PIR

**FEATURES:**

- Stainless steel construction
- Push-fit connector
- Manual override
- PIR sensor
- Adjustable LUX, sensitivity and timer
- Up to 6m detection distance
- 10secs to 8mins timer



Anthracite

▲ lamps not included – GU10 lamps available on page 252


|                         | FINISH         | LAMP       | WATTS      | IP | CLASS |
|-------------------------|----------------|------------|------------|----|-------|
| <b>ZN-37938-BLK-65</b>  | Textured Black | GU10 x 1 ▲ | 7W max LED | 65 |       |
| <b>ZN-37938-ANTH-65</b> | Anthracite     | GU10 x 1 ▲ | 7W max LED | 65 |       |

# leto

## DOWNLIGHT WITH PHOTOCELL

**FEATURES:**

- Stainless steel construction
- Push-fit connector
- Dusk to dawn sensor
- 3 colour options



Photocell  
Sensor



Anthracite

▲ lamps not included – GU10 lamps available on page 252



|               | FINISH          | LAMP       | WATTS      | IP | CLASS |
|---------------|-----------------|------------|------------|----|-------|
| ZN-45626-SST  | Stainless Steel | GU10 x 1 ▲ | 7W max LED | 65 | ⊕     |
| ZN-45626-BLK  | Textured Black  | GU10 x 1 ▲ | 7W max LED | 65 | ⊕     |
| ZN-45626-ANTH | Anthracite      | GU10 x 1 ▲ | 7W max LED | 65 | ⊕     |

# leto


## SPOTLIGHT

**FEATURES:**

- Stainless steel construction
- Push-fit connector
- Fully adjustable head
- 5 colour options



Black



▲ lamps not included – GU10 lamps available on page 252

|                  | FINISH          | LAMP       | WATTS      | IP | CLASS |
|------------------|-----------------|------------|------------|----|-------|
| ZN-26536-SST-65  | Stainless Steel | GU10 x 1 ▲ | 7W max LED | 65 | ⊕     |
| ZN-26536-ANTH-65 | Anthracite      | GU10 x 1 ▲ | 7W max LED | 65 | ⊕     |
| ZN-26536-BLK-65  | Textured Black  | GU10 x 1 ▲ | 7W max LED | 65 | ⊕     |
| ZN-26536-WHT-65  | White           | GU10 x 1 ▲ | 7W max LED | 65 | ⊕     |
| ZN-26536-COP-65  | Copper          | GU10 x 1 ▲ | 7W max LED | 65 | ⊕     |







# leto

## ADJUSTABLE TWINSPOUT

**FEATURES:**

- Stainless steel construction
- Push-fit connector
- Fully adjustable heads



Textured Black

▲ lamps not included – GU10 lamps available on page 252



|                 | FINISH          | LAMP       | WATTS      | IP | CLASS |
|-----------------|-----------------|------------|------------|----|-------|
| ZN-34018-BLK-65 | Textured Black  | GU10 x 2 ▲ | 7W max LED | 65 |       |
| ZN-34018-SST-65 | Stainless Steel | GU10 x 2 ▲ | 7W max LED | 65 |       |

# leto

## DUAL MOUNT GROUND SPOTLIGHT

**FEATURES:**

- Stainless steel construction
- Push-fit connector
- Fully adjustable head
- Can be deck mounted or used with ground spike




IP68 cable connectors  
sold separately



ZN-41158



Black



Stainless Steel

▲ lamps not included – GU10 lamps  
available on page 252

|                 | FINISH          | LAMP       | WATTS      | IP | CLASS |
|-----------------|-----------------|------------|------------|----|-------|
| ZN-29180-BLK-65 | Black           | GU10 x 1 ▲ | 7W max LED | 65 |       |
| ZN-29180-SST-65 | Stainless Steel | GU10 x 1 ▲ | 7W max LED | 65 |       |




# lens

UP/DOWN LIGHT

FEATURES:

- Die-cast aluminium construction
- Anthracite finish



▲ lamps not included – GU10 lamps available on page 252


|              | FINISH     | LAMP       | WATTS      | IP | CLASS |
|--------------|------------|------------|------------|----|-------|
| ZN-29189-ATR | Anthracite | GU10 x 2 ▲ | 7W max LED | 44 | ⚡     |

# lens

UP/DOWN LIGHT  
WITH PHOTOCELL

FEATURES:

- Die-cast aluminium construction
- Anthracite finish
- Automatic pre-set dusk-to-dawn sensor



▲ lamps not included – GU10 lamps available on page 252


|               | FINISH     | LAMP       | WATTS      | IP | CLASS |
|---------------|------------|------------|------------|----|-------|
| ZN-34042-ANTH | Anthracite | GU10 x 2 ▲ | 7W max LED | 44 | ⚡     |

# lens

## DOWNLIGHT

**FEATURES:**

- Die-cast aluminium construction
- Anthracite finish



Anthracite

▲ lamps not included – GU10 lamps available on page 252


|              | FINISH     | LAMP       | WATTS      | IP | CLASS |
|--------------|------------|------------|------------|----|-------|
| ZN-29190-ATR | Anthracite | GU10 x 1 ▲ | 7W max LED | 44 | ⚡     |

# lens

## DOWNLIGHT WITH PHOTOCELL

**FEATURES:**

- Die-cast aluminium construction
- Anthracite finish
- Automatic pre-set dusk-to-dawn sensor



Anthracite


▲ lamps not included – GU10 lamps available on page 252

|               | FINISH     | LAMP       | WATTS      | IP | CLASS |
|---------------|------------|------------|------------|----|-------|
| ZN-34043-ANTH | Anthracite | GU10 x 1 ▲ | 7W max LED | 44 | ⚡     |

# helix

UP/DOWN LIGHT

- FEATURES:**
- Die-cast Aluminium construction
  - Black ridged finish
  - Tempered glass diffuser




▲ lamps not included – GU10 lamps available on page 252

|              | FINISH | LAMP       | WATTS      | IP | CLASS |
|--------------|--------|------------|------------|----|-------|
| ZN-35594-BLK | Black  | GU10 x 2 ▲ | 7W max LED | 44 | ⚡     |

# helix

UP/DOWN LIGHT  
WITH PHOTOCELL

- FEATURES:**
- Die-cast Aluminium construction
  - Black ridged finish
  - Tempered glass diffuser
  - Automatic pre-set dusk-to-dawn sensor




▲ lamps not included – GU10 lamps available on page 252

|              | FINISH | LAMP       | WATTS      | IP | CLASS |
|--------------|--------|------------|------------|----|-------|
| ZN-35685-BLK | Black  | GU10 x 2 ▲ | 7W max LED | 44 | ⚡     |

# helix

DOWNLIGHT

- FEATURES:**
- Die-cast Aluminium construction
  - Black ridged finish
  - Tempered glass diffuser



Black


▲ lamps not included – GU10 lamps available on page 252

|              | FINISH | LAMP       | WATTS      | IP | CLASS |
|--------------|--------|------------|------------|----|-------|
| ZN-35593-BLK | Black  | GU10 x 1 ▲ | 7W max LED | 44 | ⚡     |

# helix

DOWNLIGHT  
WITH PHOTOCELL

- FEATURES:**
- Die-cast Aluminium construction
  - Black ridged finish
  - Tempered glass diffuser
  - Automatic pre-set dusk-to-dawn sensor



Black

▲ lamps not included – GU10 lamps available on page 252

|              | FINISH | LAMP       | WATTS      | IP | CLASS |
|--------------|--------|------------|------------|----|-------|
| ZN-35686-BLK | Black  | GU10 x 1 ▲ | 7W max LED | 44 | ⚡     |








eos
UP/DOWN LIGHT

- FEATURES:

  - Die-cast aluminium construction
  - Black finish





▲ lamps not included – GU10 lamps available on page 252

|              | FINISH | LAMP       | WATTS      | IP | CLASS |
|--------------|--------|------------|------------|----|-------|
| ZN-32255-BLK | Black  | GU10 x 2 ▲ | 7W max LED | 54 | ⚡     |

eos
UP/DOWN LIGHT WITH PHOTOCELL

- FEATURES:

  - Die-cast aluminium construction
  - Black finish
  - Automatic pre-set dusk-to-dawn sensor




▲ lamps not included – GU10 lamps available on page 252

|              | FINISH | LAMP      | WATTS      | IP | CLASS |
|--------------|--------|-----------|------------|----|-------|
| ZN-35072-BLK | Black  | GU10 x 2▲ | 7W max LED | 54 | ⚡     |

# brac

UP/DOWN LIGHT

- FEATURES:
- Solid brass construction
  - Bronze or brass finish
  - Suitable for indoor and outdoor use




▲ lamps not included – GU10 lamps available on page 252

|               | FINISH | LAMP       | WATTS      | IP | CLASS |
|---------------|--------|------------|------------|----|-------|
| ZN-41102-BRNZ | Bronze | GU10 x 2 ▲ | 7W max LED | 54 | ⊥     |
| ZN-41102-RBRS | Brass  | GU10 x 2 ▲ | 7W max LED | 54 | ⊥     |

# brac

DOWNLIGHT

- FEATURES:
- Solid brass construction
  - Bronze or brass finish
  - Can be used as an uplight or downlight



▲ lamps not included – GU10 lamps available on page 252


|               | FINISH | LAMP      | WATTS      | IP | CLASS |
|---------------|--------|-----------|------------|----|-------|
| ZN-41101-BRNZ | Bronze | GU10 x 1▲ | 7W max LED | 54 | ⊥     |
| ZN-41101-RBRS | Brass  | GU10 x 1▲ | 7W max LED | 54 | ⊥     |

# fleet

## UP/DOWN LIGHT

### FEATURES:

- Die-cast aluminium construction
- Suitable for indoor and outdoor use



▲ lamps not included – GU10 lamps available on page 252


|                      | FINISH            | LAMP              | WATTS             | IP        | CLASS |
|----------------------|-------------------|-------------------|-------------------|-----------|-------|
| <b>ZN-31759-ANTH</b> | <b>Anthracite</b> | <b>GU10 x 2 ▲</b> | <b>7W max LED</b> | <b>44</b> |       |

# fleet

## DOWNLIGHT

### FEATURES:

- Die-cast aluminium construction
- Suitable for indoor and outdoor use
- Can be used as an uplight or downlight



▲ lamps not included – GU10 lamps available on page 252

|                      | FINISH            | LAMP              | WATTS             | IP        | CLASS |
|----------------------|-------------------|-------------------|-------------------|-----------|-------|
| <b>ZN-31758-ANTH</b> | <b>Anthracite</b> | <b>GU10 x 1 ▲</b> | <b>7W max LED</b> | <b>44</b> |       |

# cannes

## LED WALL LIGHT

### FEATURES:

- Die-cast aluminium construction
- Cool white illumination




|                      | FINISH            | LAMP                | WATTS     | LM         | EE       | K           | IP        | CLASS |
|----------------------|-------------------|---------------------|-----------|------------|----------|-------------|-----------|-------|
| <b>ZN-38636-ANTH</b> | <b>Anthracite</b> | <b>Integral LED</b> | <b>9W</b> | <b>480</b> | <b>G</b> | <b>4000</b> | <b>54</b> |       |

# antar

UP/DOWN LIGHT

FEATURES:

- Die-cast aluminium construction
- Durable powder coated finish



Black

▲ lamps not included – GU10 lamps available on page 252


|                     | FINISH       | LAMP              | WATTS             | IP        | CLASS |
|---------------------|--------------|-------------------|-------------------|-----------|-------|
| <b>ZN-20930-BLK</b> | <b>Black</b> | <b>GU10 x 2 ▲</b> | <b>7W max LED</b> | <b>44</b> |       |

# antar

DOWNLIGHT

FEATURES:

- Die-cast aluminium construction
- Durable powder coated finish



Black

▲ lamps not included – GU10 lamps available on page 252


|                     | FINISH       | LAMP             | WATTS             | IP        | CLASS |
|---------------------|--------------|------------------|-------------------|-----------|-------|
| <b>ZN-29181-BLK</b> | <b>Black</b> | <b>GU10 x 1▲</b> | <b>7W max LED</b> | <b>44</b> |       |

# morro

## LED UP/DOWN LIGHT

### FEATURES:

- Die-cast aluminium construction
- 30cm tall wall light
- Push-fit connector



Textured Black

▲ lamps not included – GU10 lamps available on page 252


|               | FINISH         | LAMP      | WATTS      | IP | CLASS |
|---------------|----------------|-----------|------------|----|-------|
| ZN-40001-ANTH | Anthracite     | GU10 x 2▲ | 7W max LED | 44 | ⊕     |
| ZN-40001-BLK  | Textured Black | GU10 x 2▲ | 7W max LED | 44 | ⊕     |

# melo

## LED WALL LIGHT

### FEATURES:

- Die-cast aluminium construction
- Push-fit connector
- Cool white illumination



Textured Black


|                 | FINISH         | LAMP         | WATTS | LM  | K    | IP | CLASS |
|-----------------|----------------|--------------|-------|-----|------|----|-------|
| ZN-33460-BLK-65 | Textured Black | Integral LED | 10W   | 850 | 4000 | 65 | ⊕     |

# mizar

## LED WALL LIGHT

### FEATURES:

- Die-cast aluminium construction
- High lumen output
- Cool white illumination



Anthracite

|               | FINISH     | LAMP         | WATTS   | LM   | K    | IP | CLASS |
|---------------|------------|--------------|---------|------|------|----|-------|
| ZN-34019-ANTH | Anthracite | Integral LED | 2 x 10W | 2213 | 4000 | 54 | ⊕     |






# skye

UP/DOWN LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - Double cone design



▲ lamps not included – GU10 lamps available on page 252


|                      | FINISH            | LAMP              | WATTS             | IP        | CLASS |
|----------------------|-------------------|-------------------|-------------------|-----------|-------|
| <b>ZN-29347-BLK</b>  | <b>Black</b>      | <b>GU10 x 2 ▲</b> | <b>7W max LED</b> | <b>44</b> |       |
| <b>ZN-29347-ANTH</b> | <b>Anthracite</b> | <b>GU10 x 2 ▲</b> | <b>7W max LED</b> | <b>44</b> |       |

# yuki

UP/DOWN LIGHT

FEATURES:

- Stainless steel construction
- Stainless steel and black design



OUTDOOR LIGHTING

▲ lamps not included – GU10 lamps available on page 252


|              | FINISH          | LAMP       | WATTS      | IP | CLASS |
|--------------|-----------------|------------|------------|----|-------|
| ZN-43121-SST | Stainless Steel | GU10 x 2 ▲ | 7W max LED | 54 | ⚡     |

# brean

UP/DOWN LIGHT

FEATURES:

- Stainless steel construction
- Large sized design



▲ lamps not included – GU10 lamps available on page 252


|              | FINISH          | LAMP      | WATTS      | IP | CLASS |
|--------------|-----------------|-----------|------------|----|-------|
| ZN-42019-SST | Stainless Steel | GU10 x 2▲ | 7W max LED | 44 | ⚡     |

# muto

## UP/DOWN LIGHT


**FEATURES:**

- Die-cast aluminium construction
- Push-fit connector



Black

▲ lamps not included – GU10 lamps available on page 252



|               | FINISH     | LAMP      | WATTS      | IP | CLASS |
|---------------|------------|-----------|------------|----|-------|
| ZN-44262-BLK  | Black      | GU10 x 2▲ | 7W max LED | 65 | ⚡     |
| ZN-44262-ANTH | Anthracite | GU10 x 2▲ | 7W max LED | 65 | ⚡     |

# muto

## UP/DOWN LIGHT WITH PIR


**FEATURES:**

- Die-cast aluminium construction
- Push-fit connector
- PIR sensor
- Adjustable LUX, sensitivity and timer
- Up to 8m detection distance
- 10secs to 8mins timer



Black

▲ lamps not included – GU10 lamps available on page 252




|               | FINISH     | LAMP      | WATTS      | IP | CLASS |
|---------------|------------|-----------|------------|----|-------|
| ZN-44263-BLK  | Black      | GU10 x 2▲ | 7W max LED | 65 | ⚡     |
| ZN-44263-ANTH | Anthracite | GU10 x 2▲ | 7W max LED | 65 | ⚡     |

# muto

DOWNLIGHT

- FEATURES:
- Die-cast aluminium construction
  - Push-fit connector



Black


▲ lamps not included – GU10 lamps available on page 252

|               | FINISH     | LAMP      | WATTS      | IP | CLASS |
|---------------|------------|-----------|------------|----|-------|
| ZN-44264-BLK  | Black      | GU10 x 1▲ | 7W max LED | 65 | ⚡     |
| ZN-44264-ANTH | Anthracite | GU10 x 1▲ | 7W max LED | 65 | ⚡     |

# muto

ADJUSTABLE POST LIGHT

- FEATURES:
- Die-cast aluminium construction
  - Adjustable heights 30/60/90cm




Black

▲ lamps not included – GU10 lamps available on page 252

|               | FINISH     | LAMP      | WATTS      | IP | CLASS |
|---------------|------------|-----------|------------|----|-------|
| ZN-44260-BLK  | Black      | GU10 x 1▲ | 7W max LED | 44 | ⚡     |
| ZN-44260-ANTH | Anthracite | GU10 x 1▲ | 7W max LED | 44 | ⚡     |







## ren


### LED WALL LIGHT

#### FEATURES:

- Stainless steel construction
- 3 selectable colour temperatures
- 3 brightness modes

|              | FINISH | LAMP         | WATTS | LM             | K               | LENGTH | IP | CLASS                                                                                 |
|--------------|--------|--------------|-------|----------------|-----------------|--------|----|---------------------------------------------------------------------------------------|
| ZN-44553-BLK | Black  | Integral LED | 10W   | 639/688/641    | 3000/4000/6000* | 300mm  | 65 |  |
| ZN-44554-BLK | Black  | Integral LED | 16W   | 866/906/851    | 3000/4000/6000* | 600mm  | 65 |  |
| ZN-44555-BLK | Black  | Integral LED | 24W   | 1548/1628/1542 | 3000/4000/6000* | 900mm  | 65 |  |
| ZN-45596-BLK | Black  | Integral LED | 32W   | 2094/2151/1975 | 3000/4000/6000* | 1200mm | 65 |  |
| ZN-45597-BLK | Black  | Integral LED | 40W   | 3307/2565/2476 | 3000/4000/6000* | 1500mm | 65 |  |

\* features an onboard switch that allows you to adjust the colour temperature between specified values.





# bardi

LED WALL LIGHT

**FEATURES:**

- Die-cast aluminium construction
- Linear backlit LED design
- Cool white illumination



Black


|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|--------------|--------|--------------|-------|-----|------|----|-------|
| ZN-44223-BLK | Black  | Integral LED | 10W   | 310 | 4000 | 54 | ⚡     |

# tetbury

LED WALL LIGHT

FEATURES:

- Die-cast aluminium construction
- Backlit LED design
- Cool white illumination



OUTDOOR LIGHTING


|               | FINISH     | LAMP         | WATTS | LM   | K    | IP | CLASS |
|---------------|------------|--------------|-------|------|------|----|-------|
| ZN-46082-ANTH | Anthracite | Integral LED | 12W   | 1200 | 4000 | 65 | ⚡     |

# tetbury

LED WALL LIGHT

FEATURES:

- Die-cast aluminium construction
- Backlit LED design
- Cool white illumination




|               | FINISH     | LAMP         | WATTS | LM  | K    | IP | CLASS |
|---------------|------------|--------------|-------|-----|------|----|-------|
| ZN-46083-ANTH | Anthracite | Integral LED | 9W    | 518 | 4000 | 54 | ⚡     |

# gaki

GLOBE WALL LIGHT

- FEATURES:
- Die-cast aluminium construction
  - Acrylic globe diffuser




▲ lamps not included – E27 lamps available on page 248

|                     | FINISH       | LAMP                | WATTS              | IP        | CLASS |
|---------------------|--------------|---------------------|--------------------|-----------|-------|
| <b>ZN-44227-BLK</b> | <b>Black</b> | <b>E27 GLS x 1▲</b> | <b>10W max LED</b> | <b>44</b> |       |

# anmo

LED GLOBE WALL LIGHT

- FEATURES:
- Die-cast aluminium construction
  - 3 selectable colour temperatures
  - Focused up/down light




\* features an onboard switch that allows you to adjust the colour temperature between specified values.

|                      | FINISH            | LAMP                | WATTS     | LM         | K                      | IP        | CLASS |
|----------------------|-------------------|---------------------|-----------|------------|------------------------|-----------|-------|
| <b>ZN-44218-ANTH</b> | <b>Anthracite</b> | <b>Integral LED</b> | <b>6W</b> | <b>477</b> | <b>3000/4000/6000*</b> | <b>54</b> |       |

# anak

LED WALL LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - 3 selectable colour temperatures
  - Focused up/down light




\* features an onboard switch that allows you to adjust the colour temperature between specified values.

|               | FINISH     | LAMP         | WATTS | LM  | K               | IP | CLASS |
|---------------|------------|--------------|-------|-----|-----------------|----|-------|
| ZN-44219-ANTH | Anthracite | Integral LED | 6W    | 692 | 3000/4000/6000* | 54 | ⚡     |

# akuma

WALL LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - Glass ridged diffuser



▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP         | WATTS       | IP | CLASS |
|--------------|--------|--------------|-------------|----|-------|
| ZN-44411-BLK | Black  | E27 GLS x 1▲ | 10W max LED | 44 | ⚡     |




# vesoul

## WALL LIGHT

**FEATURES:**

- Die-cast aluminium construction



Anthracite

▲ lamps not included – GU10 lamps available on page 252


|               | FINISH     | LAMP      | WATTS      | IP | CLASS |
|---------------|------------|-----------|------------|----|-------|
| ZN-38623-ANTH | Anthracite | GU10 x 1▲ | 7W max LED | 43 | ⚡     |

# vesoul

## WALL LIGHT WITH PIR

**FEATURES:**

- Die-cast aluminium construction
- PIR sensor
- Up to 10m detection distance
- 5secs to 10mins timer



Anthracite


▲ lamps not included – GU10 lamps available on page 252

|               | FINISH     | LAMP      | WATTS      | IP | CLASS |
|---------------|------------|-----------|------------|----|-------|
| ZN-38624-ANTH | Anthracite | GU10 x 1▲ | 7W max LED | 43 | ⚡     |

# reims

LED WALL LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - Cool white illumination




Black

|                     | FINISH       | LAMP                | WATTS     | LM         | K           | IP        | CLASS |
|---------------------|--------------|---------------------|-----------|------------|-------------|-----------|-------|
| <b>ZN-38637-BLK</b> | <b>Black</b> | <b>Integral LED</b> | <b>6W</b> | <b>700</b> | <b>4000</b> | <b>54</b> |       |

# stroud

LED UP/DOWN WALL LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - Cool white illumination




Black

|                     | FINISH       | LAMP                | WATTS      | LM         | K           | IP        | CLASS |
|---------------------|--------------|---------------------|------------|------------|-------------|-----------|-------|
| <b>ZN-31768-BLK</b> | <b>Black</b> | <b>Integral LED</b> | <b>6W</b>  | <b>275</b> | <b>4000</b> | <b>44</b> |       |
| <b>ZN-31767-BLK</b> | <b>Black</b> | <b>Integral LED</b> | <b>12W</b> | <b>400</b> | <b>4000</b> | <b>44</b> |       |

# eclipse

LED WALL LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - Backlit LED design
  - Cool white illumination





Black

|                     | FINISH | LAMP         | WATTS | LM   | K    | IP | CLASS |
|---------------------|--------|--------------|-------|------|------|----|-------|
| <b>ZN-44251-BLK</b> | Black  | Integral LED | 12W   | 1190 | 4000 | 65 | ⚡     |

# rayu

LED WALL LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - Rotatable head to provide up or down light
  - Cool white illumination



Anthracite




Anthracite

|                      | FINISH     | LAMP         | WATTS | LM  | K    | IP | CLASS |
|----------------------|------------|--------------|-------|-----|------|----|-------|
| <b>ZN-44245-ANTH</b> | Anthracite | Integral LED | 13W   | 500 | 4000 | 65 | ⚡     |

# bude

LED WALL LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - Coil backlit LED design
  - Cool white illumination




OUTDOOR LIGHTING

|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|--------------|--------|--------------|-------|-----|------|----|-------|
| ZN-42066-BLK | Black  | Integral LED | 12W   | 900 | 4000 | 54 | ⚡     |

# maui

LED WALL LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - Cool white illumination





|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|--------------|--------|--------------|-------|-----|------|----|-------|
| ZN-29995-BLK | Black  | Integral LED | 8W    | 620 | 4000 | 54 | ⚡     |

# alani

LED WALL LIGHT

- FEATURES:**
- Die-cast aluminium construction
  - Push-fit connector
  - Cool white illumination



|               | FINISH     | LAMP         | WATTS | LM  | K    | IP | CLASS |
|---------------|------------|--------------|-------|-----|------|----|-------|
| ZN-43344-ANTH | Anthracite | Integral LED | 9.5W  | 481 | 4000 | 65 | ⚡     |
| ZN-43344-RST  | Rust       | Integral LED | 9.5W  | 481 | 4000 | 65 | ⚡     |








# minerva

## BOX LANTERN

**FEATURES:**

- Stainless steel construction
- Durable powder coated finish
- Contemporary box lantern design



Black

▲ lamps not included – E27 lamps available on page 248


|               | FINISH     | LAMP          | WATTS       | IP | CLASS |
|---------------|------------|---------------|-------------|----|-------|
| ZN-20944-BLK  | Black      | E27 GLS x 1 ▲ | 10W max LED | 44 | ⊕     |
| ZN-20944-ANTH | Anthracite | E27 GLS x 1 ▲ | 10W max LED | 44 | ⊕     |

# minerva

## BOX LANTERN WITH PIR

**FEATURES:**

- Stainless steel construction
- Durable powder coated finish
- Contemporary box lantern design
- PIR sensor
- Adjustable LUX
- Up to 8m detection distance
- 5secs to 6mins timer



Black


▲ lamps not included – E27 lamps available on page 248

|               | FINISH     | LAMP          | WATTS       | IP | CLASS |
|---------------|------------|---------------|-------------|----|-------|
| ZN-32070-BLK  | Black      | E27 GLS x 1 ▲ | 10W max LED | 44 | ⊕     |
| ZN-32070-ANTH | Anthracite | E27 GLS x 1 ▲ | 10W max LED | 44 | ⊕     |

# ceres

WALL LANTERN

- FEATURES:
- Die-cast aluminium construction
  - Bevelled glass panels
  - Traditional styling



Black


▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS |
|--------------|--------|---------------|-------------|----|-------|
| ZN-20955-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 23 | ⚡     |

# chinon

WALL LANTERN

- FEATURES:
- Die-cast aluminium construction
  - Contemporary styling



Matt Black


▲ lamps not included – E27 lamps available on page 248

|               | FINISH     | LAMP          | WATTS       | IP | CLASS |
|---------------|------------|---------------|-------------|----|-------|
| ZN-38640-MBLK | Matt Black | E27 GLS x 1 ▲ | 10W max LED | 44 | ⚡     |

# perdita

FISHERMANS LANTERN

- FEATURES:**
- Die-cast aluminium and polycarbonate construction
  - Vintage styling




▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS |
|--------------|--------|---------------|-------------|----|-------|
| ZN-25464-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 44 | ⚡     |

# memphis

WALL LANTERN

- FEATURES:**
- Stainless steel construction
  - Contemporary design
  - Ribbed glass effect




▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS |
|--------------|--------|---------------|-------------|----|-------|
| ZN-38602-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 44 | ⚡     |

# harmby

WALL LANTERN

- FEATURES:**
- Die-cast aluminium construction
  - Glass diffuser
  - Modern styling



Black


▲ lamps not included – E27 lamps available on page 248

|                     | FINISH | LAMP          | WATTS       | IP | CLASS |
|---------------------|--------|---------------|-------------|----|-------|
| <b>ZN-46033-BLK</b> | Black  | E27 GLS x 1 ▲ | 10W max LED | 44 | ⚡     |

# cuba

BOX LANTERN

- FEATURES:**
- Die-cast aluminium construction
  - Contemporary box lantern with brass mesh insert



Black


▲ lamps not included – E27 lamps available on page 248

|                     | FINISH | LAMP          | WATTS       | IP | CLASS |
|---------------------|--------|---------------|-------------|----|-------|
| <b>ZN-40002-BLK</b> | Black  | E27 GLS x 1 ▲ | 10W max LED | 44 | ⚡     |

# clifton

## WALL LANTERN

- FEATURES:**
- Stainless steel construction
  - Clear glass shade



Black


▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS                                                                               |
|--------------|--------|---------------|-------------|----|-------------------------------------------------------------------------------------|
| ZN-46039-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 23 |  |

# stanton

## WALL LANTERN

- FEATURES:**
- Die-cast aluminium construction
  - Ribbed glass shade



Black

▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS                                                                                 |
|--------------|--------|---------------|-------------|----|---------------------------------------------------------------------------------------|
| ZN-46040-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 23 |  |



# artemis

## WALL LANTERN


**FEATURES:**

- Die-cast aluminium construction
- Traditional styling



Black

▲ lamps not included – E27 lamps available on page 248



|                     | FINISH          | LAMP          | WATTS       | IP | CLASS                                                                               |
|---------------------|-----------------|---------------|-------------|----|-------------------------------------------------------------------------------------|
| <b>ZN-20945-BLK</b> | Black           | E27 GLS x 1 ▲ | 10W max LED | 44 |  |
| <b>ZN-20945-SST</b> | Stainless Steel | E27 GLS x 1 ▲ | 10W max LED | 44 |  |

# carnac

## WALL LANTERN


**FEATURES:**

- Stainless steel construction
- Clear polycarbonate diffuser
- Can be mounted up or down



Black

▲ lamps not included – E27 lamps available on page 248




|                     | FINISH | LAMP          | WATTS       | IP | CLASS                                                                                 |
|---------------------|--------|---------------|-------------|----|---------------------------------------------------------------------------------------|
| <b>ZN-38630-BLK</b> | Black  | E27 GLS x 1 ▲ | 10W max LED | 44 |  |

eris

FISHERMANS LANTERN

- FEATURES:
- Die-cast aluminium construction
  - Traditional styling




▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS |
|--------------|--------|---------------|-------------|----|-------|
| ZN-20957-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 44 | ⚡     |

leek

MINI FISHERMANS LANTERN

- FEATURES:
- Die-cast aluminium construction
  - Clear polycarbonate diffuser
  - Traditional styling




▲ lamps not included – E27 lamps available on page 248

|               | FINISH     | LAMP          | WATTS       | IP | CLASS |
|---------------|------------|---------------|-------------|----|-------|
| ZN-31757-ANTH | Anthracite | E27 GLS x 1 ▲ | 10W max LED | 44 | ⚡     |



**sigma**  
SLAT LANTERN

- FEATURES:**
- Stainless steel construction



▲ lamps not included – E27 lamps available on page 248

|              | FINISH          | LAMP          | WATTS       | IP | CLASS |
|--------------|-----------------|---------------|-------------|----|-------|
| ZN-25340-SST | Stainless Steel | E27 GLS x 1 ▲ | 10W max LED | 44 |       |




Stainless Steel

▲ lamps not included – E27 lamps available on page 248

# sigma

SLAT LANTERN  
WITH PIR

- FEATURES:
- Stainless steel construction
  - PIR sensor
  - Up to 5m detection distance




|              | FINISH          | LAMP          | WATTS       | IP | CLASS |
|--------------|-----------------|---------------|-------------|----|-------|
| ZN-28708-SST | Stainless Steel | E27 GLS x 1 ▲ | 10W max LED | 44 |       |
| ZN-28708-BLK | Black           | E27 GLS x 1 ▲ | 10W max LED | 44 |       |

# gada

WALL LANTERN

- FEATURES:
- Stainless steel construction
  - Mesh insert




▲ lamps not included – E27 lamps available on page 248

|                  | FINISH                | LAMP          | WATTS       | IP | CLASS |
|------------------|-----------------------|---------------|-------------|----|-------|
| ZN-40004-BLK/BRS | Black/Brass           | E27 GLS x 1 ▲ | 10W max LED | 44 | ⚡     |
| ZN-40004-BLK/SST | Black/Stainless Steel | E27 GLS x 1 ▲ | 10W max LED | 44 | ⚡     |

# woking

WALL LANTERN

- FEATURES:
- Stainless steel construction
  - Industrial styling design



▲ lamps not included – E27 lamps available on page 248


|               | FINISH         | LAMP         | WATTS       | IP | CLASS |
|---------------|----------------|--------------|-------------|----|-------|
| ZN-31807-TBLK | Textured Black | E27 GLS x 1▲ | 10W max LED | 44 | ⚡     |



# kew

WALL LANTERN

- FEATURES:**
- Stainless steel construction
  - Industrial styling design



Stainless Steel

▲ lamps not included – E27 lamps available on page 248

|              | FINISH          | LAMP         | WATTS       | IP | CLASS |
|--------------|-----------------|--------------|-------------|----|-------|
| ZN-31809-SST | Stainless Steel | E27 GLS x 1▲ | 10W max LED | 44 | ⚡     |

# zien

LED BULKHEAD

- FEATURES:**
- Polycarbonate construction
  - Can be wall or ceiling mounted
  - Cool white illumination



Black

|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|--------------|--------|--------------|-------|-----|------|----|-------|
| ZN-46036-BLK | Black  | Integral LED | 12W   | 900 | 4000 | 54 | ⚡     |



Gold


▲ lamps not included – E27 lamps available on page 248

# davey

CAGED BULKHEAD

- FEATURES:
- Die-cast aluminium construction
  - Ribbed glass

|                     | FINISH | LAMP          | WATTS       | IP | CLASS |
|---------------------|--------|---------------|-------------|----|-------|
| <b>ZN-44230-GLD</b> | Gold   | E27 GLS x 1 ▲ | 10W max LED | 44 | ⊕     |
| <b>ZN-44230-SIL</b> | Silver | E27 GLS x 1 ▲ | 10W max LED | 44 | ⊕     |






▲ lamps not included – E27 lamps available on page 248

# gali

CAGED BULKHEAD

- FEATURES:**
- Die-cast aluminium construction
  - Ribbed glass


|                     | FINISH | LAMP          | WATTS       | IP | CLASS |
|---------------------|--------|---------------|-------------|----|-------|
| <b>ZN-44231-GLD</b> | Gold   | E27 GLS x 1 ▲ | 10W max LED | 44 | ⊕     |
| <b>ZN-44231-SIL</b> | Silver | E27 GLS x 1 ▲ | 10W max LED | 44 | ⊕     |



lynn

LED SECURITY LIGHT  
WITH PIR

- FEATURES:
- Polycarbonate construction
  - PIR sensor
  - Adjustable LUX, sensitivity and timer
  - Up to 12m detection distance
  - 10secs to 5mins timer
  - Cool white illumination




Black

|               | FINISH    | LAMP         | WATTS | LM   | K    | IP | CLASS |
|---------------|-----------|--------------|-------|------|------|----|-------|
| ZN-35688-BLK  | Black     | Integral LED | 20W   | 1624 | 4000 | 65 |       |
| ZN-35688-DGRY | Dark Grey | Integral LED | 20W   | 1624 | 4000 | 65 |       |
| ZN-35688-WHT  | White     | Integral LED | 20W   | 1624 | 4000 | 65 |       |

sirocco

LED SECURITY LIGHT  
WITH PIR

- FEATURES:
- Polycarbonate construction
  - PIR sensor
  - Adjustable LUX, sensitivity and timer
  - Up to 10m detection distance
  - 10secs to 5mins timer
  - Daylight white illumination



Black


|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|--------------|--------|--------------|-------|-----|------|----|-------|
| ZN-23454-BLK | Black  | Integral LED | 6W    | 480 | 6000 | 44 |       |

# alan

LED SECURITY LIGHT  
WITH PIR

FEATURES:

- Polycarbonate construction
- Fully adjustable heads
- PIR sensor
- Adjustable LUX, sensitivity and timer
- Up to 12m detection distance
- 10secs to 5mins timer
- Cool white illumination



Black


|              | FINISH | LAMP         | WATTS   | LM   | K    | IP | CLASS |
|--------------|--------|--------------|---------|------|------|----|-------|
| CZ-44370-BLK | Black  | Integral LED | 2 X 10W | 2026 | 4000 | 65 |       |

# solar

LED SECURITY LIGHT  
WITH PIR

FEATURES:

- Solar powered
- ABS/Steel construction with glass lens
- Daylight white illumination
- ON/OFF rocker switch
- Up to 5m detection distance



Black

|              | FINISH | LAMP         | WATTS | LM  | K    | IP | Battery        |
|--------------|--------|--------------|-------|-----|------|----|----------------|
| ZN-37052-BLK | Black  | Integral LED | 2W    | 200 | 6000 | 44 | 1800mAh Li-ion |

OUTDOOR LIGHTING





Black

# hardy


## 20 x FESTOON LIGHTS

**FEATURES:**

- Plug and play - no driver required
- Rubber H05RN-F 2 x 1mm² cable
- 11.4m total length, 5m from plug to first lampholder, 48cm spacing between heads
- Connect multiple festoon lights together



▲ lamps not included – E27 lamps available on page 248




|          | FINISH                                | LAMP          | WATTS       | IP | CLASS |
|----------|---------------------------------------|---------------|-------------|----|-------|
| ZN-41106 | Black Rubber                          | E27 GLS x 20▲ | 10W max LED | 44 |       |
| ZN-41126 | 22 x 1W E27 LED Lamps   2700K   Clear |               |             |    |       |

# pan

## DRIVE OVER GROUND LIGHT

### FEATURES:

- Stainless steel construction with robust glass lens
- Minimum void: 115mm
- Cable length: 300mm



Stainless Steel

▲ lamps not included – GU10 lamps available on page 252


|                     | FINISH          | LAMP      | WATTS      | IP | CLASS |
|---------------------|-----------------|-----------|------------|----|-------|
| <b>ZN-20965-SST</b> | Stainless Steel | GU10 x 1▲ | 7W max LED | 67 | ⚡     |
| <b>ZN-20965-BLK</b> | Black           | GU10 x 1▲ | 7W max LED | 67 | ⚡     |

# pan

## GROUND LIGHT

### FEATURES:

- Die-cast aluminium construction with glass lens
- Minimum void: 115mm
- Cable length: 300mm



Black

▲ lamps not included – GU10 lamps available on page 252



|                     | FINISH | LAMP      | WATTS      | IP | CLASS |
|---------------------|--------|-----------|------------|----|-------|
| <b>ZN-29184-BLK</b> | Black  | GU10 x 1▲ | 7W max LED | 67 | ⚡     |

# scout

## LED SURFACE MOUNT GROUND LIGHT

### FEATURES:

- Die-cast aluminium construction
- Cool white illumination



Black

|                     | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|---------------------|--------|--------------|-------|-----|------|----|-------|
| <b>ZN-29997-BLK</b> | Black  | Integral LED | 4W    | 160 | 4000 | 67 | ⚡     |
| <b>ZN-35738-BLK</b> | Black  | Integral LED | 3W    | 100 | 4000 | 67 | ⚡     |




# rennes

## LED GUIDE LIGHTS

### FEATURES:

- Die-cast aluminium construction
- Cool white illumination




|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|--------------|--------|--------------|-------|-----|------|----|-------|
| ZN-38622-BLK | Black  | Integral LED | 10W   | 280 | 4000 | 54 | ⚡     |

# onza

## LED GUIDE LIGHT

**FEATURES:**

- Die-cast aluminium construction
- Push-fit connector
- Available in 11cm/16cm round sizes
- Cool white illumination



Black


|                     | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|---------------------|--------|--------------|-------|-----|------|----|-------|
| <b>ZN-44236-BLK</b> | Black  | Integral LED | 3     | 118 | 4000 | 54 | ⚡     |
| <b>ZN-44237-BLK</b> | Black  | Integral LED | 6     | 270 | 4000 | 54 | ⚡     |

# puya

## LED GUIDE LIGHT

**FEATURES:**

- Die-cast aluminium construction
- Push-fit connector
- Available in 10cm/16cm square sizes
- Cool white illumination



Anthracite

|                      | FINISH     | LAMP         | WATTS | LM  | K    | IP | CLASS |
|----------------------|------------|--------------|-------|-----|------|----|-------|
| <b>ZN-44238-ANTH</b> | Anthracite | Integral LED | 3     | 116 | 4000 | 54 | ⚡     |
| <b>ZN-44239-ANTH</b> | Anthracite | Integral LED | 6     | 260 | 4000 | 54 | ⚡     |

# Coastal Lighting

Designed for coastal durability. Resilient and stylish.

Inspired by clean lines and contemporary coastal design, the Coast range includes a comprehensive selection of outdoor lighting styles from lanterns and up/down wall lights to lanterns with PIR sensors, bulkheads, guide lights and LED floodlights.

This range – which uses corrosion resistant materials – is purpose – built for seaside and coastal environments and is designed to resist harsh weather conditions and corrosion.

Built to perform and designed to impress, Coast delivers effortless elegance with every installation.



# Coastal Lighting



CZ-25144-BLK-65  
P.85



CZ-31744-BLK-65  
P.85



CZ-25143-BLK-65  
P.85



CZ-29319-SST  
P.86



CZ-29320-SST  
P.87



CZ-29321-SST  
P.87



CZ-35704-BLK  
P.88



CZ-35705-BLK  
P.88



CZ-37502-RUST  
P.89



CZ-44225-BLK  
P.90



CZ-44226-BLK  
P.90



CZ-31752-BLK  
P.91



CZ-31747-BLK  
P.91



CZ-38639-BLK  
P.92



CZ-31746-BLK  
P.92



CZ-25145-BLK  
P.93



CZ-25150-BLK  
P.93



CZ-25148-BLK  
P.93



CZ-31748-BLK  
P.94



CZ-26743-BLK  
P.94



CZ-35742-BLK  
P.95



CZ-34014-BLK  
P.96



CZ-34015-BLK  
P.96



CZ-34016-BLK  
P.97



CZ-34017-BLK  
P.97



CZ-20947-BLK  
P.98



CZ-25142-BLK  
P.98



CZ-33397-BLK  
P.98



CZ-29191-ATR  
P.99



CZ-29192-ATR  
P.99



CZ-29193-ATR  
P.99



CZ-31806-BLK  
P.99




# neso

## UP/DOWN WALL LIGHT

FEATURES:

- Polycarbonate and ABS construction
- Corrosion resistant



▲ lamps not included – GU10 lamps available on page 252


|                 | FINISH | LAMP       | WATTS      | IP | CLASS |
|-----------------|--------|------------|------------|----|-------|
| CZ-25144-BLK-65 | Black  | GU10 x 2 ▲ | 7W max LED | 65 |       |

# neso

## UP/DOWN WALL LIGHT WITH PIR

FEATURES:

- Polycarbonate and ABS construction
- Corrosion resistant
- PIR sensor
- Up to 12m detection distance
- 10secs to 5mins timer



▲ lamps not included – GU10 lamps available on page 252


|                 | FINISH | LAMP       | WATTS      | IP | CLASS |
|-----------------|--------|------------|------------|----|-------|
| CZ-31744-BLK-65 | Black  | GU10 x 2 ▲ | 7W max LED | 65 |       |

# neso

## DOWNLIGHT

FEATURES:

- Polycarbonate and ABS construction
- Corrosion resistant
- Can be used as up or down light



▲ lamps not included – GU10 lamps available on page 252

|                 | FINISH | LAMP       | WATTS      | IP | CLASS |
|-----------------|--------|------------|------------|----|-------|
| CZ-25143-BLK-65 | Black  | GU10 x 1 ▲ | 7W max LED | 65 |       |






# islay

## UP/DOWN WALL LIGHT WITH PIR

**FEATURES:**

- Marine grade stainless steel (316) construction
- Corrosion resistant
- Push-fit connector
- PIR sensor
- Adjustable LUX and timer
- Up to 6m detection distance
- 8secs to 5mins timer



Anthracite

▲ lamps not included – GU10 lamps available on page 252


|               | FINISH          | LAMP       | WATTS      | IP | CLASS |
|---------------|-----------------|------------|------------|----|-------|
| CZ-29319-SST  | Stainless Steel | GU10 x 2 ▲ | 7W max LED | 44 |       |
| CZ-29319-BLK  | Black           | GU10 x 2 ▲ | 7W max LED | 44 |       |
| CZ-29319-ANTH | Anthracite      | GU10 x 2 ▲ | 7W max LED | 44 |       |

# islay

## UP/DOWN WALL LIGHT

### FEATURES:

- Marine grade stainless steel (316) construction
- Corrosion resistant
- Push-fit connector
- 3 colour options



Stainless Steel

▲ lamps not included – GU10 lamps available on page 252



|               | FINISH          | LAMP       | WATTS      | IP | CLASS |
|---------------|-----------------|------------|------------|----|-------|
| CZ-29320-SST  | Stainless Steel | GU10 x 2 ▲ | 7W max LED | 44 |       |
| CZ-29320-BLK  | Black           | GU10 x 2 ▲ | 7W max LED | 44 |       |
| CZ-29320-ANTH | Anthracite      | GU10 x 2 ▲ | 7W max LED | 44 |       |

# islay

## DOWNLIGHT

### FEATURES:

- Marine grade stainless steel (316) construction
- Corrosion resistant
- Push-fit connector
- Fully adjustable head
- 3 colour options



Anthracite

▲ lamps not included – GU10 lamps available on page 252


|               | FINISH          | LAMP       | WATTS      | IP | CLASS |
|---------------|-----------------|------------|------------|----|-------|
| CZ-29321-SST  | Stainless Steel | GU10 x 1 ▲ | 7W max LED | 44 |       |
| CZ-29321-BLK  | Black           | GU10 x 1 ▲ | 7W max LED | 44 |       |
| CZ-29321-ANTH | Anthracite      | GU10 x 1 ▲ | 7W max LED | 44 |       |



# iona

DOWNLIGHT

- FEATURES:
- ABS construction
  - Corrosion resistant




▲ lamps not included – GU10 lamps available on page 252

|              | FINISH | LAMP       | WATTS      | IP | CLASS |
|--------------|--------|------------|------------|----|-------|
| CZ-35704-BLK | Black  | GU10 x 1 ▲ | 5W max LED | 44 |       |

# iona

UP/DOWN LIGHT

- FEATURES:
- ABS construction
  - Corrosion resistant



▲ lamps not included – GU10 lamps available on page 252

|              | FINISH | LAMP       | WATTS      | IP | CLASS |
|--------------|--------|------------|------------|----|-------|
| CZ-35705-BLK | Black  | GU10 x 2 ▲ | 5W max LED | 44 |       |



Rust


▲ lamps not included – GU10 lamps available on page 252

# arbo

CARBON FIBRE  
UP/DOWN LIGHT

- FEATURES:
- Carbon fibre construction
  - Corrosion resistant


|               | FINISH     | LAMP       | WATTS      | IP | CLASS |
|---------------|------------|------------|------------|----|-------|
| CZ-37502-RUST | Rust       | GU10 x 2 ▲ | 7W max LED | 44 |       |
| CZ-37502-ANTH | Anthracite | GU10 x 2 ▲ | 7W max LED | 44 |       |



# batsu

LED WALL LIGHT

- FEATURES:**
- Polycarbonate construction
  - Corrosion resistant
  - Cool white illumination




Black

|              | FINISH | LAMP         | WATTS | LM   | K    | IP | CLASS |
|--------------|--------|--------------|-------|------|------|----|-------|
| CZ-44225-BLK | Black  | Integral LED | 12W   | 1200 | 4000 | 65 |       |

# batsu

LED WALL LIGHT WITH PIR

- FEATURES:**
- Polycarbonate construction
  - Corrosion resistant
  - Cool white illumination
  - PIR sensor
  - Up to 10m detection distance
  - 10secs to 10mins timer




Black

|              | FINISH | LAMP         | WATTS | LM   | K    | IP | CLASS |
|--------------|--------|--------------|-------|------|------|----|-------|
| CZ-44226-BLK | Black  | Integral LED | 12W   | 1200 | 4000 | 65 |       |

# poole

LED WALL LIGHT

- FEATURES:**
- Polycarbonate and ABS construction
  - Corrosion resistant
  - Cool white illumination




Black

|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS                                                                               |
|--------------|--------|--------------|-------|-----|------|----|-------------------------------------------------------------------------------------|
| CZ-31752-BLK | Black  | Integral LED | 5W    | 300 | 4000 | 65 |  |

# poole

WALL LIGHT WITH PIR

- FEATURES:**
- Polycarbonate and ABS construction
  - Corrosion resistant
  - Cool white illumination
  - PIR sensor
  - Up to 8m detection distance
  - 7secs to 8mins timer




Black

|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS                                                                                 |
|--------------|--------|--------------|-------|-----|------|----|---------------------------------------------------------------------------------------|
| CZ-31747-BLK | Black  | Integral LED | 5W    | 300 | 4000 | 65 |  |

# pilule

WALL LIGHT

- FEATURES:**
- Polycarbonate construction
  - Corrosion resistant
  - Can be fitted up/down/side-ways




▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS |
|--------------|--------|---------------|-------------|----|-------|
| CZ-38639-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 54 |       |

# luton

LED WALL LIGHT

- FEATURES:**
- Polycarbonate and ABS construction
  - Corrosion resistant
  - Cool white illumination




|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|--------------|--------|--------------|-------|-----|------|----|-------|
| CZ-31746-BLK | Black  | Integral LED | 12W   | 648 | 4000 | 55 |       |



# bianca

WALL LANTERN

- FEATURES:**
- Polycarbonate construction
  - Corrosion resistant
  - Can be mounted as an uplight or downlight



Black


▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP         | WATTS       | IP | CLASS |
|--------------|--------|--------------|-------------|----|-------|
| CZ-25145-BLK | Black  | E27 GLS x 1▲ | 10W max LED | 44 |       |

# bianca

WALL LANTERN WITH PIR

- FEATURES:**
- Polycarbonate construction
  - Corrosion resistant
  - PIR sensor
  - Up to 8m detection distance
  - Manual override function



Black


▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP         | WATTS       | IP | CLASS |
|--------------|--------|--------------|-------------|----|-------|
| CZ-25150-BLK | Black  | E27 GLS x 1▲ | 10W max LED | 44 |       |

# bianca

POST LANTERN

- FEATURES:**
- Polycarbonate construction
  - Corrosion resistant
  - Three height options: 460/860/1260mm



Black


▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP         | WATTS       | IP | CLASS |
|--------------|--------|--------------|-------------|----|-------|
| CZ-25148-BLK | Black  | E27 GLS x 1▲ | 10W max LED | 44 |       |

# athena

LANTERN

- FEATURES:**
- Polycarbonate construction
  - Vintage style half lantern
  - Corrosion resistant



Black


▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP         | WATTS       | IP | CLASS |
|--------------|--------|--------------|-------------|----|-------|
| CZ-31748-BLK | Black  | E27 GLS x 1▲ | 10W max LED | 44 |       |

# athena

LANTERN WITH PIR

- FEATURES:**
- Polycarbonate construction
  - Vintage style half lantern
  - Corrosion resistant
  - PIR sensor
  - Up to 8m detection distance
  - 10secs to 4mins timer



Black

▲ lamps not included – E27 lamps available on page 248


|              | FINISH | LAMP         | WATTS       | IP | CLASS |
|--------------|--------|--------------|-------------|----|-------|
| CZ-26743-BLK | Black  | E27 GLS x 1▲ | 10W max LED | 44 |       |



# jura

WALL LANTERN

- FEATURES:**
- ABS and polycarbonate construction
  - Corrosion resistant



Black

▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS                                                                                 |
|--------------|--------|---------------|-------------|----|---------------------------------------------------------------------------------------|
| CZ-35742-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 44 |  |




# turus

## LED ROUND BULKHEAD

**FEATURES:**

- Polycarbonate construction
- Corrosion resistant
- Push-fit connectors
- 3 selectable colour temperatures



Black

\* features an onboard switch that allows you to adjust the colour temperature between specified values.


|              | FINISH | LAMP         | WATTS | LM   | K               | IP | CLASS |
|--------------|--------|--------------|-------|------|-----------------|----|-------|
| CZ-34014-BLK | Black  | Integral LED | 15    | 1600 | 3000/4000/6000* | 65 |       |

# turus

## LED ROUND BULKHEAD WITH PIR

**FEATURES:**

- Polycarbonate construction
- Corrosion resistant
- Push-fit connectors
- 3 selectable colour temperatures
- PIR sensor
- Up to 7m detection distance
- 30secs to 45secs timer



PIR  
Sensor



Black

\* features an onboard switch that allows you to adjust the colour temperature between specified values.


|              | FINISH | LAMP         | WATTS | LM   | K               | IP | CLASS |
|--------------|--------|--------------|-------|------|-----------------|----|-------|
| CZ-34015-BLK | Black  | Integral LED | 15    | 1500 | 3000/4000/6000* | 65 |       |

# turus

## LED OVAL BULKHEAD

### FEATURES:

- Polycarbonate construction
- Corrosion resistant
- Push-fit connectors
- 3 selectable colour temperatures



Black

\* features an onboard switch that allows you to adjust the colour temperature between specified values.


|              | FINISH | LAMP         | WATTS | LM   | K               | IP | CLASS |
|--------------|--------|--------------|-------|------|-----------------|----|-------|
| CZ-34016-BLK | Black  | Integral LED | 15    | 1600 | 3000/4000/6000* | 65 |       |

# turus

## LED OVAL BULKHEAD WITH PIR

### FEATURES:

- Polycarbonate construction
- Corrosion resistant
- Push-fit connectors
- 3 selectable colour temperatures
- PIR sensor
- Up to 7m detection distance
- 30secs to 45secs timer



PIR  
Sensor



Black

\* features an onboard switch that allows you to adjust the colour temperature between specified values.


|              | FINISH | LAMP         | WATTS | LM   | K               | IP | CLASS |
|--------------|--------|--------------|-------|------|-----------------|----|-------|
| CZ-34017-BLK | Black  | Integral LED | 15    | 1500 | 3000/4000/6000* | 65 |       |



# mars

ROUND BULKHEAD

- FEATURES:**
- Durable polycarbonate construction
  - Glass cover with protective grille
  - Corrosion resistant



Black


▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS |
|--------------|--------|---------------|-------------|----|-------|
| CZ-20947-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 44 |       |

# puck

OVAL EYELID BULKHEAD

- FEATURES:**
- Durable polycarbonate construction
  - Glass cover with protective grille
  - Corrosion resistant



Black


▲ lamps not included – E27 lamps available on page 248

|              | FINISH | LAMP          | WATTS       | IP | CLASS |
|--------------|--------|---------------|-------------|----|-------|
| CZ-25142-BLK | Black  | E27 GLS x 1 ▲ | 10W max LED | 44 |       |

# cano

LED BULKHEAD WITH PIR

- FEATURES:**
- Polycarbonate construction
  - Corrosion resistant
  - Cool white illumination
  - PIR sensor
  - Up to 8m detection distance



PIR Sensor



Black

|              | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|--------------|--------|--------------|-------|-----|------|----|-------|
| CZ-33397-BLK | Black  | Integral LED | 8W    | 400 | 4000 | 54 |       |



CZ-29191-ATR



CZ-29192-ATR



CZ-29193-ATR




## breez

### LED BRICK/GUIDE LIGHTS

#### FEATURES:

- Polycarbonate construction
- Corrosion resistant
- A2 cable entry, loop in loop out
- Cool white illumination

|              | FINISH     | LAMP         | WATTS | LM  | K    | IP | CLASS                                                                               |
|--------------|------------|--------------|-------|-----|------|----|-------------------------------------------------------------------------------------|
| CZ-29191-ATR | Anthracite | Integral LED | 5W    | 320 | 4000 | 65 |  |
| CZ-29192-ATR | Anthracite | Integral LED | 3W    | 289 | 4000 | 65 |  |
| CZ-29193-ATR | Anthracite | Integral LED | 2W    | 182 | 4000 | 65 |  |





## wells

### SPIKE LIGHT

#### FEATURES:

- Polycarbonate construction
- Corrosion resistant
- Detachable ground spike
- Adjustable head
- Can be deck mounted
- 400mm cable length



ZN-41157



ZN-41158

IP68 cable  
connectors  
sold separately



Black

▲ lamps not included – GU10 lamps available on page 252

|              | FINISH | LAMP       | WATTS      | IP | CLASS                                                                                 |
|--------------|--------|------------|------------|----|---------------------------------------------------------------------------------------|
| CZ-31806-BLK | Black  | GU10 x 1 ▲ | 7W max LED | 65 |  |

# Outdoor Heating

Stay warm in style.


Forum's Heater range combines sleek design with powerful performance, delivering instant heat wherever it is needed. Built for comfort and efficiency, these heaters are perfect for extending evenings outdoors or adding a touch of warmth indoors.

With modern finishes and energy-conscious technology, the range offers a smart solution for every space.

# Outdoor Heating



ZR-32298-BLK  
P.102



ZR-32299-BLK  
P.102



ZR-32297-BLK  
P.102



ZR-32302-BLK  
P.103



ZR-32301-BLK  
P.104



ZR-32328-BLK  
P.104



ZR-37444-BLK  
P.105



ZR-37443-BLK  
P.105



ZR-38831-SIL  
P.106



ZR-38834-BLK  
P.107



ZR-38156-BLK  
P.108



ZR-38155-SIL  
P.108



ZR-32300-BLK  
P.109



ZR-37442-GMTL  
P.109



ZR-38532-SIL  
P.110



ZR-38833-BLK  
P.111



ZR-37441-BLK  
P.112



ZR-37445-BLK  
P.113




ZR-37448-BLK  
P.113

# blaze

## WALL MOUNTED PATIO HEATER

**FEATURES:**

- 1800W carbon fibre heating element
- Pull ON/OFF switch
- Wall or stand mounted
- Tip over safety switch
- Heat coverage approx 12m²
- Outdoor use only
- Stand not included (ZR-32303)




|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-32298-BLK | Black  | 1800W | 1.8m         | 44 |       |

# blaze

## WALL MOUNTED PATIO HEATER WITH LED LIGHTS

**FEATURES:**

- 1800W carbon fibre heating element
- Remote control operated
- Wall or stand mounted
- Tip over safety switch
- Heat coverage approx 12m²
- Outdoor use only
- 2 x 2W integrated LED lamps
- Stand not included (ZR-32303)



|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-32299-BLK | Black  | 1800W | 1.8m         | 44 |       |




# blaze

## WALL MOUNTED PATIO HEATER

**FEATURES:**

- 3 quartz heating elements
- 3 variable heat settings
- Pull switch
- Wall or stand mounted
- Tip over safety switch
- Heat coverage approx 12m²
- Outdoor use only
- Stand not included (ZR-32303)



Black




|              | FINISH | POWER          | CABLE LENGTH | IP | CLASS |
|--------------|--------|----------------|--------------|----|-------|
| ZR-32297-BLK | Black  | 650/1300/2000W | 1.8m         | 24 |       |

# blaze

## OPTIONAL STAND FOR MOUNTED HEATERS

**FEATURES:**

- Adjustable height
- Cable tidy clips



Black


|              | FINISH | DIMENSIONS         |
|--------------|--------|--------------------|
| ZR-32302-BLK | Black  | H:1700mm DIA:410mm |

# glow

## WALL MOUNTED PATIO HEATER WITH REMOTE CONTROL

**FEATURES:**

- 3000W carbon fibre heating element with replaceable tubes
- Remote control operated
- 3 variable heat settings
- 1-9 hour timer
- Heat coverage approx 20m²
- Outdoor use only




|              | FINISH | POWER           | CABLE LENGTH | IP | CLASS |
|--------------|--------|-----------------|--------------|----|-------|
| ZR-32301-BLK | Black  | 1000/2000/3000W | 1.8m         | 24 |       |

# indoor/outdoor

## WALL MOUNTED HEATER WITH 24HR TIMER

**FEATURES:**

- Remote control operated
- 4 variable heat settings
- 24 hour timer
- Can be mounted horizontal or vertical
- Tip over safety switch
- Overheat protection
- Heat coverage approx 12m²
- Ideal for indoor and outdoor use




|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-32328-BLK | Black  | 2000W | Xm           | 55 |       |

# flint

WALL MOUNTED HEATER  
WITH BLUETOOTH SPEAKER

FEATURES:

- Remote control operated
- 3 variable heat settings
- Bluetooth speaker
- Heat coverage approx 12m<sup>2</sup>
- Outdoor use only



Black




|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-37444-BLK | Black  | 2000W | 1.5m         | X5 |       |

# jet


CEILING MOUNTED HEATER  
WITH PIR

FEATURES:

- Remote control operated
- 3 variable heat settings
- Economy mode
- 4 hour timer
- Can be hung from ceiling or wall mounted
- PIR motion sensor
- Up to 4m detection distance
- Heat coverage approx 25m<sup>2</sup>
- Outdoor use only



Black



|              | FINISH | POWER          | CABLE LENGTH | IP | CLASS |
|--------------|--------|----------------|--------------|----|-------|
| ZR-37443-BLK | Black  | 900/1900/2800W | 1.9m         | 55 |       |




# marl

## FLOOR STANDING PATIO HEATER

### FEATURES:

- Halogen heating elements
- Pull string switch
- 2 variable heat settings
- Tip over safety switch
- Heat coverage approx 20m²
- Outdoor use only




|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-38831-SIL | Silver | 2000W | 1.5m         | 34 |       |



# onyx

FLOOR STANDING PATIO HEATER

- FEATURES:**
- Halogen heating elements
  - Pull string switch
  - Tip over safety switch
  - Heat coverage approx 20m²
  - Outdoor use only



|              | FINISH | POWER | CABLE LENGTH | IP | CLASS                                                                                 |
|--------------|--------|-------|--------------|----|---------------------------------------------------------------------------------------|
| ZR-38834-BLK | Black  | 1500W | 1.7m         | 34 |  |



opal

FLOOR STANDING PATIO HEATER

- FEATURES:
- Free standing or wall mounted
  - 3 variable heat settings
  - Pull-string switch control
  - Tip over safety switch
  - Heat coverage approx 12m<sup>2</sup>
  - Outdoor use only
  - Stand included



Black

|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-38156-BLK | Black  | 2000W | 1.8m         | 44 |       |


coral

FLOOR STANDING PATIO HEATER

- FEATURES:
- Free standing
  - Single heat setting
  - Pull-string switch control
  - Tip over safety switch
  - Outdoor use only
  - Stand included



Silver




|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-38155-SIL | Silver | 1500W | 1.5m         | 34 |       |

# blaze

## FLOOR STANDING PATIO HEATER

FEATURES:

- Remote control operated
- Carbon fibre elements
- 3 variable heat settings
- Replaceable tubes
- Pull-string switch control
- Tip over safety switch
- Heat coverage approx 10m²
- Outdoor use only



3 Heat Settings



Black



|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-32300-BLK | Black  | 2000W | 1.5m         | 55 |       |

# amber

## FLOOR STANDING PATIO HEATER

FEATURES:

- Remote control operated (magnetic)
- 2 heat settings
- Carbon fibre heating technology
- PIR economy system
- Child lock
- Colour changing LED light
- Heat coverage approx 30m²
- Gunmetal hammered finish with fabric flocked grill
- Includes storage cover
- Outdoor use only



PIR Sensor



2 Heat Settings



Gunmetal



\* features an onboard switch that allows you to adjust the colour temperature between specified values.

|               | FINISH   | POWER      | CABLE LENGTH | WATTS | LM | K               | IP | CLASS |
|---------------|----------|------------|--------------|-------|----|-----------------|----|-------|
| ZR-37442-GMTL | Gunmetal | 1480/2960W | 1.9m         | 12W   | X  | 3000/4000/6000* | 55 |       |

# marl

PENDANT PATIO HEATER

- FEATURES:
- 3 variable heat settings
  - Halogen heating elements
  - Remote control operated
  - Integrated LED light
  - Heat coverage approx 12m<sup>2</sup>
  - Outdoor use only




|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-38532-SIL | Silver | 2000W | 1.5m         | 34 |       |

# coral

PENDANT PATIO HEATER

- FEATURES:
- Pull string switch
  - Halogen heating elements
  - Integrated LED light
  - Tip over safety switch
  - Heat coverage approx 12m<sup>2</sup>
  - Outdoor use only



|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-38529-SIL | Silver | 1500W | 1.5m         | 34 |       |




Black

onyx

PENDANT PATIO HEATER

- FEATURES:
- Halogen heating elements
  - Remote control operated
  - Integrated LED light
  - Heat coverage approx 15m²
  - Outdoor use only



|              | FINISH | POWER | CABLE LENGTH | IP | CLASS |
|--------------|--------|-------|--------------|----|-------|
| ZR-38833-BLK | Black  | 1500W | 1.6m         | 34 |       |






# harry

PORTABLE TABLE HEATER

- FEATURES:
- Carbon fibre tube
  - ON/OFF Switch
  - Fabric flocked vent areas
  - Heat coverage approx 4m<sup>2</sup>
  - Outdoor use only





|              | FINISH     | POWER | CABLE LENGTH | IP | CLASS |
|--------------|------------|-------|--------------|----|-------|
| ZR-37441-BLK | Matt Black | 1200W | 1.8m         | 45 |       |



# ruby

PARASOL PATIO HEATER

- FEATURES:**
- Ruby halogen heating elements
  - Aluminium diecast lamp casing
  - ON/OFF Switch
  - BS1363 plug
  - Heat coverage approx 12m²
  - Outdoor use only




|              | FINISH | POWER    | CABLE LENGTH | IP | CLASS |
|--------------|--------|----------|--------------|----|-------|
| ZR-37445-BLK | Black  | 4 x 450W | 1.5m         | X3 | ⚡     |

# topaz

PARASOL PATIO HEATER

- FEATURES:**
- Ruby halogen heating elements
  - Steel lamp casing
  - ON/OFF Switch
  - Each lamp individually switched
  - BS1363 plug
  - Heat coverage approx 10m²
  - Outdoor use only



|              | FINISH | POWER    | CABLE LENGTH | IP | CLASS |
|--------------|--------|----------|--------------|----|-------|
| ZR-37448-BLK | Black  | 2 x 800W | 1.6m         | X3 | ⚡     |



# Downlights

Precision illumination. Seamless integration.

Forum Lighting Solutions offers a refined range of downlights engineered for performance, versatility and architectural harmony. Whether you're designing for commercial, hospitality, retail or domestic spaces, our downlights deliver crisp, controlled illumination with a clean, modern aesthetic.

With a wide selection of apertures, beam spreads, and colour temperatures, our downlight solutions are built to meet the highest standards of visual comfort and energy efficiency. Decorative, fixed or adjustable - every fixture is designed to disappear into the ceiling while enhancing the space below.





# Downlights

|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|   |  |  |  |  |  |  |
| SPA-41111-SNIC<br>P.119                                                           | SPA-38572-ACOP<br>P.120                                                           | SPA-41112-BLK/<br>WHT P.121                                                       | SPA-38571-ACOP<br>P.121                                                           | ELA-27467-WHT<br>P.122                                                            | ELA-27465-CHR<br>P.123                                                             | ELA-27466-SBRS<br>P.123                                                             |
|  |  |  |  |  |                                                                                    |                                                                                     |
| SPA-45805-BRNZ<br>P.124                                                           | INL-38617-BLK<br>P.125                                                            | INL-38618-BRS<br>P.125                                                            | SPA-30841-MBLK<br>P.126                                                           | SPA-35726<br>P.127                                                                |                                                                                    |                                                                                     |







# eden


## TILTABLE FIRE-RATED DOWNLIGHT

### FEATURES:

- Stainless steel construction
- Fast-fit connector
- Can be tilted to 90°
- 3 selectable colour temperatures
- 5 colour options available

\* features an onboard switch that allows you to adjust the colour temperature between specified values.

|                | FINISH       | LAMP         | WATTS | LM  | K               | IP | CUTOUT | CLASS                                                                                 | DIMMABLE |
|----------------|--------------|--------------|-------|-----|-----------------|----|--------|---------------------------------------------------------------------------------------|----------|
| SPA-41111-WHT  | White        | Integral LED | 7W    | 700 | 3000/4000/6000* | 65 | 70mm   |  | ✓        |
| SPA-41111-BLK  | Black        | Integral LED | 7W    | 700 | 3000/4000/6000* | 65 | 70mm   |  | ✓        |
| SPA-41111-CLR  | Chrome       | Integral LED | 7W    | 700 | 3000/4000/6000* | 65 | 70mm   |  | ✓        |
| SPA-41111-SBRS | Satin Brass  | Integral LED | 7W    | 700 | 3000/4000/6000* | 65 | 70mm   |  | ✓        |
| SPA-41111-SNIC | Satin Nickel | Integral LED | 7W    | 700 | 3000/4000/6000* | 65 | 70mm   |  | ✓        |






# rhom

FIXED FIRE-RATED  
DOWNLIGHT

- FEATURES:**
- Fast-fit connector
  - 3 selectable colour temperatures
  - 7 colour options available

\* features an onboard switch that allows you to adjust the colour temperature between specified values.


|                | FINISH         | LAMP         | WATTS | LM  | K               | IP | CUTOUT | CLASS | DIMMABLE |
|----------------|----------------|--------------|-------|-----|-----------------|----|--------|-------|----------|
| SPA-38572-ACOP | Antique Copper | Integral LED | 8W    | 900 | 3000/4000/6000* | 65 | 70mm   |       | ✓        |
| SPA-38572-BCHR | Brushed Chrome | Integral LED | 8W    | 900 | 3000/4000/6000* | 65 | 70mm   |       | ✓        |
| SPA-38572-CHR  | Chrome         | Integral LED | 8W    | 900 | 3000/4000/6000* | 65 | 70mm   |       | ✓        |
| SPA-38572-MWHT | Matt White     | Integral LED | 8W    | 900 | 3000/4000/6000* | 65 | 70mm   |       | ✓        |
| SPA-38572-SBLK | Satin Black    | Integral LED | 8W    | 900 | 3000/4000/6000* | 65 | 70mm   |       | ✓        |
| SPA-38572-SBRS | Satin Brass    | Integral LED | 8W    | 900 | 3000/4000/6000* | 65 | 70mm   |       | ✓        |
| SPA-38572-SNIC | Satin Nickel   | Integral LED | 8W    | 900 | 3000/4000/6000* | 65 | 70mm   |       | ✓        |



# jenn

ANTI-GLARE FIRE-RATED  
DOWNLIGHT

- FEATURES:**
- Anti-glare reflector
  - Fast-fit connector
  - 3 selectable colour temperatures
  - Supplied with black and white bezels
  - 60° beam angle




\* features an onboard switch that allows you to adjust the colour temperature between specified values.

|                   | FINISH      | LAMP         | WATTS | LM  | K               | IP | CUTOUT | CLASS | DIMMABLE |
|-------------------|-------------|--------------|-------|-----|-----------------|----|--------|-------|----------|
| SPA-41112-BLK/WHT | Black/White | Integral LED | 8W    | 900 | 3000/4000/6000* | 65 | 70mm   |       | ✓        |

# como

TILTABLE FIRE-RATED  
DOWNLIGHT

- FEATURES:**
- Super low 30mm profile
  - Fast-fit connector
  - Cool white illumination
  - 60° beam angle
  - 25° max tilt angle
  - 5 colour options available



|                | FINISH         | LAMP         | WATTS | LM  | K    | IP | CUTOUT | CLASS | DIMMABLE |
|----------------|----------------|--------------|-------|-----|------|----|--------|-------|----------|
| SPA-38571-CHR  | Chrome         | Integral LED | 5W    | 500 | 4000 | 65 | 70mm   |       | ✓        |
| SPA-38571-ACOP | Antique Copper | Integral LED | 5W    | 500 | 4000 | 65 | 70mm   |       | ✓        |
| SPA-38571-MWHT | Matt White     | Integral LED | 5W    | 500 | 4000 | 65 | 70mm   |       | ✓        |
| SPA-38571-SBLK | Satin Black    | Integral LED | 5W    | 500 | 4000 | 65 | 70mm   |       | ✓        |
| SPA-38571-SBRS | Satin Brass    | Integral LED | 5W    | 500 | 4000 | 65 | 70mm   |       | ✓        |




▲ lamps not included – GU10 lamps available on page 252

# yate

FIXED IP65 FIRE-RATED  
DOWNLIGHT

- FEATURES:**
- Diecast aluminium construction
  - 30/60/90 minutes fire protection
  - Fast-fit connector box
  - 6 colour options available

|                | FINISH       | LAMP       | WATTS      | IP | CUTOUT | CLASS |
|----------------|--------------|------------|------------|----|--------|-------|
| ELA-27467-WHT  | White        | GU10 x 1 ▲ | 7W max LED | 65 | 72mm   |       |
| ELA-27467-CHR  | Chrome       | GU10 x 1 ▲ | 7W max LED | 65 | 72mm   |       |
| ELA-27467-BCHR | Black Chrome | GU10 x 1 ▲ | 7W max LED | 65 | 72mm   |       |
| ELA-27467-SCHR | Satin Chrome | GU10 x 1 ▲ | 7W max LED | 65 | 72mm   |       |
| ELA-27467-MBLK | Matt Black   | GU10 x 1 ▲ | 7W max LED | 65 | 72mm   |       |
| ELA-27467-SBRS | Satin Brass  | GU10 x 1 ▲ | 7W max LED | 65 | 72mm   |       |







▲ lamps not included – GU10 lamps available on page 252



# yate

FIXED/ADJUSTABLE  
FIRE-RATED DOWNLIGHT

## FEATURES:

- Diecast aluminium construction
- Suitable for homes with low ceilings
- Fixed or adjustable option
- 30/60/90 minutes fire protection
- Fast-fit connector box
- 24° max tilt angle
- 6 colour options available

| FINISH       | FIXED          | CUTOUT | ADJUSTABLE     | CUTOUT | LAMP       | WATTS      | IP | CLASS                                                                                 |
|--------------|----------------|--------|----------------|--------|------------|------------|----|---------------------------------------------------------------------------------------|
| White        | ELA-27465-WHT  | 72mm   | ELA-27466-WHT  | 85mm   | GU10 x 1 ▲ | 7W max LED | 20 |  |
| Chrome       | ELA-27465-CHR  | 72mm   | ELA-27466-CHR  | 85mm   | GU10 x 1 ▲ | 7W max LED | 20 |  |
| Black Chrome | ELA-27465-BCHR | 72mm   | ELA-27466-BCHR | 85mm   | GU10 x 1 ▲ | 7W max LED | 20 |  |
| Satin Chrome | ELA-27465-SCHR | 72mm   | ELA-27466-SCHR | 85mm   | GU10 x 1 ▲ | 7W max LED | 20 |  |
| Matt Black   | ELA-27465-MBLK | 72mm   | ELA-27466-MBLK | 85mm   | GU10 x 1 ▲ | 7W max LED | 20 |  |
| Satin Brass  | ELA-27465-SBRS | 72mm   | ELA-27466-SBRS | 85mm   | GU10 x 1 ▲ | 7W max LED | 20 |  |





▲ lamps not included – GU10 lamps available on page 252


# eros

## ROUND TILTABLE FIRE-RATED DOWNLIGHT

### FEATURES:

- Fast-fit connectors
- 26° max tilt angle
- 7 colour options available

|                | FINISH         | LAMP       | WATTS      | IP | CUTOUT | CLASS                                                                                 |
|----------------|----------------|------------|------------|----|--------|---------------------------------------------------------------------------------------|
| SPA-45805-BRNZ | Bronze         | GU10 x 1 ▲ | 7W max LED | 65 | 75mm   |  |
| SPA-45805-BCHR | Brushed Chrome | GU10 x 1 ▲ | 7W max LED | 65 | 75mm   |  |
| SPA-45805-CHR  | Chrome         | GU10 x 1 ▲ | 7W max LED | 65 | 75mm   |  |
| SPA-45805-WHT  | White          | GU10 x 1 ▲ | 7W max LED | 65 | 75mm   |  |
| SPA-45805-BLK  | Black          | GU10 x 1 ▲ | 7W max LED | 65 | 75mm   |  |
| SPA-45805-SBRS | Satin Brass    | GU10 x 1 ▲ | 7W max LED | 65 | 75mm   |  |
| SPA-45805-SNIC | Satin Nickel   | GU10 x 1 ▲ | 7W max LED | 65 | 75mm   |  |





▲ lamps not included – GU10 lamps available on page 252


# pasto

SINGLE/DOUBLE  
ADJUSTABLE DOWNLIGHT

## FEATURES:

- Diecast aluminium construction
- 24° max tilt angle
- 4 colour options available

| FINISH          | SINGLE        | LAMP       | CUTOUT | DOUBLE        | LAMP       | CUTOUT     | WATTS      | IP | CLASS |
|-----------------|---------------|------------|--------|---------------|------------|------------|------------|----|-------|
| Black           | INL-38617-BLK | GU10 x 1 ▲ | 80mm   | INL-38618-BLK | GU10 x 2 ▲ | 80 x 160mm | 7W max LED | 20 | ⚡     |
| White           | INL-38617-WHT | GU10 x 1 ▲ | 80mm   | INL-38618-WHT | GU10 x 2 ▲ | 80 x 160mm | 7W max LED | 20 | ⚡     |
| Polished Silver | INL-38617-SIL | GU10 x 1 ▲ | 80mm   | INL-38618-SIL | GU10 x 2 ▲ | 80 x 160mm | 7W max LED | 20 | ⚡     |
| Polished Brass  | INL-38617-BRS | GU10 x 1 ▲ | 80mm   | INL-38618-BRS | GU10 x 2 ▲ | 80 x 160mm | 7W max LED | 20 | ⚡     |





▲ lamps not included – GU10 lamps available on page 252


# cali

## TILTABLE DOWNLIGHT

**FEATURES:**

- Die-cast aluminium construction with glass lens
- Adjustable tilt 25° max
- 6 colour options available

|                 | FINISH         | LAMP       | WATTS      | IP | CUTOUT | CLASS |
|-----------------|----------------|------------|------------|----|--------|-------|
| SPA-30841-BRCOP | Brushed Copper | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-30841-MWHT  | Matt White     | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-30841-MBLK  | Matt Black     | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-30842-CHR   | Chrome         | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-30842-SBRS  | Satin Brass    | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-30842-SCHR  | Satin Chrome   | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |





▲ lamps not included – GU10 lamps available on page 252



# cali

## SQUARE TILTABLE DOWNLIGHT

### FEATURES:

- Die-cast aluminium construction with glass lens
- Adjustable tilt 25° max
- 6 colour options available


|                 | FINISH         | LAMP       | WATTS      | IP | CUTOUT | CLASS |
|-----------------|----------------|------------|------------|----|--------|-------|
| SPA-38577-BRCOP | Brushed Copper | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-35724       | Matt White     | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-35725       | Matt Black     | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-35727       | Chrome         | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-35723       | Satin Brass    | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |
| SPA-35726       | Satin Nickel   | GU10 x 1 ▲ | 7W max LED | 65 | 78mm   |       |





# Bathroom Zoning

All bathroom lighting installations must comply to the guidelines set out in Amendment 1 of the 17th edition of the IEE Wiring Regulations (BS7671). The bathroom is divided into zones, with prescribed minimum IP ratings for the light fittings in each zone. To illustrate IP zoning regulations, the bathroom area is divided up into areas or 'ZONES'. Light fittings are then assigned an 'IP rating' which indicates how much protection they provide against ingress of water and other particles. Each zone has a minimum IP requirement that must be met if a fitting is to be installed in this area.



## Zone 0 $\geq$ IPX7

Inside bath or shower. Only 12V AC rms or 30V ripple-free DC SELV fittings with a minimum rating of IPX7 (protected against immersion in water). Transformers must be sited outside Zones 0,1,2.

## Zone 2 $\geq$ IPX4

Covers an area 0.6 metres wide immediately next to, and all around Zone 1. The 60cm area around washbasins should also be treated as zone 2. The minimum rating is IPX4. If there is a likelihood of water jets being used for cleaning purposes in Zone 2, a minimum of IPX5 is required.

## Zone 1 $\geq$ IPX5

The area above the bath or shower up to a height of 2.25 metres. Fittings must be rated at IPX5 or higher (protected from jets of water).

## Outside Zones 0, 1 & 2

Covers any area outside Zones 0, 1 and 2. There is no IP requirement in this zone. Bathrooms are allowed to contain a socket outlet, this must be located 3 metres outside Zone 1. Lighting circuits and any socket-outlet circuit in a room containing a bath and/or shower must be provided with 30mA RCD protection.



# Bathroom Lighting

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |    |
| SPA-34047-CHR<br>P.133                                                              | SPA-34050-SBLK<br>P.133                                                             | SPA-34008-WHT<br>P.135                                                              | SPA-36129-CHR<br>P.136                                                              | SPA-20829-BLK<br>P.137                                                              | SPA-35836-SBRS<br>P.137                                                              | SPA-41296-CHR<br>P.138                                                                |
|    |    |    |    |    |    |    |
| SPA-39650-CHR<br>P.139                                                              | SPA-36130-MBLK<br>P.140                                                             | SPA-41694-SNICK<br>P.141                                                            | SPA-41053-CHR<br>P.142                                                              | SPA-41074-CHR<br>P.143                                                              | SPA-41159-CHR<br>P.143                                                               | SPA-35814-BLK<br>P.145                                                                |
|    |    |    |    |    |    |    |
| SPA-35812-BLK<br>P.145                                                              | SPA-31309-CHR<br>P.146                                                              | SPA-31306-CHR<br>P.146                                                              | SPA-37477-ABRS<br>P.147                                                             | SPA-37509-ABRS<br>P.147                                                             | SPA-41223-CHR<br>P.147                                                               | SPA-27405-CHR<br>P.148                                                                |
|     |    |    |    |    |    |    |
| SPA-22560<br>P.149                                                                  | SPA-35080-CHR<br>P.150                                                              | SPA-35081-CHR<br>P.151                                                              | SPA-41029-MAR<br>P.152                                                              | SPA-41028-BLK<br>P.153                                                              | SPA-44466-CHR<br>P.154                                                               | SPA-31736-CHR<br>P.154                                                                |
|   |  |  |  |  |  |  |
| SPA-31737-CHR<br>P.155                                                              | SPA-6888.014<br>P.158                                                               | SPA-30993-CHR<br>P.159                                                              | SPA-PR-12744<br>P.160                                                               | SPA-39652-BLK<br>P.160                                                              | SPA-44384-CHR<br>P.160                                                               | SPA-35811-CHAMP<br>P.161                                                              |
|  |  |  |  |  |  |  |
| SPA-38576-TBLK<br>P.161                                                             | SPA-44379-CHR<br>P.163                                                              | SPA-31725-SBRS<br>P.164                                                             | SPA-31306-CHR<br>P.164                                                              | SPA-35812-BLK<br>P.164                                                              | SPA-35843-SBRS<br>P.165                                                              | SPA-PR-17146<br>P.165                                                                 |
|  |  |  |  |  |  |  |
| SPA-39778-BLK<br>P.165                                                              | SPA-37576-ABRS<br>P.166                                                             | SPA-PR-13145<br>P.166                                                               | SPA-45612-MBLK<br>P.167                                                             | SPA-35707<br>P.169                                                                  | SPA-45860-BLK<br>P.170                                                               | SPA-44396-BLK<br>P.171                                                                |



SPA-44482-SBRS  
P.172



SPA-44391  
P.173



SPA-44386  
P.173



SPA-44388  
P.174



SPA-44393  
P.174



SPA-34038  
P.175



SPA-34035  
P.175



SPA-19713-CHR  
P.176



SPA-20182-CHR  
P.176



SPA-24468-CHR  
P.177






# delphi

LED FLUSH

- FEATURES:**
- Glass opal diffuser
  - Cool white illumination
  - Available in 4 colour options




Satin Nickel

|                | FINISH       | LAMP         | WATTS | LM  | K    | IP | CLASS |
|----------------|--------------|--------------|-------|-----|------|----|-------|
| SPA-34047-CHR  | Chrome       | Integral LED | 18W   | 900 | 4000 | 44 | ⚡     |
| SPA-34047-SNIC | Satin Nickel | Integral LED | 18W   | 900 | 4000 | 44 | ⚡     |
| SPA-34047-BRS  | Brass        | Integral LED | 18W   | 900 | 4000 | 44 | ⚡     |
| SPA-34047-SBLK | Satin Black  | Integral LED | 18W   | 900 | 4000 | 44 | ⚡     |

# delphi

FLUSH

- FEATURES:**
- Glass opal diffuser
  - Available in 4 colour options



Satin Black

▲ lamps not included – E27 lamps available on page 248

|                | FINISH       | LAMP          | WATTS       | IP | CLASS |
|----------------|--------------|---------------|-------------|----|-------|
| SPA-34050-CHR  | Chrome       | E27 GLS x 2 ▲ | 10W max LED | 44 | ⚡     |
| SPA-34050-SNIC | Satin Nickel | E27 GLS x 2 ▲ | 10W max LED | 44 | ⚡     |
| SPA-34050-BRS  | Brass        | E27 GLS x 2 ▲ | 10W max LED | 44 | ⚡     |
| SPA-34050-SBLK | Satin Black  | E27 GLS x 2 ▲ | 10W max LED | 44 | ⚡     |





Colour temperature switch



# tauri


LED WALL/CEILING  
5 IN 1 FLUSH

## FEATURES:

- Super slim design: 15mm thickness
- Can be recessed, ceiling or wall mounted
- Push-fit, drag detach bracket
- Anti-drop hoop for safety installation
- Fast-fit connector
- 3 selectable colour temperatures
- 4 colour magnetic rings available

\* features an onboard switch that allows you to adjust the colour temperature between specified values.

|               | FINISH | LAMP         | WATTS | LM   | K               | IP | CUTOUT   | CLASS |
|---------------|--------|--------------|-------|------|-----------------|----|----------|-------|
| SPA-34008-WHT | White  | Integral LED | 6W    | 600  | 3000/4000/6000* | 44 | 55-125mm |       |
| SPA-35709     | White  | Integral LED | 12W   | 1200 | 3000/4000/6000* | 44 | 55-125mm |       |
| SPA-34009-WHT | White  | Integral LED | 18W   | 1800 | 3000/4000/6000* | 44 | 55-175mm |       |
| SPA-35710     | White  | Integral LED | 24W   | 2400 | 3000/4000/6000* | 44 | 60-250mm |       |



## Magnetic Ring Options

| 6W           |           | 12W          |           | 18W          |           | 24W          |           |
|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|
| Satin Nickel | SPA-34010 | Satin Nickel | SPA-35713 | Satin Nickel | SPA-34011 | Satin Nickel | SPA-35719 |
| Chrome       | SPA-34012 | Chrome       | SPA-35716 | Chrome       | SPA-34013 | Chrome       | SPA-35722 |
| Satin Black  | SPA-35711 | Satin Black  | SPA-35714 | Satin Black  | SPA-35717 | Satin Black  | SPA-35720 |
| Shiny Brass  | SPA-35712 | Shiny Brass  | SPA-35715 | Shiny Brass  | SPA-35718 | Shiny Brass  | SPA-35721 |




# chios

BATHROOM  
LED CEILING LIGHT

**FEATURES:**

- Cool white illumination
- Chrome finish
- Suitable for low ceilings



|               | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|---------------|--------|--------------|-------|-----|------|----|-------|
| SPA-36129-CHR | Chrome | Integral LED | 26W   | 900 | 4000 | 44 |       |

# crux


## BATHROOM 3 LIGHT CEILING LIGHT

FEATURES:

- Decorative tubular opal shades
- Suitable for low ceilings



▲ lamps not included – G9 lamps available on page 250



|                | FINISH      | LAMP     | WATTS      | IP | CLASS |
|----------------|-------------|----------|------------|----|-------|
| SPA-20829-SBRS | Satin Brass | G9 x 3 ▲ | 3W max LED | 44 | ⊕     |
| SPA-20829-MBLK | Matt Black  | G9 x 3 ▲ | 3W max LED | 44 | ⊕     |

# lindos


## BATHROOM 3 LIGHT CEILING LIGHT

FEATURES:

- Decorative round opal shades



▲ lamps not included – G9 lamps available on page 250



|                | FINISH      | LAMP     | WATTS      | IP | CLASS |
|----------------|-------------|----------|------------|----|-------|
| SPA-35836-SBRS | Satin Brass | G9 x 3 ▲ | 3W max LED | 44 | ⊕     |






▲ lamps not included – E27 lamps available on page 248

## quebec

BATHROOM  
CEILING LIGHT

### FEATURES:

- Glass ridged shade



|               | FINISH | LAMP          | WATTS       | IP | CLASS |
|---------------|--------|---------------|-------------|----|-------|
| SPA-41296-CHR | Chrome | E27 GLS x 1 ▲ | 10W max LED | 23 |       |



Black

▲ lamps not included – G9 lamps available on page 250



# ottawa

BATHROOM  
CEILING LIGHT

FEATURES:

- Glass tubular ridged shades

|               | FINISH | LAMP     | WATTS      | IP | CLASS                                                                                 |
|---------------|--------|----------|------------|----|---------------------------------------------------------------------------------------|
| SPA-39650-CHR | Chrome | G9 x 3 ▲ | 3W max LED | 44 |  |
| SPA-39650-BLK | Black  | G9 x 3 ▲ | 3W max LED | 44 |  |







# dafni

## BATHROOM LED CEILING LIGHT

- FEATURES:**
- Cool white illumination
  - Unique twist design

|                | FINISH     | LAMP         | WATTS | LM   | K    | IP | CLASS |
|----------------|------------|--------------|-------|------|------|----|-------|
| SPA-36130-MBLK | Matt Black | Integral LED | 32W   | 1100 | 4000 | 44 |       |





Satin Nickel


# opie

BATHROOM  
LED FLUSH

## FEATURES:

- Steel construction with domed opal glass shade
- Cool white illumination
- 3 colour options available

|                | FINISH       | LAMP         | WATTS | LM  | K    | IP | CLASS |
|----------------|--------------|--------------|-------|-----|------|----|-------|
| SPA-41694-MBLK | Matt Black   | Integral LED | 12W   | 900 | 4000 | 44 | ⚡     |
| SPA-41694-CHR  | Chrome       | Integral LED | 12W   | 900 | 4000 | 44 | ⚡     |
| SPA-41694-SNIC | Satin Nickel | Integral LED | 12W   | 900 | 4000 | 44 | ⚡     |






Chrome

# denver

BATHROOM  
LED 3 LIGHT CEILING LIGHT

- FEATURES:
- Warm white illumination
  - Suitable for low ceilings

|               | FINISH | LAMP         | WATTS | LM   | K    | IP | CLASS                                                                                 |
|---------------|--------|--------------|-------|------|------|----|---------------------------------------------------------------------------------------|
| SPA-41053-CHR | Chrome | Integral LED | 27    | 1425 | 3000 | 44 |  |






# montreal

BATHROOM  
3 LIGHT CEILING LIGHT

FEATURES:

- Decorative tubular opal shades



Chrome

▲ lamps not included – G9 lamps available on page 250


|               | FINISH | LAMP     | WATTS      | IP | CLASS |
|---------------|--------|----------|------------|----|-------|
| SPA-41074-CHR | Chrome | G9 x 3 ▲ | 3W max LED | 44 |       |

# vancouver

BATHROOM  
3 LIGHT CEILING LIGHT

FEATURES:

- Decorative glass shades with crystal effect droplets



Chrome

▲ lamps not included – G9 lamps available on page 250

|               | FINISH | LAMP     | WATTS      | IP | CLASS |
|---------------|--------|----------|------------|----|-------|
| SPA-41159-CHR | Chrome | G9 x 3 ▲ | 3W max LED | 44 |       |




# lille

## BATHROOM 3 LIGHT CEILING LIGHT

FEATURES:

- Decorative round opal shades
- Black finish with brass detailing



▲ lamps not included – G9 lamps available on page 250

|               | FINISH            | LAMP     | WATTS      | IP | CLASS                                                                               |
|---------------|-------------------|----------|------------|----|-------------------------------------------------------------------------------------|
| SPA-35814-BLK | Black/Satin Brass | G9 x 3 ▲ | 3W max LED | 44 |  |

# lille

## BATHROOM WALL LIGHT

FEATURES:

- Decorative round opal shades
- Black finish with brass detailing



▲ lamps not included – G9 lamps available on page 250

|               | FINISH            | LAMP     | WATTS      | IP | CLASS                                                                                 |
|---------------|-------------------|----------|------------|----|---------------------------------------------------------------------------------------|
| SPA-35812-BLK | Black/Satin Brass | G9 x 2 ▲ | 3W max LED | 44 |  |


BATHROOM LIGHTING

# porto

## BATHROOM CEILING LIGHT

**FEATURES:**

- Opal glass shade
- Matching items available



Matt Black

▲ lamps not included – E27 lamps available on page 248


|                | FINISH     | LAMP         | WATTS       | IP | CLASS |
|----------------|------------|--------------|-------------|----|-------|
| SPA-31309-CHR  | Chrome     | E27 GLS x 1▲ | 10W max LED | 44 |       |
| SPA-31309-MBLK | Matt Black | E27 GLS x 1▲ | 10W max LED | 44 |       |

# porto

## BATHROOM WALL LIGHT

**FEATURES:**

- Opal glass shade
- Matching items available



Matt Black

▲ lamps not included – G9 lamps available on page 250


|                | FINISH     | LAMP    | WATTS      | IP | CLASS |
|----------------|------------|---------|------------|----|-------|
| SPA-31306-CHR  | Chrome     | G9 x 1▲ | 3W max LED | 44 |       |
| SPA-31306-MBLK | Matt Black | G9 x 1▲ | 3W max LED | 44 |       |

# vermont

BATHROOM  
3 LIGHT CEILING LIGHT

**FEATURES:**

- Textured glass shades
- Matching items available



Antique Brass

▲ lamps not included – G9 lamps available on page 250


|                | FINISH        | LAMP     | WATTS      | IP | CLASS |
|----------------|---------------|----------|------------|----|-------|
| SPA-37477-ABRS | Antique Brass | G9 x 3 ▲ | 3W max LED | 44 |       |

# vermont

BATHROOM  
CEILING LIGHT

**FEATURES:**

- Textured glass shade
- Matching items available



Antique Brass

▲ lamps not included – E27 lamps available on page 248



|                | FINISH        | LAMP          | WATTS       | IP | CLASS |
|----------------|---------------|---------------|-------------|----|-------|
| SPA-37509-ABRS | Antique Brass | E27 GLS x 1 ▲ | 10W max LED | 44 |       |

# bryn

BATHROOM  
CEILING LIGHT

**FEATURES:**

- Can be used as a pendant or semi flush
- Chrome with clear glass shade



Chrome

▲ lamps not included – E27 lamps available on page 248

|               | FINISH | LAMP          | WATTS       | IP | CLASS |
|---------------|--------|---------------|-------------|----|-------|
| SPA-41223-CHR | Chrome | E27 GLS x 1 ▲ | 10W max LED | 44 |       |





Matt Black

▲ lamps not included – GU10 lamps available on page 252


# scorpius

BATHROOM  
3 LIGHT SPOTLIGHT

FEATURES:

- Directable spotlights
- Matching items available

|                | FINISH     | LAMP       | WATTS      | IP | CLASS |
|----------------|------------|------------|------------|----|-------|
| SPA-27405-CHR  | Chrome     | GU10 x 3 ▲ | 7W max LED | 44 | ⊕     |
| SPA-27405-MBLK | Matt Black | GU10 x 3 ▲ | 7W max LED | 44 | ⊕     |





Chrome

▲ lamps not included – GU10 lamps available on page 252


# scorpius

BATHROOM  
4 LIGHT BAR SPOTLIGHT

## FEATURES:

- Directable spotlights
- Matching items available

|                | FINISH     | LAMP       | WATTS      | IP | CLASS |
|----------------|------------|------------|------------|----|-------|
| SPA-22560      | Chrome     | GU10 x 4 ▲ | 7W max LED | 44 | ⊕     |
| SPA-22560-MBLK | Matt Black | GU10 x 4 ▲ | 7W max LED | 44 | ⊕     |





Chrome


▲ lamps not included – GU10 lamps available on page 252

# freya

BATHROOM  
3 LIGHT SPOTLIGHT

- FEATURES:
- Directable spotlights

|               | FINISH | LAMP       | WATTS      | IP | CLASS                                                                                 |
|---------------|--------|------------|------------|----|---------------------------------------------------------------------------------------|
| SPA-35080-CHR | Chrome | GU10 x 3 ▲ | 7W max LED | 44 |  |
| SPA-35080-BLK | Black  | GU10 x 3 ▲ | 7W max LED | 44 |  |





Black


▲ lamps not included – GU10 lamps available on page 252


# freya

BATHROOM  
4 LIGHT BAR SPOTLIGHT

- FEATURES:
- Directable spotlights

|               | FINISH | LAMP       | WATTS      | IP | CLASS |
|---------------|--------|------------|------------|----|-------|
| SPA-35081-CHR | Chrome | GU10 x 4 ▲ | 7W max LED | 44 | ⊕     |
| SPA-35081-BLK | Black  | GU10 x 4 ▲ | 7W max LED | 44 | ⊕     |





Marble

▲ lamps not included – G9 lamps available on page 250


# toronto

BATHROOM  
3 LIGHT CEILING LIGHT

FEATURES:

- Opal glass ball shades
- Marble detailing on the ceiling plate

|               | FINISH | LAMP     | WATTS      | IP | CLASS |
|---------------|--------|----------|------------|----|-------|
| SPA-41029-MAR | Marble | G9 x 3 ▲ | 3W max LED | 44 |       |







Black



▲ lamps not included – G9 lamps available on page 250

# toronto

BATHROOM  
3 LIGHT BAR CEILING LIGHT

- FEATURES:
- Opal glass ball shades

|                | FINISH      | LAMP     | WATTS      | IP | CLASS |
|----------------|-------------|----------|------------|----|-------|
| SPA-41028-BLK  | Black       | G9 x 3 ▲ | 3W max LED | 44 |       |
| SPA-41028-SBRS | Satin Brass | G9 x 3 ▲ | 3W max LED | 44 |       |



# amalfi


BATHROOM  
LED SPOTLIGHT

FEATURES:

- Opal acrylic diffusers
- Cool white illumination



Black



|               | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS |
|---------------|--------|--------------|-------|-----|------|----|-------|
| SPA-44466-CHR | Chrome | Integral LED | 5.5   | 480 | 4000 | 44 |       |
| SPA-44466-BLK | Black  | Integral LED | 5.5   | 480 | 4000 | 44 |       |

# amalfi


BATHROOM  
LED 3 LIGHT CEILING LIGHT

FEATURES:

- Opal acrylic diffusers
- Cool white illumination



Black



|               | FINISH | LAMP         | WATTS | LM   | K    | IP | CLASS |
|---------------|--------|--------------|-------|------|------|----|-------|
| SPA-31736-CHR | Chrome | Integral LED | 14    | 1386 | 4000 | 44 |       |
| SPA-31736-BLK | Black  | Integral LED | 14    | 1386 | 4000 | 44 |       |




Black

# amalfi

BATHROOM  
LED 4 LIGHT BAR CEILING LIGHT

- FEATURES:
- Opal acrylic diffusers
  - Cool white illumination

|               | FINISH | LAMP         | WATTS | LM   | K    | IP | CLASS                                                                                 |
|---------------|--------|--------------|-------|------|------|----|---------------------------------------------------------------------------------------|
| SPA-31737-CHR | Chrome | Integral LED | 21.5  | 1180 | 4000 | 44 |  |
| SPA-31737-BLK | Black  | Integral LED | 21.5  | 1180 | 4000 | 44 |  |











▲ lamps not included – G9 lamps available on page 250


# corvus

## BATHROOM WALL LIGHT

**FEATURES:**

- Available in 3 colour options
- Pull switch

|                   | FINISH      | LAMP     | WATTS      | IP | CLASS                                                                                 |
|-------------------|-------------|----------|------------|----|---------------------------------------------------------------------------------------|
| SPA-6888.014      | Chrome      | G9 x 2 ▲ | 3W max LED | 44 |  |
| SPA-6888.014-SBLK | Satin Black | G9 x 2 ▲ | 3W max LED | 44 |  |
| SPA-6888.014-SBRS | Satin Brass | G9 x 2 ▲ | 3W max LED | 44 |  |






# chai

## BATHROOM LED PICTURE/MIRROR LIGHT

### FEATURES:

- Available in 3 colour options
- Warm white illumination
- Height adjustable arm
- Can be rotated



|                | FINISH      | LAMP         | WATTS | LM  | K    | IP | CLASS |
|----------------|-------------|--------------|-------|-----|------|----|-------|
| SPA-30993-CHR  | Chrome      | Integral LED | 8     | 395 | 3000 | 44 | ⚡     |
| SPA-30993-MBLK | Matt Black  | Integral LED | 8     | 395 | 3000 | 44 | ⚡     |
| SPA-30993-SBRS | Satin Brass | Integral LED | 8     | 395 | 3000 | 44 | ⚡     |



# aries

## BATHROOM WALL LIGHT

- FEATURES:**
- Opal glass tubular shades
  - Pull switch



Chrome


▲ lamps not included – G9 lamps available on page 250

|              | FINISH | LAMP     | WATTS      | IP | CLASS |
|--------------|--------|----------|------------|----|-------|
| SPA-PR-12744 | Chrome | G9 x 2 ▲ | 3W max LED | 44 | ⚡     |

# ottawa

## BATHROOM WALL LIGHT

- FEATURES:**
- Glass ridged tubular shades



Black


▲ lamps not included – G9 lamps available on page 250

|               | FINISH | LAMP     | WATTS      | IP | CLASS |
|---------------|--------|----------|------------|----|-------|
| SPA-39652-BLK | Black  | G9 x 2 ▲ | 3W max LED | 44 | □     |

# cuco

## BATHROOM WALL LIGHT

- FEATURES:**
- Opal glass tubular shades
  - Can be mounted veritcal or horizontal



Chrome

▲ lamps not included – G9 lamps available on page 278


|                | FINISH     | LAMP     | WATTS      | IP | CLASS |
|----------------|------------|----------|------------|----|-------|
| SPA-44384-CHR  | Chrome     | G9 x 2 ▲ | 3W max LED | 44 | □     |
| SPA-44385-MBLK | Matt Black | G9 x 2 ▲ | 3W max LED | 44 | □     |

# patras

BATHROOM  
WALL LIGHT

**FEATURES:**

- Champagne glass shade with opal diffuser
- Can be used as an up or down light



Champagne/Satin Brass

▲ lamps not included – G9 lamps available on page 250


|                 | FINISH                | LAMP    | WATTS      | IP | CLASS |
|-----------------|-----------------------|---------|------------|----|-------|
| SPA-35811-CHAMP | Satin Brass/Champagne | G9 x 1▲ | 3W max LED | 44 |       |

# thiva

BATHROOM  
WALL LIGHT

**FEATURES:**

- Opal glass shade
- Push-fit connector



Textured Black

▲ lamps not included – G9 lamps available on page 250

|                | FINISH         | LAMP    | WATTS      | IP | CLASS |
|----------------|----------------|---------|------------|----|-------|
| SPA-38576-TBLK | Textured Black | G9 x 1▲ | 3W max LED | 44 |       |
| SPA-38576-SBRS | Satin Brass    | G9 x 1▲ | 3W max LED | 44 |       |







Matt Black

\* features an onboard switch that allows you to adjust the colour temperature between specified values.



# nayru

## BATHROOM WALL LIGHT

### FEATURES:

- Available in 3 colour options
- 2 selectable colour temperatures


|                | FINISH      | LAMP         | WATTS | LM  | K          | IP | CLASS |
|----------------|-------------|--------------|-------|-----|------------|----|-------|
| SPA-44379-CHR  | Chrome      | Integral LED | 12    | 710 | 3000/4000* | 44 |       |
| SPA-44381-MBLK | Matt Black  | Integral LED | 12    | 710 | 3000/4000* | 44 |       |
| SPA-44380-SBRS | Satin Brass | Integral LED | 12    | 710 | 3000/4000* | 44 |       |



# gene

BATHROOM  
WALL LIGHT

- FEATURES:**
- Glass cylinder shade
  - Opal bulb covers



Satin Brass


▲ lamps not included – G9 lamps available on page 250

|                | FINISH      | LAMP     | WATTS      | IP | CLASS |
|----------------|-------------|----------|------------|----|-------|
| SPA-31725-SBRS | Satin Brass | G9 x 1 ▲ | 3W max LED | 44 |       |

# porto

BATHROOM  
WALL LIGHT

- FEATURES:**
- Opal glass shade
  - Matching ceiling light page 146



Matt Black

▲ lamps not included – G9 lamps available on page 250

|                | FINISH     | LAMP     | WATTS      | IP | CLASS |
|----------------|------------|----------|------------|----|-------|
| SPA-31306-CHR  | Chrome     | G9 x 1 ▲ | 3W max LED | 44 |       |
| SPA-31306-MBLK | Matt Black | G9 x 1 ▲ | 3W max LED | 44 |       |

# lille

BATHROOM  
WALL LIGHT

- FEATURES:**
- Opal glass shade
  - Matching ceiling light page 145



Black/Satin Brass

▲ lamps not included – G9 lamps available on page 250


|               | FINISH            | LAMP     | WATTS      | IP | CLASS |
|---------------|-------------------|----------|------------|----|-------|
| SPA-35812-BLK | Black/Satin Brass | G9 x 2 ▲ | 3W max LED | 44 |       |

# sparti

BATHROOM  
WALL LIGHT

**FEATURES:**

- Glass tubular shade



Satin Brass

▲ lamps not included – G9 lamps available on page 250



|                | FINISH      | LAMP     | WATTS      | IP | CLASS |
|----------------|-------------|----------|------------|----|-------|
| SPA-35843-SBRS | Satin Brass | G9 x 1 ▲ | 3W max LED | 44 |       |

# aquarius

BATHROOM  
WALL LIGHT

**FEATURES:**

- Opal shade
- Pull switch



Chrome

▲ lamps not included – G9 lamps available on page 250


|              | FINISH | LAMP     | WATTS      | IP | CLASS |
|--------------|--------|----------|------------|----|-------|
| SPA-PR-17146 | Chrome | G9 x 1 ▲ | 3W max LED | 44 |       |

# arras

BATHROOM  
WALL LIGHT

**FEATURES:**

- Glass ball shade
- Can be used either up or down



Black

▲ lamps not included – E27 lamps available on page 248

|               | FINISH | LAMP      | WATTS       | IP | CLASS |
|---------------|--------|-----------|-------------|----|-------|
| SPA-39778-BLK | Black  | E27 x 1 ▲ | 10W max LED | 44 |       |

# vermont

BATHROOM  
WALL LIGHT


**FEATURES:**

- Decorative round opal shades
- Antique brass finish



Antique Brass

▲ lamps not included – G9 lamps available on page 250



|                | FINISH        | LAMP     | WATTS      | IP | CLASS |
|----------------|---------------|----------|------------|----|-------|
| SPA-37576-ABRS | Antique Brass | G9 x 1 ▲ | 3W max LED | 44 |       |

# ara


BATHROOM  
HOLLYWOOD BAR

**FEATURES:**

- Opal glass shades
- Pull switch



Chrome



▲ lamps not included – G9 lamps available on page 250

|              | FINISH | LAMP     | WATTS      | IP | CLASS |
|--------------|--------|----------|------------|----|-------|
| SPA-PR-13145 | Chrome | G9 x 5 ▲ | 3W max LED | 44 |       |



warm/cool/daylight white illumination



\* features an onboard switch that allows you to adjust the colour temperature between specified values.

# shaverlight

## BATHROOM LED SHAVERLIGHT

### FEATURES:

- Available in 4 colour options
- 3 selectable colour temperatures
- Touch ON/OFF switch
- Dimmable with long press



|                | FINISH      | LAMP         | WATTS | LM   | K               | IP | CLASS |
|----------------|-------------|--------------|-------|------|-----------------|----|-------|
| SPA-45612-MBLK | Matt Black  | Integral LED | 10    | 1000 | 3000/4000/6500* | 44 |       |
| SPA-45612-SBRS | Satin Brass | Integral LED | 10    | 1000 | 3000/4000/6500* | 44 |       |
| SPA-45612-CHR  | Chrome      | Integral LED | 10    | 1000 | 3000/4000/6500* | 44 |       |
| SPA-45612-MWHT | Matt White  | Integral LED | 10    | 1000 | 3000/4000/6500* | 44 |       |










# arte

## ILLUMINATED BATHROOM CABINET

### FEATURES:

- Soft close hinged single door
- Door mirrored on both sides
- Adjustable height tempered glass shelves
- Demist pad & shaver socket
- Touch ON/OFF switch
- Daylight white illumination

|           | FINISH         | LAMP         | WATTS | LM  | K    | IP | CLASS |
|-----------|----------------|--------------|-------|-----|------|----|-------|
| SPA-35707 | Mirrored Glass | Integral LED | 14W   | 435 | 5000 | 44 | ⊕     |





# cian


ILLUMINATED  
BATHROOM MIRROR

- FEATURES:**
- 3 selectable colour temperatures
  - Demist pad
  - Touch ON/OFF switch

|                | FINISH      | LAMP         | WATTS | LM  | K               | IP | CLASS |
|----------------|-------------|--------------|-------|-----|-----------------|----|-------|
| SPA-45860-BLK  | Black       | Integral LED | 20    | 560 | 3000/4000/6000* | 44 | ⚡     |
| SPA-45860-SBRS | Satin Brass | Integral LED | 20    | 560 | 3000/4000/6000* | 44 | ⚡     |

\* features an onboard switch that allows you to adjust the colour temperature between specified values.







**roc**

ILLUMINATED  
BATHROOM MIRROR

**FEATURES:**

- Cool white illumination
- Demist pad
- Touch ON/OFF switch
- 2 sizes available

|               | FINISH | LAMP         | WATTS | LM  | K    | IP | CLASS                                                                                 |
|---------------|--------|--------------|-------|-----|------|----|---------------------------------------------------------------------------------------|
| SPA-44396-BLK | Black  | Integral LED | 32    | 321 | 4000 | 44 |  |
| SPA-44397-BLK | Black  | Integral LED | 35    | 472 | 4000 | 44 |  |





Matt Black



# lori

## ILLUMINATED BATHROOM MIRROR

### FEATURES:

- Demist pad
- Touch ON/OFF switch
- Selectable colour temp

|                | FINISH      | LAMP         | WATTS | LM  | K    | IP | CLASS |
|----------------|-------------|--------------|-------|-----|------|----|-------|
| SPA-44482-SBRS | Satin Brass | Integral LED | 13.6  | 469 | 4000 | 44 |       |
| SPA-44483-MBLK | Matt Black  | Integral LED | 13.6  | 469 | 4000 | 44 |       |






# fal

ILLUMINATED  
BATHROOM MIRROR

- FEATURES:**
- Cool white illumination
  - Push-fit connector
  - Demist pad
  - Touch ON/OFF switch





|           | FINISH         | LAMP         | WATTS | LM   | K    | IP | CLASS |
|-----------|----------------|--------------|-------|------|------|----|-------|
| SPA-44391 | Mirrored Glass | Integral LED | 36.2  | 1308 | 4000 | 44 |       |

# esk

ILLUMINATED  
BATHROOM MIRROR

- FEATURES:**
- Cool white illumination
  - Push-fit connector
  - Demist pad
  - Touch ON/OFF switch




|           | FINISH         | LAMP         | WATTS | LM  | K    | IP | CLASS |
|-----------|----------------|--------------|-------|-----|------|----|-------|
| SPA-44386 | Mirrored Glass | Integral LED | 32.5  | 997 | 4000 | 44 |       |

BATHROOM LIGHTING

exe

ILLUMINATED  
BATHROOM MIRROR

- FEATURES:
- Cool white illumination
  - Push-fit connector
  - Demist pad
  - Touch ON/OFF switch




|           | FINISH         | LAMP         | WATTS | LM   | K    | IP | CLASS |
|-----------|----------------|--------------|-------|------|------|----|-------|
| SPA-44388 | Mirrored Glass | Integral LED | 36.2  | 1217 | 4000 | 44 |       |

mar

ILLUMINATED  
BATHROOM MIRROR

- FEATURES:
- Cool white illumination
  - Push-fit connector
  - Demist pad
  - Touch ON/OFF switch




|           | FINISH         | LAMP         | WATTS | LM   | K    | IP | CLASS |
|-----------|----------------|--------------|-------|------|------|----|-------|
| SPA-44393 | Mirrored Glass | Integral LED | 41.2  | 1319 | 4000 | 44 |       |

# nor

ILLUMINATED  
BATHROOM MIRROR

- FEATURES:**
- Touch ON/OFF switch
  - Demist pad
  - Can be mounted landscape or portrait
  - Daylight white illumination




|           | FINISH         | LAMP         | WATTS | LM   | K    | IP | CLASS |
|-----------|----------------|--------------|-------|------|------|----|-------|
| SPA-34038 | Mirrored Glass | Integral LED | 22    | 1337 | 5000 | 44 | ⚡     |

# ecti

ILLUMINATED  
BATHROOM MIRROR

- FEATURES:**
- Integrated shaver socket
  - Rocker ON/OFF switch
  - Daylight white illumination




|           | FINISH         | LAMP         | WATTS | LM  | K    | IP | CLASS |
|-----------|----------------|--------------|-------|-----|------|----|-------|
| SPA-34035 | Mirrored Glass | Integral LED | 12    | 356 | 5000 | 44 | ⚡     |

# vela

## BATHROOM 5 LIGHT CHANDELIER

**FEATURES:**

- Clear glass crystal droplets



▲ lamps not included – G9 lamps available on page 250


|               | FINISH | LAMP     | WATTS      | IP | CLASS |
|---------------|--------|----------|------------|----|-------|
| SPA-19713-CHR | Chrome | G9 x 5 ▲ | 3W max LED | 44 | ⏚     |

# vela

## BATHROOM 3 LIGHT CHANDELIER

**FEATURES:**

- Clear glass crystal droplets



▲ lamps not included – G9 lamps available on page 250


|               | FINISH | LAMP     | WATTS      | IP | CLASS |
|---------------|--------|----------|------------|----|-------|
| SPA-20182-CHR | Chrome | G9 x 3 ▲ | 3W max LED | 44 | ⏚     |



# orlando

BATHROOM  
4 LIGHT FLUSH

- FEATURES:
- Clear glass crystal droplets



Chrome

▲ lamps not included – G9 lamps available on page 250

|               | FINISH | LAMP     | WATTS      | IP | CLASS |
|---------------|--------|----------|------------|----|-------|
| SPA-24468-CHR | Chrome | G9 x 4 ▲ | 3W max LED | 44 | ⚡     |





# Kitchen Lighting

Function meets ambience. Performance meets design.

At Forum Lighting Solutions, we understand the kitchen is more than just a workspace - it's a central hub for living, gathering, creating and having quality time. Our kitchen lighting solutions are thoughtfully designed to deliver precise, layered illumination that supports every task, from cooking to entertaining.

Blending performance with elegance, our fixtures offer a range of solutions from task-oriented, under-cabinet lights to ambient ceiling fixtures and decorative accents. Each product is engineered with high-quality materials, energy-efficient technology, and a focus on visual comfort, ensuring a well-lit, welcoming kitchen environment.

# Kitchen Lighting

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |    |
| INL-647627<br>P.183                                                                 | INL-647628<br>P.183                                                                 | VSC-39377<br>P.184                                                                  | VSC-39325<br>P.184                                                                  | VSC-39806<br>P.185                                                                  | VSC-39803<br>P.185                                                                   | 39002526<br>P.186                                                                     |
|    |    |    |    |    |    |    |
| 39002523<br>P.186                                                                   | 39001024<br>P.187                                                                   | 39001022<br>P.187                                                                   | INL-37905-MBLK<br>P.188                                                             | INL-39695-MBLK<br>P.188                                                             | INL-31538-ACOP<br>P.189                                                              | INL-30472-ACOP<br>P.189                                                               |
|    |    |    |    |    |    |    |
| CUL-25318<br>P.191                                                                  | CUL-25319<br>P.193                                                                  | CUL-25317<br>P.194                                                                  | CUL-35864<br>P.195                                                                  | CUL-35860<br>P.195                                                                  | CUL-35861<br>P.195                                                                   | CUL-35865<br>P.195                                                                    |
|    |    |    |    |    |    |    |
| ELA-41712<br>P.197                                                                  | CUL-37396<br>P.199                                                                  | CUL-44403-WHT<br>P.201                                                              | CUL-21656<br>P.201                                                                  | CUL-21660<br>P.201                                                                  | CUL-21637<br>P.202                                                                   | CUL-26336<br>P.203                                                                    |
|  |  |  |  |  |  |  |
| CUL-21645<br>P.203                                                                  | CUL-26341<br>P.203                                                                  | CUL-26338<br>P.203                                                                  | CUL-26339<br>P.203                                                                  | CUL-26340<br>P.203                                                                  | CUL-26332<br>P.203                                                                   | CUL-26465-WW<br>P.204                                                                 |

# Professional LED Tape



ELA-45744  
P.208



ELA-45749  
P.209



ELA-45768  
P.210



ELA-45771  
P.210



ELA-45777  
P.212



ELA-45780  
P.212



ELA-45725  
P.214



ELA-45716  
P.215



ELA-45718  
P.215



ELA-45720  
P.215



ELA-45743  
P.216



ELA-45767  
P.217



ELA-46356  
P.218



ELA-46357  
P.218



ELA-45753  
P.219



ELA-45752  
P.219



ELA-45754  
P.219



ELA-45756  
P.219



ELA-45757  
P.219



ELA-45764  
P.219



ELA-34308  
P.220



ELA-34306  
P.220



ELA-34307  
P.220



ELA-45776  
P.220



ELA-45775  
P.220



ELA-45774  
P.220



# wrenlee


## CEILING PENDANT

- FEATURES:**
- Height adjustable



Satin Nickel

▲ lamps not included – E27 lamps available on page 248



|                | FINISH       | LAMP          | WATTS       | IP | CLASS |
|----------------|--------------|---------------|-------------|----|-------|
| INL-38591-SNIC | Satin Nickel | E27 GLS x 1 ▲ | 10W max LED | 20 | ⏚     |

# wrenlee


## 3 LIGHT DINER PENDANT

- FEATURES:**
- Height adjustable



Satin Nickel

▲ lamps not included – E27 lamps available on page 248




|                | FINISH       | LAMP          | WATTS       | IP | CLASS |
|----------------|--------------|---------------|-------------|----|-------|
| INL-38594-SNIC | Satin Nickel | E27 GLS x 3 ▲ | 10W max LED | 44 | ⏚     |

# atrani

CEILING PENDANT

- FEATURES:
- Height adjustable
  - Graduated smoke glass shade



Black Nickel


▲ lamps not included – E27 lamps available on page 248

|           | FINISH       | LAMP          | WATTS       | IP | CLASS |
|-----------|--------------|---------------|-------------|----|-------|
| VSC-39377 | Black Nickel | E27 GLS x 1 ▲ | 10W max LED | 20 | ⚡     |

# atrani

4 LIGHT DINER PENDANT

- FEATURES:
- Height adjustable
  - Graduated smoke glass shades
  - Ideal to use over kitchen island or dining room table



Black Nickel

▲ lamps not included – E27 lamps available on page 248


|           | FINISH       | LAMP          | WATTS       | IP | CLASS |
|-----------|--------------|---------------|-------------|----|-------|
| VSC-39325 | Black Nickel | E27 GLS x 4 ▲ | 10W max LED | 20 | ⚡     |



# vietri

## CEILING PENDANT

- FEATURES:**
- Height adjustable
  - Satin brass with pastel colour bubble glass shade




▲ lamps not included – E27 lamps available on page 248

|           | FINISH      | LAMP          | WATTS       | IP | CLASS |
|-----------|-------------|---------------|-------------|----|-------|
| VSC-39806 | Satin Brass | E27 GLS x 1 ▲ | 10W max LED | 20 | ⚡     |

# vietri

## 5 LIGHT DINER PENDANT

- FEATURES:**
- Height adjustable
  - Satin brass with pastel colour bubble glass shades
  - Ideal to use over kitchen island or dining room table





▲ lamps not included – E14 lamps available on page 253

|           | FINISH      | LAMP      | WATTS      | IP | CLASS |
|-----------|-------------|-----------|------------|----|-------|
| VSC-39803 | Satin Brass | E14 x 5 ▲ | 6W max LED | 20 | ⚡     |

# saskia

CEILING PENDANT

- FEATURES:**
- Height adjustable
  - Satin brass finish with bubble effect glass shade





▲ lamps not included – E27 lamps available on page 248

|          | FINISH      | LAMP          | WATTS       | IP | CLASS |
|----------|-------------|---------------|-------------|----|-------|
| 39002526 | Satin Brass | E27 GLS x 1 ▲ | 10W max LED | 20 | ⚡     |

# saskia

3 LIGHT DINER PENDANT

- FEATURES:**
- Height adjustable
  - Satin brass finish with bubble effect glass shades
  - Ideal to use over kitchen island or dining room table




▲ lamps not included – E27 lamps available on page 248

|          | FINISH      | LAMP          | WATTS       | IP | CLASS |
|----------|-------------|---------------|-------------|----|-------|
| 39002523 | Satin Brass | E27 GLS x 3 ▲ | 10W max LED | 20 | ⚡     |

# carter

## CEILING PENDANT

- FEATURES:**
- Height adjustable
  - Antique brass finish with smoke glass shade




▲ lamps not included – E27 lamps available on page 248

|          | FINISH        | LAMP          | WATTS       | IP | CLASS |
|----------|---------------|---------------|-------------|----|-------|
| 39001024 | Antique Brass | E27 GLS x 1 ▲ | 10W max LED | 20 | ⏚     |

# carter

## 3 LIGHT DINER PENDANT

- FEATURES:**
- Height adjustable
  - Antique brass finish with smoke glass shades
  - Ideal to use over kitchen island or dining room table




▲ lamps not included – E27 lamps available on page 248

|          | FINISH        | LAMP          | WATTS       | IP | CLASS |
|----------|---------------|---------------|-------------|----|-------|
| 39001022 | Antique Brass | E27 GLS x 3 ▲ | 10W max LED | 20 | ⏚     |

# hardy

CEILING PENDANT

- FEATURES:**
- Height adjustable
  - Matt black finish with bubble effect glass shade



Matt Black


▲ lamps not included – E27 lamps available on page 248

|                | FINISH     | LAMP          | WATTS       | IP | CLASS |
|----------------|------------|---------------|-------------|----|-------|
| INL-37905-MBLK | Matt Black | E27 GLS x 1 ▲ | 10W max LED | 20 | ⚡     |

# hardy

3 LIGHT DINER PENDANT

- FEATURES:**
- Height adjustable
  - Matt black finish with bubble effect glass shades
  - Ideal to use over kitchen island or dining room table



Matt Black

▲ lamps not included – E27 lamps available on page 248

|                | FINISH     | LAMP          | WATTS       | IP | CLASS |
|----------------|------------|---------------|-------------|----|-------|
| INL-39695-MBLK | Matt Black | E27 GLS x 3 ▲ | 10W max LED | 20 | ⚡     |

# industrial

## CEILING PENDANT


**FEATURES:**

- Height adjustable
- Antique copper finish with glass shade



Antique Copper

▲ lamps not included – E27 lamps available on page 248



|                | FINISH         | LAMP          | WATTS       | IP | CLASS |
|----------------|----------------|---------------|-------------|----|-------|
| INL-31538-ACOP | Antique Copper | E27 GLS x 1 ▲ | 10W max LED | 20 | ⚡     |

# industrial

## 3 LIGHT DINER PENDANT


**FEATURES:**

- Height adjustable
- Antique copper finish with glass shades
- Ideal to use over kitchen island or dining room table



Antique Copper

▲ lamps not included – E27 lamps available on page 248



|                | FINISH         | LAMP          | WATTS       | IP | CLASS |
|----------------|----------------|---------------|-------------|----|-------|
| INL-30472-ACOP | Antique Copper | E27 GLS x 3 ▲ | 10W max LED | 20 | ⚡     |

## Under Cabinet Lighting

Mains powered no LED driver required. Easy installation, less wiring, no difficulties hiding transformers or drivers.







Satin Nickel


# laghetto

## LED UNDER CABINET LIGHT

### FEATURES:

- Brushed satin nickel finish with opal polycarbonate diffuser
- 120° beam angle
- Mains powered
- No driver required
- 1m cable
- Available in 3 colour temperature options: warm, cool or daylight white

|           | FINISH       | LAMP         | WATTS | LM  | K    | IP | CLASS                                                                                 |
|-----------|--------------|--------------|-------|-----|------|----|---------------------------------------------------------------------------------------|
| CUL-25318 | Satin Nickel | Integral LED | 1.5W  | 130 | 3000 | 44 |  |
| CUL-21625 | Satin Nickel | Integral LED | 1.5W  | 140 | 4000 | 44 |  |
| CUL-25218 | Satin Nickel | Integral LED | 1.5W  | 150 | 6000 | 44 |  |



## Under Cabinet Lighting

Mains powered no LED driver required. Easy installation, less wiring, no difficulties hiding transformers or drivers.






# fonte

## LED UNDER CABINET LIGHT

### FEATURES:

- Brushed satin nickel finish with opal polycarbonate diffuser
- Mains powered
- No driver required
- 1m cable
- Available in 3 colour temperature options: warm, cool or daylight white

|           | FINISH       | LAMP         | WATTS | LM  | K    | IP | CLASS                                                                                 |
|-----------|--------------|--------------|-------|-----|------|----|---------------------------------------------------------------------------------------|
| CUL-25319 | Satin Nickel | Integral LED | 1.5W  | 130 | 3000 | 44 |  |
| CUL-21626 | Satin Nickel | Integral LED | 1.5W  | 140 | 4000 | 44 |  |
| CUL-25219 | Satin Nickel | Integral LED | 1.5W  | 150 | 6000 | 44 |  |



# Under Cabinet Lighting

Mains powered no LED driver required. Easy installation, less wiring, no difficulties hiding transformers or drivers.




**pozza**

LED UNDER CABINET LIGHT

**FEATURES:**

- Brushed satin nickel finish with opal polycarbonate diffuser
- Mains powered
- No driver required
- 1m cable
- Available in 2 colour temperature options: warm or cool white

|           | FINISH       | LAMP         | WATTS | LM  | K    | CUTOUT | IP | CLASS                                                                                 |
|-----------|--------------|--------------|-------|-----|------|--------|----|---------------------------------------------------------------------------------------|
| CUL-25317 | Satin Nickel | Integral LED | 1.5W  | 130 | 3000 | 50mm   | 44 |  |
| CUL-21624 | Satin Nickel | Integral LED | 1.5W  | 140 | 4000 | 50mm   | 44 |  |







## cct

### LED UNDER CABINET LIGHT

#### FEATURES:

- Brushed satin nickel finish with opal polycarbonate diffuser
- Argi & Ellen can be recessed or surface mounted
- Mains powered
- No driver required
- 1m cable
- 3 selectable colour temperatures

|           | NAME  | FINISH       | LAMP         | WATTS | LM  | K               | CUTOUT | IP | CLASS                                                                                 |
|-----------|-------|--------------|--------------|-------|-----|-----------------|--------|----|---------------------------------------------------------------------------------------|
| CUL-35864 | Argi  | Satin Nickel | Integral LED | 3W    | 180 | 3000/4000/6000* | 65mm   | 20 |  |
| CUL-35860 | Ellen | Satin Nickel | Integral LED | 1.5W  | 120 | 3000/4000/6000* | 50mm   | 20 |  |
| CUL-35861 | Faro  | Satin Nickel | Integral LED | 1.5W  | 120 | 3000/4000/6000* | 50mm   | 20 |  |
| CUL-35865 | Ayla  | Satin Nickel | Integral LED | 3W    | 180 | 3000/4000/6000* | 65mm   | 20 |  |

**Argi****Ellen****Faro****Ayla**

## Under Cabinet Lighting

Mains powered no LED driver required. Easy installation, less wiring, no difficulties hiding transformers or drivers.







\* features an onboard switch that allows you to adjust the colour temperature between specified values.

# bodhi

## LED UNDER CABINET LINK LIGHT

### FEATURES:

- White PC body with opal diffuser
- Mains powered
- No driver required
- ON/OFF rocker switch
- Supplied with 2m power lead
- 3 selectable colour temperatures
- Versatile and simple installation
- Can be mounted vertically or horizontally
- Energy efficient and long life



|           | FINISH | LAMP         | WATTS | LM   | K               | LENGTH | IP | CLASS |
|-----------|--------|--------------|-------|------|-----------------|--------|----|-------|
| ELA-41712 | White  | Integral LED | 5W    | 500  | 3000/4000/6000* | 300mm  | 20 |       |
| ELA-41713 | White  | Integral LED | 9W    | 900  | 3000/4000/6000* | 550mm  | 20 |       |
| ELA-41714 | White  | Integral LED | 14W   | 1300 | 3000/4000/6000* | 880mm  | 20 |       |
| ELA-41715 | White  | Integral LED | 18W   | 1700 | 3000/4000/6000* | 1180mm | 20 |       |

### Link Lead Options

#### Length

|        |           |
|--------|-----------|
| 500mm  | ELA-21665 |
| 1000mm | ELA-21666 |



# Rechargeable Under Cabinet Lighting

Easy installation, no wiring, USB rechargeable





Silver

# ligero

RECHARGEABLE LED UNDER CABINET  
LIGHT WITH PIR SENSOR

**FEATURES:**

- Ideal for multiple applications
- Easy installation with magnetic brackets
- No wiring required
- PIR sensor
- 3m detection distance
- AUTO ON/ALWAYS ON/OFF function
- 4 hours charge time
- USB cable supplied

|           | FINISH | LAMP         | WATTS | LM  | K    | RUN TIME | LENGTH |
|-----------|--------|--------------|-------|-----|------|----------|--------|
| CUL-37386 | Silver | Integral LED | 1W    | 90  | 4000 | 4 hours  | 200mm  |
| CUL-37387 | Silver | Integral LED | 2W    | 160 | 4000 | 5 hours  | 400mm  |
| CUL-37388 | Silver | Integral LED | 3W    | 230 | 4000 | 5 hours  | 564mm  |
| CUL-37389 | Silver | Integral LED | 4W    | 350 | 4000 | 5 hours  | 864mm  |



## Track Lighting

1. Choose your decorative light fitting
2. Choose the track colour and length
3. Use connectors to bring it all together



## track spotlights

- FEATURES:**
- Twist and lock connection to track
  - IP20 rated

|                | NAME    | FINISH       | LAMP       | WATTS | IP | CLASS |
|----------------|---------|--------------|------------|-------|----|-------|
| CUL-44403-WHT  | Cayo    | White        | 1 x GU10 ▲ | 7W    | 20 | ⌚     |
| CUL-44403-BLK  | Cayo    | Black        | 1 x GU10 ▲ | 7W    | 20 | ⌚     |
| CUL-44404-SBRS | Cory    | Satin Brass  | 1 x GU10 ▲ | 7W    | 20 | ⌚     |
| CUL-44405-SNIC | Cory    | Satin Nickel | 1 x GU10 ▲ | 7W    | 20 | ⌚     |
| CUL-21656      | Ribalta | White        | 1 x GU10 ▲ | 7W    | 20 | ⌚     |
| CUL-26344      | Ribalta | Black        | 1 x GU10 ▲ | 7W    | 20 | ⌚     |
| CUL-21660      | Lustro  | White        | 1 x GU10 ▲ | 7W    | 20 | ⌚     |
| CUL-26346      | Lustro  | Black        | 1 x GU10 ▲ | 7W    | 20 | ⌚     |



# track

FEATURES:

- Can be cut to desired length

|           | ACCESSORY | FINISH |
|-----------|-----------|--------|
| CUL-21637 | 1m track  | White  |
| CUL-26333 | 1m track  | Black  |
| CUL-21639 | 2m track  | White  |
| CUL-26335 | 2m track  | Black  |





## track accessories

|           | ACCESSORY                     | FINISH |
|-----------|-------------------------------|--------|
| CUL-21643 | End to End Connector          | White  |
| CUL-26336 | End to End Connector          | Black  |
| CUL-21645 | Straight Connector            | White  |
| CUL-26337 | Straight Connector            | Black  |
| CUL-26342 | Flexible End to End Connector | White  |
| CUL-26341 | Flexible End to End Connector | Black  |
| CUL-21647 | Corner Connector              | White  |
| CUL-26338 | Corner Connector              | Black  |

|           | ACCESSORY       | FINISH |
|-----------|-----------------|--------|
| CUL-21651 | T Connector     | White  |
| CUL-26339 | T Connector     | Black  |
| CUL-21649 | X Connector     | White  |
| CUL-26340 | X Connector     | Black  |
| CUL-26332 | Pendant Adapter | Black  |



# ohio

## LED PLINTH LIGHTS

**FEATURES:**

- Satin nickel finish with opal polycarbonate diffuser
- Mains powered
- No driver required
- Supplied with 2m cable
- Available in 2 colour temperatures



|              | FINISH       | LAMP         | WATTS | LM | K    | CUTOUT | IP | CLASS                                                                                 |
|--------------|--------------|--------------|-------|----|------|--------|----|---------------------------------------------------------------------------------------|
| CUL-26465-WW | Satin Nickel | Integral LED | 1W    | 60 | 3000 | 35mm   | 65 |  |
| CUL-26465    | Satin Nickel | Integral LED | 1W    | 60 | 6000 | 35mm   | 65 |  |







# 24V PROFESSIONAL LED TAPE

Flexible. Functional.  
Flawlessly Integrated.

Our Professional LED Tape offers a dynamic approach to architectural illumination. Delivering high-performance, low-profile lighting that adapts effortlessly to your design vision. Ideal for cove lighting, undercabinet applications, accent detailing, and custom installations, our LED tape creates stunning lines of light with exceptional colour consistency and output.



LED TAPE

## MORE VARIETY

Engineered for precision and longevity, our LED tape systems are available in a range of colour temperatures between 2700K and 6000K, brightness intensities, and mounting options to suit both ambient and task lighting needs. Expand your possibilities with Tunable White, RGBW and RGB tape paired with our advanced controls for seamless scene-setting across commercial, retail, and high-end residential applications.

## MORE POWER

From RA90 colour rendering and protection classes to colour consistency and the professional installers choice of LED tape. The new tape surpasses 12V versions. Why? 24V is better than 12V with less voltage drop, constant light with no dotting so you can set the standards with a seamless look and feel in your lighting projects. More power.





# LED TAPE


IP20 24V COB LED TAPE

- FEATURES:**
- 24V to avoid voltage drops on longer installs
  - IP20 protection rating for indoor use
  - 3M self-adhesive backing
  - Tape can be cut, linked or joined at copper contacts
  - 50mm cut width

**50m boxed lengths sold per metre from your electrical wholesaler**



|           | LED Colour     | K         | WATTS/m | LM/m | LEDs/m | Width | Projection | Wires | CRI | IP | DIMMABLE | ANGLE | CLASS |
|-----------|----------------|-----------|---------|------|--------|-------|------------|-------|-----|----|----------|-------|-------|
| ELA-45744 | Warm White     | 3000      | 10W     | 814  | 320    | 8mm   | 1.5mm      | 2     | >90 | 20 | ✓        | 180°  | III   |
| ELA-45745 | Cool White     | 4000      | 10W     | 864  | 320    | 8mm   | 1.5mm      | 2     | >90 | 20 | ✓        | 180°  | III   |
| ELA-45746 | CCT Adjustable | 2700-6500 | 15W     | 800  | 640    | 10mm  | 1.5mm      | 3     | >90 | 20 | ✓        | 180°  | III   |
| ELA-45747 | RGB + CCT      | 2700-6500 | 18W     | –    | 840    | 12mm  | 1.5mm      | 6     | >90 | 20 | ✓        | 180°  | III   |







# LED TAPE

IP65 24V COB LED TAPE

## FEATURES:

- 24V to avoid voltage drops on longer installs
- IP65 protection rating for outdoor use
- 3M self-adhesive backing
- Tape can be cut, linked or joined at copper contacts
- 50mm cut width

**25m boxed lengths sold per metre from your electrical wholesaler**



LED TAPE

|           | LED Colour     | K         | WATTS/m | LM/m | LEDs/m | Width | Projection | Wires | CRI | IP | DIMMABLE | ANGLE | CLASS |
|-----------|----------------|-----------|---------|------|--------|-------|------------|-------|-----|----|----------|-------|-------|
| ELA-45748 | Warm White     | 3000      | 10W     | 684  | 320    | 10mm  | 1.5mm      | 2     | >90 | 65 | ✓        | 180°  | III   |
| ELA-45749 | Cool White     | 4000      | 10W     | 684  | 320    | 10mm  | 1.5mm      | 2     | >90 | 65 | ✓        | 180°  | III   |
| ELA-45750 | CCT Adjustable | 2700-6500 | 15W     | 950  | 640    | 12mm  | 1.5mm      | 3     | >90 | 65 | ✓        | 180°  | III   |



IP44 24V DRIVERS

FEATURES:

- Non-dimmable
- 3 year warranty

|           | Model                      | IP | CLASS                    |
|-----------|----------------------------|----|--------------------------|
| ELA-36974 | 24V 12W 0.5A Power Supply  | 44 | <input type="checkbox"/> |
| ELA-36975 | 24V 20W 0.83A Power Supply | 44 | <input type="checkbox"/> |
| ELA-45768 | 24V 24W 1A Power Supply    | 44 | <input type="checkbox"/> |
| ELA-45769 | 24V 36W 1.5A Power Supply  | 44 | <input type="checkbox"/> |
| ELA-45770 | 24V 60W 2.5A Power Supply  | 44 | <input type="checkbox"/> |



IP20 24V DRIVERS

FEATURES:

- Non-dimmable
- Push-fit terminals
- 3 year warranty

|           | Model                       | IP | CLASS                    |
|-----------|-----------------------------|----|--------------------------|
| ELA-45771 | 24V 96W 4A Power Supply     | 20 | <input type="checkbox"/> |
| ELA-45772 | 24V 150W 6.25A Power Supply | 20 | <input type="checkbox"/> |
| ELA-45773 | 24V 200W 8.4A Power Supply  | 20 | <input type="checkbox"/> |





## CHOOSING THE CORRECT DRIVER

When selecting an LED driver the compatability is essential for the systems performance and longevity. Using the wrong driver can damage LED components. To determine the appropriate driver calculate the total wattage by multiplying the watts per metre by the total overall length of the install. For example a 5 metre 6W LED tape needs 30W supply. It is advisable to choose a driver with a wattage rating at least 10% higher for better durability.

IP20 24V DRIVERS  
TRIAC DIMMABLE

|           | Model                       | IP | DIMMABLE | CLASS                                                                             |
|-----------|-----------------------------|----|----------|-----------------------------------------------------------------------------------|
| ELA-45777 | 24V 40W 1.67A Triac Driver  | 20 | ✓        |  |
| ELA-45778 | 24V 60W 2.5A Triac Driver   | 20 | ✓        |  |
| ELA-45779 | 24V 100W 4.17A Triac Driver | 20 | ✓        |  |



IP67 24V DRIVERS  
DIMMABLE

|           | Model                       | IP | DIMMABLE | CLASS                                                                               |
|-----------|-----------------------------|----|----------|-------------------------------------------------------------------------------------|
| ELA-45780 | 24V 150W 6.25A Triac Driver | 67 | ✓        |  |
| ELA-45781 | 24V 200W 8.33A Triac Driver | 67 | ✓        |  |







LED TAPE



### 24V WIRELESS CONTROLLER SINGLE COLOUR

**FEATURES:**

- Compatible with TUYA app and/or battery powered switches
- Compatible with single colour ON/OFF LED tape
- Dimmable through the app or via the battery powered switch (sold separately)

|           | Model                                   | LOAD             | IP | DIMMABLE |
|-----------|-----------------------------------------|------------------|----|----------|
| ELA-45725 | 1 Channel Wireless RF + WIFI Controller | 12-24V AC 8A Max | 20 | ✓        |



### 24V WIRELESS CONTROLLER CCT

**FEATURES:**

- Compatible with TUYA app and/or battery powered switches
- Compatible with CCT LED tape
- Dimmable through the app or via the battery powered switch (sold separately)

|           | Model                                   | LOAD             | IP | DIMMABLE |
|-----------|-----------------------------------------|------------------|----|----------|
| ELA-45726 | 1 Channel Wireless RF + WIFI Controller | 12-24V AC 8A Max | 20 | ✓        |



### 24V WIRELESS CONTROLLER RGB + CW

**FEATURES:**

- Compatible with TUYA app and/or battery powered switches
- Compatible with RGB & Cool White LED tape
- Dimmable through the app or via the battery powered switch (sold separately)

|           | Model                                   | LOAD             | IP | DIMMABLE |
|-----------|-----------------------------------------|------------------|----|----------|
| ELA-45727 | 1 Channel Wireless RF + WIFI Controller | 12-24V AC 8A Max | 20 | ✓        |








**BATTERY POWERED SWITCHES**  
 CR2032 BATTERIES INCLUDED x 2\*

- FEATURES:**
- ON/OFF with single press
  - Dimmable with long press
  - Access to CCT and RGB features with double press
  - Each switch operates independently
  - Batteries last for 5 years

|           | Finish | Model | DIMMABLE |
|-----------|--------|-------|----------|
| ELA-45716 | White  | 1G    | ✓        |
| ELA-45717 | Black  | 1G    | ✓        |
| ELA-45718 | White  | 2G    | ✓        |
| ELA-45719 | Black  | 2G    | ✓        |
| ELA-45720 | White  | 3G    | ✓        |
| ELA-45721 | Black  | 3G    | ✓        |



LED TAPE



\*includes 2 x CR2032 coin cell batteries



## 24V WIRELESS CONTROLLER SINGLE COLOUR

### FEATURES:

- Compatible with TUYA app and/or RF remote controller (sold separately)
- Compatible with single colour ON/OFF LED tape
- Manual dimming




|           | Model                                                | DIMMABLE | LOAD     |
|-----------|------------------------------------------------------|----------|----------|
| ELA-45741 | RF 2.4G LED Controller<br>Single Colour - Tuya Wi-Fi | ✓        | max. 10A |

## 24V WIRELESS CONTROLLER CCT

### FEATURES:

- Compatible with TUYA app and/or RF remote controller (sold separately)
- Compatible with CCT LED tape
- Manual dimming



|           | Model                                      | DIMMABLE | LOAD     |
|-----------|--------------------------------------------|----------|----------|
| ELA-45742 | RF 2.4G LED Controller<br>CCT - Tuya Wi-Fi | ✓        | max. 10A |

## 24V WIRELESS CONTROLLER SINGLE COLOUR, RGB, RGBW, RGBCW

### FEATURES:

- Enables users to adjust the colour temperature of their LED tape via the TUYA app
- Compatible with TUYA app and/or RF remote controller (sold separately)
- Compatible with RGB & Cool White LED tape
- Manual dimming



|           | Model                                          | DIMMABLE | LOAD     |
|-----------|------------------------------------------------|----------|----------|
| ELA-45743 | RF 2.4G LED Controller<br>5 in 1* - Tuya Wi-Fi | ✓        | max. 15A |

\*Single colour, CCT, RGB, RGB+CW, RGBCW



### RF REMOTE CONTROL SINGLE COLOUR

- FEATURES:**
- Touch panel remote control
  - Dimmable controls
  - Detection range: 25m
  - Supplied with wall holder

| Model                               | DIMMABLE |
|-------------------------------------|----------|
| ELA-45765 2.4GHZ RF Remote Control* | ✓        |



\*For single colour

### RF REMOTE CONTROL CCT

- FEATURES:**
- Touch panel remote control
  - Dimmable controls
  - Detection range: 25m
  - Supplied with wall holder

| Model                               | DIMMABLE |
|-------------------------------------|----------|
| ELA-45766 2.4GHZ RF Remote Control* | ✓        |



\*For CCT

### RF REMOTE CONTROL RGB + CW

- FEATURES:**
- Touch panel remote control
  - Dimmable controls
  - Detection range: 25m
  - Supplied with wall holder

| Model                               | DIMMABLE |
|-------------------------------------|----------|
| ELA-45767 2.4GHZ RF Remote Control* | ✓        |



\*For RGB + CW

LED TAPE

ACCESSORIES

IP20 SINGLE COLOUR COB LED TAPE SOLDERLESS CONNECTORS  
FOR USE WITH ELA-45744/ELA-45745



| Model     |                                     | Compatible Width |
|-----------|-------------------------------------|------------------|
| ELA-41718 | Tape to Wire Power Cable 2 Pin      | 8mm              |
| ELA-41720 | Tape to Tape Power Cable 2 Pin      | 8mm              |
| ELA-41719 | Tape to Tape Direct Connector 2 Pin | 8mm              |
| ELA-41721 | Tape to Wire Direct Connector 2 Pin | 8mm              |

IP20 CCT COB LED TAPE SOLDERLESS CONNECTORS  
FOR USE WITH ELA-45746



| Model     |                                     | Compatible Width |
|-----------|-------------------------------------|------------------|
| ELA-46356 | Tape to Wire Power Cable 3 Pin      | 10mm             |
| ELA-46357 | Tape to Tape Power Cable 3 Pin      | 10mm             |
| ELA-46353 | Tape to Tape Direct Connector 3 Pin | 10mm             |
| ELA-46352 | Tape to Wire Direct Connector 3 Pin | 10mm             |

IP20 RGB+CW COB LED TAPE SOLDERLESS CONNECTORS  
FOR USE WITH ELA-45747



| Model     |                                     | Compatible Width |
|-----------|-------------------------------------|------------------|
| ELA-46358 | Tape to Wire Power Cable 6 Pin      | 12mm             |
| ELA-46359 | Tape to Tape Power Cable 6 Pin      | 12mm             |
| ELA-46355 | Tape to Tape Direct Connector 6 Pin | 12mm             |
| ELA-46354 | Tape to Wire Direct Connector 6 Pin | 12mm             |

ACCESSORIES

IP65 SINGLE COLOUR COB LED TAPE SOLDERLESS CONNECTORS  
FOR USE WITH ELA-45748/ELA-45749



| Model     |                                             | Compatible Width |
|-----------|---------------------------------------------|------------------|
| ELA-45751 | Tape to Wire Power Cable 2 Pin              | 10mm             |
| ELA-45753 | Tape to Tape Power Cable 2 Pin              | 10mm             |
| ELA-45752 | Tape to Tape Direct Connector 2 Pin         | 10mm             |
| ELA-45754 | Tape to Tape L-Shape Direct Connector 2 Pin | 10mm             |
| ELA-45755 | End Cap                                     | 10mm             |
| ELA-45756 | Silicone Front and End Cap                  | 10mm             |
| ELA-45757 | Mounting Clips                              | 10mm             |
| ELA-45764 | Silicone Glue IP65 Sealant 20ml             | -                |

IP65 CCT COB LED TAPE SOLDERLESS CONNECTORS  
FOR USE WITH ELA-45750



| Model     |                                     | Compatible Width |
|-----------|-------------------------------------|------------------|
| ELA-45758 | Tape to Wire Power Cable 3 Pin      | 12mm             |
| ELA-45760 | Tape to Tape Power Cable 3 Pin      | 12mm             |
| ELA-45759 | Tape to Tape Direct Connector 3 Pin | 12mm             |
| ELA-45761 | End Cap                             | 12mm             |
| ELA-45762 | Silicone Front and End Cap          | 12mm             |
| ELA-45763 | Mounting Clips                      | 12mm             |
| ELA-45764 | Silicone Glue IP65 Sealant 20ml     | -                |

FOR LED FLEX, DRIVERS & CONTROLLERS  
SEE PAGES 225-235

ALUMINIUM PROFILES  
2M LENGTHS



ELA-34308



ELA-45776



ELA-34306



ELA-45775



ELA-34307



ELA-45774

|           | Model                                               | Length | Dimensions (W x P) | Compatible Width |
|-----------|-----------------------------------------------------|--------|--------------------|------------------|
| ELA-34308 | Aluminium Recessed Profile with White Diffuser      | 2m     | 25mm x 9mm         | 8/10/12mm        |
| ELA-45776 | Black Aluminium Profile with White Diffuser         | 2m     |                    | 8/10/12mm        |
| ELA-34306 | Aluminium Surface Mount Profile with White Diffuser | 2m     | 18mm x 9mm         | 8/10/12mm        |
| ELA-45775 | Black Aluminium Profile with White Diffuser         | 2m     |                    | 8/10/12mm        |
| ELA-34307 | Aluminium Corner Mount Profile with White Diffuser  | 2m     | 16mm x 6mm         | 8/10/12mm        |
| ELA-45774 | Recessed Aluminium Profile with White Diffuser      | 2m     |                    | 8/10/12mm        |





LED TAPE





# Indoor Lighting

We deliver high-performance indoor lighting that blends seamlessly with architectural spaces, while meeting the demands of modern design. Our indoor portfolio offers a wide range of luminaires tailored for residential, commercial, retail, and hospitality environments - each engineered for visual comfort, energy efficiency, and aesthetic harmony.

From linear systems and recessed fixtures to decorative pendants and custom solutions, our indoor lighting brings clarity, warmth, and purpose to every space. Whether highlighting architectural features or supporting daily activities, Forum's lighting solutions are crafted to enhance both the form and function of interior environments.

# Interior Lighting

|                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                   |                                                                                    |                                                                                     |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|   |   |   |   |  |  |  |
| INL-31776-WHT<br>P.226                                                             | INL-31723-WHT<br>P.227                                                             | INL-31775-WHT<br>P.227                                                             | INL-598310-SNIC<br>P.228                                                           | INL-598410-SNIC<br>P.228                                                          | INL-740000-SNIC<br>P.228                                                           | INL-35989-WHT<br>P.230                                                              |
|   |   |   |   |  |  |  |
| INL-35990-WHT<br>P.230                                                             | INL-44525-BLK<br>P.231                                                             | INL-44628-BLK<br>P.231                                                             | INL-37223<br>P.232                                                                 | INL-37220<br>P.233                                                                | INL-38609<br>P.233                                                                 | INL-37219<br>P.234                                                                  |
|   |   |   |   |  |  |  |
| INL-38610<br>P.234                                                                 | INL-38612<br>P.235                                                                 | INL-37226<br>P.235                                                                 | INL-37213<br>P.236                                                                 | INL-37224<br>P.236                                                                | INL-37211<br>P.236                                                                 | INL-37222<br>P.237                                                                  |
|  |  |  |  |                                                                                   |                                                                                    |                                                                                     |
| INL-37221<br>P.237                                                                 | INL-37225<br>P.237                                                                 | INL-31789-ACOP<br>P.238                                                            | INL-27988-ABRS<br>P.239                                                            |                                                                                   |                                                                                    |                                                                                     |

# Worksite Lighting



SXLS37177E  
P.241



SXLS50109E  
P.242



SXLS43188E  
P.242



SXLS50101E  
P.243



SXLS50100E  
P.243



SXLS50107E  
P.243



SXLS43184E  
P.244



SXLS43185E  
P.244



SXLS50104E  
P.245



SXLS50103E  
P.245



SXLS50106E  
P.245



White

▲ lamps not included – GU10 lamps available on page 252


# harvey

## 3 LIGHT PLATE SPOTLIGHT

FEATURES:

- Contemporary styling
- 360° rotation
- 4 colour options

|                | FINISH       | LAMP       | WATTS      | IP | CLASS |
|----------------|--------------|------------|------------|----|-------|
| INL-31776-SNIC | Satin Nickel | GU10 x 3 ▲ | 7W max LED | 20 | ⊕     |
| INL-31776-BLK  | Black        | GU10 x 3 ▲ | 7W max LED | 20 | ⊕     |
| INL-31776-WHT  | White        | GU10 x 3 ▲ | 7W max LED | 20 | ⊕     |
| INL-31776-SBRS | Satin Brass  | GU10 x 3 ▲ | 7W max LED | 20 | ⊕     |






# harvey

## 4 LIGHT BAR SPOTLIGHT

**FEATURES:**

- Contemporary styling
- 360° rotation
- 4 colour options



▲ lamps not included – GU10 lamps available on page 252



|                | FINISH       | LAMP       | WATTS      | IP | CLASS |
|----------------|--------------|------------|------------|----|-------|
| INL-31723-SNIC | Satin Nickel | GU10 x 4 ▲ | 7W max LED | 20 | ⊕     |
| INL-31723-BLK  | Black        | GU10 x 4 ▲ | 7W max LED | 20 | ⊕     |
| INL-31723-WHT  | White        | GU10 x 4 ▲ | 7W max LED | 20 | ⊕     |
| INL-31723-SBRS | Satin Brass  | GU10 x 4 ▲ | 7W max LED | 20 | ⊕     |

# harvey

## SPOTLIGHT

**FEATURES:**

- Contemporary styling
- Can be wall or ceiling mounted
- 360° rotation
- 4 colour options



▲ lamps not included – GU10 lamps available on page 252


|                | FINISH       | LAMP       | WATTS      | IP | CLASS |
|----------------|--------------|------------|------------|----|-------|
| INL-31775-SNIC | Satin Nickel | GU10 x 1 ▲ | 7W max LED | 20 | ⊕     |
| INL-31775-BLK  | Black        | GU10 x 1 ▲ | 7W max LED | 20 | ⊕     |
| INL-31775-WHT  | White        | GU10 x 1 ▲ | 7W max LED | 20 | ⊕     |
| INL-31775-SBRS | Satin Brass  | GU10 x 1 ▲ | 7W max LED | 20 | ⊕     |

INDOOR LIGHTING

# elara

## 3 LIGHT PLATE SPOTLIGHT

- FEATURES:**
- Contemporary styling
  - Adjustable heads



Satin Nickel/Chrome


▲ lamps not included – GU10 lamps available on page 252

|                 | FINISH              | LAMP       | WATTS      | IP | CLASS |
|-----------------|---------------------|------------|------------|----|-------|
| INL-598310-SNIC | Satin Nickel/Chrome | GU10 x 3 ▲ | 7W max LED | 20 | ⚡     |

# elara

## 4 LIGHT BAR SPOTLIGHT

- FEATURES:**
- Contemporary styling
  - Adjustable heads



Satin Nickel/Chrome


▲ lamps not included – GU10 lamps available on page 252

|                 | FINISH              | LAMP       | WATTS      | IP | CLASS |
|-----------------|---------------------|------------|------------|----|-------|
| INL-598410-SNIC | Satin Nickel/Chrome | GU10 x 4 ▲ | 7W max LED | 20 | ⚡     |

# elara

## SPOTLIGHT

- FEATURES:**
- Contemporary styling
  - Adjustable head
  - Toggle ON/OFF switch



Satin Nickel/Chrome

▲ lamps not included – GU10 lamps available on page 252

|                 | FINISH              | LAMP       | WATTS      | IP | CLASS |
|-----------------|---------------------|------------|------------|----|-------|
| INL-740000-SNIC | Satin Nickel/Chrome | GU10 x 1 ▲ | 7W max LED | 20 | ⚡     |



# oliver

## 3 LIGHT PLATE SPOTLIGHT

FEATURES:

- Contemporary styling
- White and oak finish
- Adjustable heads



▲ lamps not included – GU10 lamps available on page 252

|               | FINISH | LAMP       | WATTS      | IP | CLASS |
|---------------|--------|------------|------------|----|-------|
| INL-35989-WHT | White  | GU10 x 3 ▲ | 7W max LED | 20 | ⚡     |

# oliver

## 4 LIGHT BAR SPOTLIGHT

FEATURES:

- Contemporary styling
- White and oak finish
- Adjustable heads



▲ lamps not included – GU10 lamps available on page 252

|               | FINISH | LAMP       | WATTS      | IP | CLASS |
|---------------|--------|------------|------------|----|-------|
| INL-35990-WHT | White  | GU10 x 4 ▲ | 7W max LED | 20 | ⚡     |


# joshua

3 LIGHT PLATE SPOTLIGHT

- FEATURES:
- Contemporary styling
  - Adjustable heads



▲ lamps not included – GU10 lamps available on page 252



|                | FINISH       | LAMP       | WATTS      | IP | CLASS |
|----------------|--------------|------------|------------|----|-------|
| INL-44525-BLK  | Black        | GU10 x 3 ▲ | 7W max LED | 44 |       |
| INL-44525-SNIC | Satin Nickel | GU10 x 3 ▲ | 7W max LED | 44 |       |


# joshua

3 LIGHT BAR SPOTLIGHT

- FEATURES:
- Contemporary styling
  - Adjustable heads



▲ lamps not included – GU10 lamps available on page 252



|                | FINISH       | LAMP       | WATTS      | IP | CLASS |
|----------------|--------------|------------|------------|----|-------|
| INL-44628-BLK  | Black        | GU10 x 3 ▲ | 7W max LED | 44 |       |
| INL-44628-SNIC | Satin Nickel | GU10 x 3 ▲ | 7W max LED | 44 |       |

INDOOR LIGHTING



# Plaster Wall Lights

**Seamless Integration**  
Plaster lights blend into the wall or ceiling creating a clean, minimalist look.


**Paintable**  
Plaster can be easily painted to match any color scheme, allowing for customization.

**Sustainability**  
Made from plaster, a fully recyclable material.

# rhonda

PLASTER WALL UPLIGHTER

- FEATURES:**
- White plaster finish
  - Uplight wall light
  - Push-fit connector
  - Can be painted to match the decor



▲ lamps not included – E14 lamps available on page 253


|           | FINISH | LAMP             | WATTS      | IP | CLASS                                                                                 |
|-----------|--------|------------------|------------|----|---------------------------------------------------------------------------------------|
| INL-37223 | White  | E14 Candle x 1 ▲ | 6W max LED | 20 |  |



# baza

UP/DOWN PLASTER WALL LIGHT

- FEATURES:**
- White plaster finish
  - Up/down wall light
  - Push-fit connector
  - Can be painted to match the decor




▲ lamps not included – E14 Candle lamps available on page 278

|           | FINISH | LAMP             | WATTS      | IP | CLASS |
|-----------|--------|------------------|------------|----|-------|
| INL-37220 | White  | E14 Candle x 1 ▲ | 6W max LED | 20 | ⚡     |

# telde

PLASTER WALL UPLIGHTER

- FEATURES:**
- White plaster finish
  - Uplight wall light with open front styling
  - Push-fit connector
  - Can be painted to match the decor



▲ lamps not included – E27 lamps available on page 248

|           | FINISH | LAMP          | WATTS      | IP | CLASS |
|-----------|--------|---------------|------------|----|-------|
| INL-38609 | White  | E27 GLS x 1 ▲ | 7W max LED | 20 | ⚡     |


INDOOR LIGHTING

# montilla

## UP/DOWN PLASTER WALL LIGHT

**FEATURES:**

- White plaster finish
- Up/down wall light
- Can be painted to match the decor



▲ lamps not included – G9 lamps available on page 250


|           | FINISH | LAMP     | WATTS      | IP | CLASS |
|-----------|--------|----------|------------|----|-------|
| INL-37219 | White  | G9 x 1 ▲ | 3W max LED | 20 | ⚡     |

# mao

## PLASTER WALL UPLIGHTER

**FEATURES:**

- White plaster finish
- Uplight wall light
- Can be painted to match the decor



▲ lamps not included – E27 lamps available on page 248


|           | FINISH | LAMP          | WATTS      | IP | CLASS |
|-----------|--------|---------------|------------|----|-------|
| INL-38610 | White  | E27 GLS x 1 ▲ | 7W max LED | 20 | ⚡     |

# toledo

## UP/DOWN PLASTER WALL LIGHT

FEATURES:

- White plaster finish
- Up/down wall light
- Can be painted to match the decor



▲ lamps not included – GU10 lamps available on page 252


|           | FINISH | LAMP       | WATTS      | IP | CLASS |
|-----------|--------|------------|------------|----|-------|
| INL-38612 | White  | GU10 x 2 ▲ | 7W max LED | 20 | ⚡     |

# getxo

## UP/DOWN PLASTER WALL LIGHT

FEATURES:

- White plaster finish
- Up/down wall light
- Can be painted to match the decor



▲ lamps not included – E14 candle lamps available on page 278


|           | FINISH | LAMP             | WATTS      | IP | CLASS |
|-----------|--------|------------------|------------|----|-------|
| INL-37226 | White  | E14 Candle x 2 ▲ | 6W max LED | 20 | ⚡     |

# ubeda

## PLASTER CEILING DOWNLIGHT

FEATURES:

- White plaster finish
- Ceiling mounted downlight
- Can be painted to match the decor



▲ lamps not included – GU10 lamps available on page 252


|           | FINISH | LAMP       | WATTS      | IP | CLASS |
|-----------|--------|------------|------------|----|-------|
| INL-37213 | White  | GU10 x 1 ▲ | 7W max LED | 20 |       |

# osuna

## UP/DOWN PLASTER CEILING LIGHT

FEATURES:

- White plaster finish
- Up/Down wall mounted plaster light
- Can be painted to match the decor



▲ lamps not included – G9 lamps available on page 250


|           | FINISH | LAMP     | WATTS      | IP | CLASS |
|-----------|--------|----------|------------|----|-------|
| INL-37224 | White  | G9 x 2 ▲ | 3W max LED | 20 |       |

# cabra

## PLASTER RECESSED FLUSH DOWNLIGHT

FEATURES:

- White plaster finish
- Recessed downlight
- Can be painted to match the decor



▲ lamps not included – GU10 lamps available on page 252


|           | FINISH | LAMP       | WATTS      | IP | CLASS |
|-----------|--------|------------|------------|----|-------|
| INL-37211 | White  | GU10 x 1 ▲ | 7W max LED | 20 |       |

# martos

## UP/DOWN PLASTER WALL LIGHT

FEATURES:

- White plaster finish
- Wall mounted plaster light
- Can be painted to match the decor



White

▲ lamps not included – G9 lamps available on page 250


|           | FINISH | LAMP     | WATTS      | IP | CLASS |
|-----------|--------|----------|------------|----|-------|
| INL-37222 | White  | G9 x 1 ▲ | 3W max LED | 20 | ⚡     |

# martos

## UP/DOWN PLASTER WALL LIGHT

FEATURES:

- White plaster finish
- Wall mounted plaster light
- Can be painted to match the decor



White

▲ lamps not included – G9 lamps available on page 250


|           | FINISH | LAMP     | WATTS      | IP | CLASS |
|-----------|--------|----------|------------|----|-------|
| INL-37221 | White  | G9 x 1 ▲ | 3W max LED | 20 | ⚡     |

# carmona

## UP/DOWN PLASTER WALL LIGHT

FEATURES:

- White plaster finish
- Can be painted to match the decor



White

▲ lamps not included – GU10 lamps available on page 252

|           | FINISH | LAMP       | WATTS      | IP | CLASS |
|-----------|--------|------------|------------|----|-------|
| INL-37225 | White  | GU10 x 2 ▲ | 7W max LED | 20 | ⚡     |




▲ lamps not included – E27 lamps available on page 248

# padua

CEILING LIGHT

FEATURES:

- Supplied with hook and loop fixing kit to create your own style
- Height adjustable



|                | FINISH       | LAMP          | WATTS       | IP | CLASS |
|----------------|--------------|---------------|-------------|----|-------|
| INL-31789-ACOP | Copper/Black | E27 GLS x 7 ▲ | 10W max LED | 20 |       |






▲ lamps not included – E27 lamps available on page 248

# dale

## CABLE SET

### FEATURES:

- Vintage styling
- Can be fitted with most easyfit shades
- Height adjustable
- 5 colour options



|                | FINISH                             | LAMP      | WATTS       | IP | CLASS |
|----------------|------------------------------------|-----------|-------------|----|-------|
| INL-27988-ABRS | Antique Brass with Champagne Cable | E27 x 1 ▲ | 10W max LED | 20 | ⊕     |
| INL-27988-ACOP | Antique Copper with Black Cable    | E27 x 1 ▲ | 10W max LED | 20 | ⊕     |
| INL-27988-PEW  | Pewter with Black Cable            | E27 x 1 ▲ | 10W max LED | 20 | ⊕     |
| INL-27988-BRZ  | Bronze with Black Cable            | E27 x 1 ▲ | 10W max LED | 20 | ⊕     |
| INL-27988-SNIC | Satin Nickel with Grey Cable       | E27 x 1 ▲ | 10W max LED | 20 | ⊕     |



# STANLEY®

## 1. WORKSITE LIGHTING 2. TORCHES

Built for demanding environments. Designed for total visibility, Forum Lighting Solutions delivers rugged, reliable worksite lighting engineered to perform in the toughest conditions. Whether you're illuminating construction zones, industrial facilities or temporary setups, our worksite lighting solutions provide powerful, consistent light that enhances safety, productivity, and efficiency.

With durable housing, high-output LED's and flexible mounting options. Our product range is built to withstand the elements, resist impact, and operate efficiently in challenging environments. Easy to deploy and designed for maximum coverage. Forum's worksite lighting ensures you're never working in the dark.





Yellow/Black

# rechargeable

## FOLDING WORK LIGHT

**FEATURES:**

- Durable steel frame, die-cast aluminium body
- Ergonomic handle design
- 90° adjustment
- Lithium-Ion long lasting rechargeable battery cells
- 20/60/100% OFF function
- Run time: 100% - 4 hours, 60% 9 hours, 20% 12 hours
- Charge time: 5-6 hours
- 1 metre charging cable included



|            | FINISH       | LAMP         | WATTS | LM   | K    | IP | CLASS |
|------------|--------------|--------------|-------|------|------|----|-------|
| SXLS37177E | Yellow/Black | Integral LED | 20W   | 3000 | 6000 | 65 |       |
| SXLS37178E | Yellow/Black | Integral LED | 30W   | 4000 | 6000 | 65 |       |
| SXLS37179E | Yellow/Black | Integral LED | 50W   | 7500 | 6000 | 65 |       |

WORKSITE LIGHTING

# rechargeable

## LED HEAD TORCH

**FEATURES:**

- Silicone/ABS construction
- Adjustable elastic head strap
- USB C charging port
- 2 power settings (HIGH/LOW)
- Front COB light and Side focus light
- Wave ON/OFF sensor
- Working time: upto 4 hours
- Charge time: 3 hours
- Lithium-ion long lasting rechargeable battery cells



|            | LAMP         | WATTS | LM  | K    | BEAM DISTANCE | RUN TIME    | IP |
|------------|--------------|-------|-----|------|---------------|-------------|----|
| SXLS50109E | Integral LED | 3/5W  | 300 | 7000 | 80m           | 1.5-5 Hours | 20 |

# rechargeable

## LED HEAD TORCH

**FEATURES:**

- Polycarbonate/thermoplastic construction
- Adjustable elastic head strap
- USB C charging port and cable included
- 5 lumen settings (125/225/250/450/600)
- Wave sensor control
- Working time: upto 8 hours
- Charge time: 3 hours



|            | LAMP         | WATTS | LM  | K         | BEAM DISTANCE | RUN TIME | IP |
|------------|--------------|-------|-----|-----------|---------------|----------|----|
| SXLS43188E | Integral LED | 5W    | 600 | 6000-8000 | 110m          | 5 Hours  | 44 |

# head torch

300 LUMEN

FEATURES:

- Aluminium/ABS construction
- Adjustable elastic head strap
- 2 lumen settings(100/300)
- Working time: upto 6 hours



▲ Duracell batteries included

|            | LAMP         | WATTS | LM  | K         | BEAM DISTANCE | BATTERIES | IP |
|------------|--------------|-------|-----|-----------|---------------|-----------|----|
| SXLS50101E | Integral LED | 3W    | 300 | 5000-7000 | 150m          | 3 x AAA ▲ | 20 |

# head torch

WITH MAGNETIC HOLDER

FEATURES:

- Aluminium construction
- Adjustable elastic head strap
- Magnetic side holder for static use
- 2 lumen settings(100/300)
- Working time: upto 5 hours



▲ Duracell batteries included

|            | LAMP         | WATTS | LM  | K         | BEAM DISTANCE | BATTERIES | IP |
|------------|--------------|-------|-----|-----------|---------------|-----------|----|
| SXLS50100E | Integral LED | 3W    | 300 | 5000-7000 | 25m           | 3 x AAA ▲ | 20 |

# head torch

120 LUMEN

FEATURES:

- ABS construction
- Adjustable elastic head strap
- ON/OFF/FLASH function
- Working time: 8 hours



▲ Duracell batteries included

|            | LAMP         | WATTS | LM  | K    | BEAM DISTANCE | BATTERIES | IP |
|------------|--------------|-------|-----|------|---------------|-----------|----|
| SXLS50107E | Integral LED | 1.7W  | 120 | 6000 | 10m           | 3 x AAA ▲ | 20 |

WORKSITE LIGHTING



# hand torch

1000 LUMEN

FEATURES:

- Aluminium construction
- Rotating adjustable focus design
- 3 power settings (581LM/1163LM/FLASH)
- Working time: 5-10 hours



Black/Yellow

▲ Duracell batteries included

|            | LAMP         | WATTS | LM       | K    | BEAM DISTANCE | BATTERIES | IP |
|------------|--------------|-------|----------|------|---------------|-----------|----|
| SXLS43184E | Integral LED | 10W   | 581/1163 | 4000 | 290m          | 4 x AAA ▲ | 44 |

# rechargeable

LED HAND TORCH

FEATURES:

- Aluminium construction
- Rotating adjustable focus design
- USB C charging port
- 3 lumen settings (150/300/600)
- Working time: \*upto 28 hours
- Charge time: 4.5 hours



Black/Yellow

|            | LAMP         | WATTS | LM  | K    | BEAM DISTANCE | RUN TIME      | IP |
|------------|--------------|-------|-----|------|---------------|---------------|----|
| SXLS43185E | Integral LED | 5W    | 600 | 6000 | 430m          | 5/9/28 Hours* | 44 |



# rechargeable

## HAND TORCH

FEATURES:

- Aluminium construction
- Rotating adjustable focus
- USB C charging port
- Charge indicator: Red (charging) Green (charged)
- 3 power settings (High/Low/Flash function)
- Working time: 9 hours (low), 5 hours (high)
- Charge time: 4.5 hours



|           | LAMP         | WATTS | LM      | K    | BEAM DISTANCE | RUN TIME   | IP |
|-----------|--------------|-------|---------|------|---------------|------------|----|
| SXL50104E | Integral LED | 5W    | 350/650 | 6000 | 240m          | 5/9 Hours* | 44 |

# hand torch

## 800 LUMEN

FEATURES:

- Aluminium construction
- Rotating adjustable focus
- 3 power settings (High/Low/Flash function)
- Working time: 50 hours (low), 18 hours (high)



▲ Duracell batteries included

|           | LAMP         | WATTS | LM     | K    | BEAM DISTANCE | BATTERIES | IP |
|-----------|--------------|-------|--------|------|---------------|-----------|----|
| SXL50103E | Integral LED | 7W    | 50/800 | 6000 | 260m          | 3 x C ▲   | 44 |

# hand torch

## 280 LUMEN

FEATURES:

- Aluminium construction
- Rotating adjustable focus
- 3 power settings (High/Low/Flash function)
- Working time: 25 hours (low), 4 hours (high)



▲ Duracell batteries included

|           | LAMP         | WATTS | LM     | K    | BEAM DISTANCE | BATTERIES | IP |
|-----------|--------------|-------|--------|------|---------------|-----------|----|
| SXL50106E | Integral LED | 3W    | 25/280 | 6000 | 150m          | 2 x AA ▲  | 44 |

# LED LAMPS

Low Energy.  
Everyday Essentials.

Light your world with confidence.

Forum's Lamp range brings together style, efficiency, and reliability - offering everything from cutting-edge LED technology to timeless decorative designs. With options to suit every setting, our lamps deliver the perfect balance of performance and ambience for modern living.



|               | CAP | SHAPE | COLOUR     | K    | WATTS | LM  | DIMENSIONS    | QTY |
|---------------|-----|-------|------------|------|-------|-----|---------------|-----|
| INL-34028-AMB | E27 | G180  | Warm White | 2000 | 6     | 450 | L:230 Ø:180mm | 1   |
| INL-34029-AMB | E27 | A165  | Warm White | 2000 | 6     | 450 | L:300 Ø:165mm | 1   |
| INL-34030-AMB | E27 | BT180 | Warm White | 2000 | 6     | 450 | L:360 Ø:180mm | 1   |



**580**  
Lumens

INL-ST64-LED-ES-TNT



**650**  
Lumens

INL-ST64-LED-ES-CLR



**400**  
Lumens

INL-G80-LED-ES-TNT



**450**  
Lumens

INL-G80-LED-ES-CLR



**580**  
Lumens

INL-G95-LED-ES-TNT



**650**  
Lumens

INL-G95-LED-ES-CLR

|                     | CAP | SHAPE | COLOUR     | K    | WATTS | LM  | DIMENSIONS   | QTY | DIMMABLE |
|---------------------|-----|-------|------------|------|-------|-----|--------------|-----|----------|
| INL-ST64-LED-ES-TNT | E27 | ST64  | Warm White | 2000 | 6     | 580 | L:140 Ø:64mm | 1   | ✓        |
| INL-ST64-LED-ES-CLR | E27 | ST64  | Warm White | 2000 | 6     | 650 | L:140 Ø:64mm | 1   | ✓        |
| INL-G80-LED-ES-TNT  | E27 | G80   | Warm White | 2000 | 4     | 400 | L:120 Ø:80mm | 1   | ✓        |
| INL-G80-LED-ES-CLR  | E27 | G80   | Warm White | 2000 | 4     | 450 | L:120 Ø:80mm | 1   | ✓        |
| INL-G95-LED-ES-TNT  | E27 | G95   | Warm White | 2000 | 6     | 580 | L:140 Ø:95mm | 1   | ✓        |
| INL-G95-LED-ES-CLR  | E27 | G95   | Warm White | 2000 | 6     | 650 | L:140 Ø:95mm | 1   | ✓        |



350  
Lumens

INL-A60-LED-ES-TNT



600  
Lumens

INL-36013



600  
Lumens

INL-36016

|                    | CAP | SHAPE | COLOUR     | K    | WATTS | LM  | DIMENSIONS   | QTY | DIMMABLE | △    |
|--------------------|-----|-------|------------|------|-------|-----|--------------|-----|----------|------|
| INL-A60-LED-ES-TNT | E27 | GLS   | Warm White | 2200 | 4     | 350 | L:120 Ø:60mm | 1   | ✓        | –    |
| INL-36013          | E27 | GLS   | Warm White | 3000 | 6     | 600 | L:108 Ø:60mm | 1   | ✓        | 360° |
| INL-36016          | E27 | GLS   | Cool White | 4000 | 6     | 600 | L:108 Ø:80mm | 1   | ✓        | 360° |



800  
Lumens

INL-29464-CW



1050  
Lumens

INL-34401

\* features an onboard switch that allows you to adjust the colour temperature between specified values.

|              | CAP | SHAPE | COLOUR          | K    | WATTS | LM   | DIMENSIONS   | QTY | △    |
|--------------|-----|-------|-----------------|------|-------|------|--------------|-----|------|
| INL-29464-WW | E27 | GLS   | Warm White      | 2700 | 9     | 800  | L:115 Ø:60mm | 1   | 200° |
| INL-29464-CW | E27 | GLS   | Cool White      | 4000 | 9     | 800  | L:115 Ø:60mm | 1   | 200° |
| INL-34401    | E27 | GLS   | 3000/4000/6000* |      | 12    | 1050 | L:108 Ø:80mm | 1   | 360° |

# G9

## Capsule Bulbs



| SINGLE    | 3 PACK    | CAP | FINISH | COLOUR     | K    | WATTS | LM  | DIMENSIONS    |
|-----------|-----------|-----|--------|------------|------|-------|-----|---------------|
| INL-42264 | INL-42266 | G9  | Clear  | Warm White | 3000 | 5     | 470 | L:61 Ø:16.5mm |
| INL-42265 | INL-42267 | G9  | Clear  | Cool White | 4000 | 5     | 470 | L:61 Ø:16.5mm |



| SINGLE    | 3 PACK    | CAP | FINISH | COLOUR     | K    | WATTS | LM  | DIMENSIONS  |
|-----------|-----------|-----|--------|------------|------|-------|-----|-------------|
| INL-42270 | INL-42272 | G9  | Clear  | Warm White | 3000 | 8     | 850 | L:75 Ø:18mm |
| INL-42271 | INL-42273 | G9  | Clear  | Cool White | 4000 | 8     | 850 | L:75 Ø:18mm |





**330**  
Lumens

INL-42276/42277



**330**  
Lumens

INL-42278/42279

| SINGLE    | 3 PACK    | CAP | FINISH  | COLOUR     | K    | WATTS | LM  | DIMENSIONS  | DIMMABLE |
|-----------|-----------|-----|---------|------------|------|-------|-----|-------------|----------|
| INL-42276 | INL-42278 | G9  | Frosted | Warm White | 3000 | 3.5   | 330 | L:50 Ø:17mm | ✓        |
| INL-42277 | INL-42279 | G9  | Frosted | Cool White | 4000 | 3.5   | 330 | L:50 Ø:17mm | ✓        |



**180**  
Lumens

INL-28573



**180**  
Lumens

INL-28575



**180**  
Lumens

INL-28574



**180**  
Lumens

INL-28576

|           | CAP | FINISH  | COLOUR     | K    | WATTS | LM  | DIMENSIONS  | QTY |
|-----------|-----|---------|------------|------|-------|-----|-------------|-----|
| INL-28573 | G9  | Frosted | Warm White | 3000 | 2.5   | 180 | L:48 Ø:16mm | 1   |
| INL-28575 | G9  | Frosted | Warm White | 3000 | 2.5   | 180 | L:48 Ø:16mm | 3   |
| INL-28574 | G9  | Frosted | Cool White | 4500 | 2.5   | 180 | L:48 Ø:16mm | 1   |
| INL-28576 | G9  | Frosted | Cool White | 4500 | 2.5   | 180 | L:48 Ø:16mm | 3   |



**400**  
Lumens

INL-34150/34151-3K



**400**  
Lumens

INL-34150/34151-4k



CCT



**500**  
Lumens

INL-34400

\* features an onboard switch that allows you to adjust the colour temperature between specified values.

|              | CAP  | MATERIALS     | COLOUR          | K    | WATTS | LM  | DIMENSIONS   | QTY | DIMMABLE | △    |
|--------------|------|---------------|-----------------|------|-------|-----|--------------|-----|----------|------|
| INL-34150-3K | GU10 | Glass         | Warm White      | 3000 | 5     | 400 | L:53 Ø:50mm  | 1   | –        | 60°  |
| INL-34151-3K | GU10 | Glass         | Warm White      | 3000 | 5     | 400 | L:53 Ø:50mm  | 1   | ✓        | 60°  |
| INL-34150-4K | GU10 | Glass         | Cool White      | 4000 | 5     | 400 | L:53 Ø:50mm  | 1   | –        | 60°  |
| INL-34151-4K | GU10 | Glass         | Cool White      | 4000 | 5     | 400 | L:53 Ø:50mm  | 1   | ✓        | 60°  |
| INL-34400    | GU10 | Polycarbonate | 3000/4000/6000* |      | 6     | 500 | L:140 Ø:95mm | 1   | –        | 120° |



INL-A60-LED-ES-TNT

INL-C35L-LED-SES-CLR

INL-36012/36015

|                      | CAP | SHAPE  | COLOUR     | K    | WATTS | LM  | DIMENSIONS   | QTY | DIMMABLE | ▲    |
|----------------------|-----|--------|------------|------|-------|-----|--------------|-----|----------|------|
| INL-C35L-LED-SES-TNT | E14 | C35L   | Warm White | 2000 | 2     | 165 | L:120 Ø:35mm | 1   | ✓        | -    |
| INL-C35L-LED-SES-CLR | E14 | C35L   | Warm White | 2000 | 2     | 180 | L:120 Ø:35mm | 1   | ✓        | -    |
| INL-36012            | E14 | Candle | Warm White | 3000 | 4     | 400 | L:100 Ø:35mm | 1   | ✓        | 360° |
| INL-36015            | E14 | Candle | Cool White | 4000 | 4     | 400 | L:100 Ø:35mm | 1   | ✓        | 360° |



INL-29464-CW

INL-35728

\* features an onboard switch that allows you to adjust the colour temperature between specified values.

|              | CAP | SHAPE | COLOUR          | K    | WATTS | LM   | DIMENSIONS   | QTY | DIMMABLE | ▲    |
|--------------|-----|-------|-----------------|------|-------|------|--------------|-----|----------|------|
| INL-29465-CW | B22 | GLS   | Cool White      | 4000 | 9     | 800  | L:115 Ø:60mm | 1   | -        | 200° |
| INL-35728    | B22 | GLS   | 3000/4000/6000* |      | 12    | 1050 | L:111 Ø:60mm | 1   | -        | 200° |

# IP Rating

Ingress protection rating (IP); this relates to the degree of protection the light provides against solid objects and water ingress. IP ratings are relevant to anywhere that moisture is prevalent, such as bathrooms, utility rooms and outdoor environments. Written as IPXX, the first X denotes the level of protection offered from dust; the second X denotes the level of protection offered from moisture. The higher the numbers are, the better the protection will be.

| SOLID OBJECTS |                                                                                                                                                      | LIQUIDS |                                                                                                                                       |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------|
| 0             | No special protection                                                                                                                                | 0       | No special protection                                                                                                                 |
| 1             | Protection from a large part of the body such as a hand (but no protection from deliberate access); from solid objects greater than 50mm in diameter | 1       | Protected against dripping water; vertically falling drops                                                                            |
| 2             | Protection against fingers or other objects not greater than 80mm in length and 12mm in diameter                                                     | 2       | Protected against vertical falling drops of water with enclosure tilted up to 15 degrees from the vertical; limited ingress permitted |
| 3             | Protection from entry by tools, wires etc, with a diameter of 2.5mm or more                                                                          | 3       | Protected against sprays of water up to 60 degrees from the vertical; limited ingress permitted                                       |
| 4             | Protection against solid bodies larger than 1mm                                                                                                      | 4       | Protection from splashing water from any direction                                                                                    |
| 5             | Protection against dust that may harm equipment                                                                                                      | 5       | Protection against low pressure water jets (all directions)                                                                           |
| 6             | Totally dust-tight; no ingress of dust                                                                                                               | 6       | Protection against high pressure water jets and waves                                                                                 |
|               |                                                                                                                                                      | 7       | Protection against temporary immersion                                                                                                |
|               |                                                                                                                                                      | 8       | Watertight against the effects of immersion in water under pressure for long periods                                                  |


Ingress protection

IP65

# Colour Temperature

LEDS make it possible to have a choice of white colours or 'tones'. This allows easy customisation of an area to bring out the best in the materials and design of a room. With standard white LED lighting, these tones range from warm-yellow, to daylight-blue light, with options in between. The graphic below is a reference that starts at a warm yellow colour on the left and fades into a blue colour on the right.

Colour temperature ratings describe the tones of white light available. Colour temperature options range from 2000-3000K for Warm White lighting, 3100-4500 for Cool White lighting and 4600-6500 for Daylight White lighting. It can be a tricky decision to know what is best for your installation, but our skilled technical sales team are on hand to guide you through choosing the perfect white tone for your room.



Warm White



Cool White



Daylight White



| Colour Temperature | 2000-3000K                                                                                                         | 3100-4500K                                                                                                                                                                          | 4600-6500K                                                                                              |
|--------------------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| Light Appearance   | Warm White                                                                                                         | Cool White                                                                                                                                                                          | Daylight White                                                                                          |
| Best For           | Warmer whites are generally preferred for creating a more relaxed environment in dining, living or reception areas | Cool white is a good choice for retail and office environments where a simulated natural, outdoor light is preferred. Use in contemporary kitchens and bathroom to complement décor | Perfect for industrial, security, garages and task lighting where the most natural lighting is required |

|                |     |                 |     |                |     |
|----------------|-----|-----------------|-----|----------------|-----|
| 39001022       | 187 | CUL-44405-SNIC  | 201 | ELA-21665      | 197 |
| 39001024       | 187 | CUL-44552       | 13  | ELA-21666      | 197 |
| 39002523       | 186 | CUL-44764       | 16  | ELA-27465-BCHR | 123 |
| 39002526       | 186 | CUL-44765       | 16  | ELA-27465-CHR  | 123 |
| CUL-21624      | 194 | CUL-44766       | 17  | ELA-27465-MBLK | 123 |
| CUL-21625      | 191 | CUL-44767       | 17  | ELA-27465-SBRS | 123 |
| CUL-21626      | 193 | CUL-45722       | 15  | ELA-27465-SCHR | 123 |
| CUL-21637      | 202 | CUL-45723       | 15  | ELA-27465-WHT  | 123 |
| CUL-21639      | 202 | CUL-45724       | 15  | ELA-27466-BCHR | 123 |
| CUL-21643      | 203 | CUL-45728       | 14  | ELA-27466-CHR  | 123 |
| CUL-21645      | 203 | CUL-45729       | 14  | ELA-27466-MBLK | 123 |
| CUL-21647      | 203 | CUL-45730       | 14  | ELA-27466-SBRS | 123 |
| CUL-21649      | 203 | CUL-45731       | 14  | ELA-27466-SCHR | 123 |
| CUL-21651      | 203 | CUL-45732       | 17  | ELA-27466-WHT  | 123 |
| CUL-21656      | 201 | CUL-45733       | 17  | ELA-27467-BCHR | 122 |
| CUL-21660      | 201 | CUL-45734       | 16  | ELA-27467-CHR  | 122 |
| CUL-25218      | 191 | CUL-45735       | 16  | ELA-27467-MBLK | 122 |
| CUL-25219      | 193 | CUL-45738       | 16  | ELA-27467-SBRS | 122 |
| CUL-25317      | 194 | CUL-45739       | 16  | ELA-27467-SCHR | 122 |
| CUL-25318      | 191 | CUL-45740       | 17  | ELA-27467-WHT  | 122 |
| CUL-25319      | 193 | CZ-20947-BLK    | 98  | ELA-34306      | 220 |
| CUL-26332      | 203 | CZ-25142-BLK    | 98  | ELA-34307      | 220 |
| CUL-26333      | 202 | CZ-25143-BLK-65 | 85  | ELA-34308      | 220 |
| CUL-26335      | 202 | CZ-25144-BLK-65 | 85  | ELA-36974      | 210 |
| CUL-26336      | 203 | CZ-25145-BLK    | 93  | ELA-36975      | 210 |
| CUL-26337      | 203 | CZ-25148-BLK    | 93  | ELA-41712      | 197 |
| CUL-26338      | 203 | CZ-25150-BLK    | 93  | ELA-41713      | 197 |
| CUL-26339      | 203 | CZ-26743-BLK    | 94  | ELA-41714      | 197 |
| CUL-26340      | 203 | CZ-29191-ATR    | 99  | ELA-41715      | 197 |
| CUL-26341      | 203 | CZ-29192-ATR    | 99  | ELA-41718      | 218 |
| CUL-26342      | 203 | CZ-29193-ATR    | 99  | ELA-41719      | 218 |
| CUL-26344      | 201 | CZ-29319-ANTH   | 86  | ELA-41720      | 218 |
| CUL-26346      | 201 | CZ-29319-BLK    | 86  | ELA-41721      | 218 |
| CUL-26465      | 204 | CZ-29319-SST    | 86  | ELA-45716      | 215 |
| CUL-26465-VVW  | 204 | CZ-29320-ANTH   | 87  | ELA-45717      | 215 |
| CUL-35860      | 195 | CZ-29320-BLK    | 87  | ELA-45718      | 215 |
| CUL-35861      | 195 | CZ-29320-SST    | 87  | ELA-45719      | 215 |
| CUL-35864      | 195 | CZ-29321-ANTH   | 87  | ELA-45720      | 215 |
| CUL-35865      | 195 | CZ-29321-BLK    | 87  | ELA-45721      | 215 |
| CUL-37386      | 199 | CZ-29321-SST    | 87  | ELA-45725      | 214 |
| CUL-37387      | 199 | CZ-31746-BLK    | 92  | ELA-45726      | 214 |
| CUL-37388      | 199 | CZ-31747-BLK    | 91  | ELA-45727      | 214 |
| CUL-37389      | 199 | CZ-31748-BLK    | 94  | ELA-45741      | 216 |
| CUL-40031-65   | 11  | CZ-31752-BLK    | 91  | ELA-45742      | 216 |
| CUL-40032-65   | 11  | CZ-31806-BLK    | 99  | ELA-45743      | 216 |
| CUL-40033-65   | 11  | CZ-33397-BLK    | 98  | ELA-45744      | 208 |
| CUL-40034-65   | 11  | CZ-34014-BLK    | 96  | ELA-45745      | 208 |
| CUL-40035-65   | 11  | CZ-34015-BLK    | 96  | ELA-45746      | 208 |
| CUL-40036-65   | 11  | CZ-34016-BLK    | 97  | ELA-45747      | 208 |
| CUL-40037      | 17  | CZ-34017-BLK    | 97  | ELA-45748      | 209 |
| CUL-40038      | 15  | CZ-35704-BLK    | 88  | ELA-45749      | 209 |
| CUL-40039      | 15  | CZ-35705-BLK    | 88  | ELA-45750      | 209 |
| CUL-42495      | 17  | CZ-35742-BLK    | 95  | ELA-45751      | 219 |
| CUL-42496      | 17  | CZ-37502-ANTH   | 89  | ELA-45752      | 219 |
| CUL-42497      | 17  | CZ-37502-RUST   | 89  | ELA-45753      | 219 |
| CUL-42498      | 17  | CZ-38639-BLK    | 92  | ELA-45754      | 219 |
| CUL-44403-BLK  | 201 | CZ-44225-BLK    | 90  | ELA-45755      | 219 |
| CUL-44403-WHT  | 201 | CZ-44226-BLK    | 90  | ELA-45756      | 219 |
| CUL-44404-SBRS | 201 | CZ-44370-BLK    | 77  | ELA-45757      | 219 |



# index

|                |     |                |     |                      |     |
|----------------|-----|----------------|-----|----------------------|-----|
| ELA-45758      | 219 | INL-31723-BLK  | 227 | INL-42273            | 250 |
| ELA-45759      | 219 | INL-31723-SBRS | 227 | INL-42276            | 251 |
| ELA-45760      | 219 | INL-31723-SNIC | 227 | INL-42277            | 251 |
| ELA-45761      | 219 | INL-31723-WHT  | 227 | INL-42278            | 251 |
| ELA-45762      | 219 | INL-31775-BLK  | 227 | INL-42279            | 251 |
| ELA-45763      | 219 | INL-31775-SBRS | 227 | INL-44525-BLK        | 231 |
| ELA-45764      | 219 | INL-31775-SNIC | 227 | INL-44525-SNIC       | 231 |
| ELA-45765      | 217 | INL-31775-WHT  | 227 | INL-44628-BLK        | 231 |
| ELA-45766      | 217 | INL-31776-BLK  | 226 | INL-44628-SNIC       | 231 |
| ELA-45767      | 217 | INL-31776-SBRS | 226 | INL-598310-SNIC      | 228 |
| ELA-45768      | 210 | INL-31776-SNIC | 226 | INL-598410-SNIC      | 228 |
| ELA-45769      | 210 | INL-31776-WHT  | 226 | INL-647627           | 183 |
| ELA-45770      | 210 | INL-31789-ACOP | 238 | INL-647628           | 183 |
| ELA-45771      | 210 | INL-34028-AMB  | 247 | INL-740000-SNIC      | 228 |
| ELA-45772      | 210 | INL-34029-AMB  | 247 | INL-A60-LED-ES-TNT   | 249 |
| ELA-45773      | 210 | INL-34030-AMB  | 247 | INL-C35L-LED-SES-CLR | 253 |
| ELA-45774      | 220 | INL-34150-3K   | 252 | INL-C35L-LED-SES-TNT | 253 |
| ELA-45775      | 220 | INL-34150-4K   | 252 | INL-G80-LED-ES-CLR   | 248 |
| ELA-45776      | 220 | INL-34151-3K   | 252 | INL-G80-LED-ES-TNT   | 248 |
| ELA-45777      | 212 | INL-34151-4K   | 252 | INL-G95-LED-ES-CLR   | 248 |
| ELA-45778      | 212 | INL-34400      | 252 | INL-G95-LED-ES-TNT   | 248 |
| ELA-45779      | 212 | INL-34401      | 249 | INL-ST64-LED-ES-CLR  | 248 |
| ELA-45780      | 212 | INL-35728      | 253 | INL-ST64-LED-ES-TNT  | 248 |
| ELA-45781      | 212 | INL-35989-WHT  | 230 | KN-46028             | 12  |
| ELA-46352      | 218 | INL-35990-WHT  | 230 | KN-46029             | 12  |
| ELA-46353      | 218 | INL-36012      | 253 | KN-46030             | 12  |
| ELA-46354      | 218 | INL-36013      | 249 | KN-46031             | 12  |
| ELA-46355      | 218 | INL-36015      | 253 | KN-46032             | 12  |
| ELA-46356      | 218 | INL-36016      | 249 | KN-46033             | 12  |
| ELA-46357      | 218 | INL-37211      | 236 | KN-46034             | 12  |
| ELA-46358      | 218 | INL-37213      | 236 | KN-46035             | 12  |
| ELA-46359      | 218 | INL-37219      | 234 | KN-46036             | 12  |
| IKS-100001-CCH | 21  | INL-37220      | 233 | KN-46037             | 12  |
| IKS-100002-WHT | 20  | INL-37221      | 237 | KN-46038             | 12  |
| IKS-100003-WH  | 20  | INL-37222      | 237 | KN-46039             | 12  |
| IKS-100004-BLK | 20  | INL-37223      | 232 | KN-46040             | 12  |
| IKS-100005-BLK | 20  | INL-37224      | 236 | KN-46041             | 12  |
| IKS-100022     | 20  | INL-37225      | 237 | KN-46042             | 12  |
| IKS-100023     | 20  | INL-37226      | 235 | KN-46043             | 12  |
| IKS-100024     | 20  | INL-37905-MBLK | 188 | KN-46044             | 12  |
| IKS-100025     | 20  | INL-38609      | 233 | KN-46045             | 12  |
| IKS-100026     | 20  | INL-38610      | 234 | KN-46046             | 12  |
| IKS-100027     | 20  | INL-38612      | 235 | KN-46047             | 12  |
| IKS-100028     | 20  | INL-38617-BLK  | 125 | KN-46048             | 12  |
| IKS-100029     | 20  | INL-38617-BRS  | 125 | KN-46049             | 12  |
| INL-27988-ABRS | 239 | INL-38617-SIL  | 125 | KN-46050             | 12  |
| INL-27988-ACOP | 239 | INL-38617-WHT  | 125 | KN-46051             | 12  |
| INL-27988-BRZ  | 239 | INL-38618-BLK  | 125 | KN-46052             | 13  |
| INL-27988-PEW  | 239 | INL-38618-BRS  | 125 | KN-46053             | 13  |
| INL-27988-SNIC | 239 | INL-38618-SIL  | 125 | KN-46054             | 13  |
| INL-28573      | 251 | INL-38618-WHT  | 125 | KN-46055             | 13  |
| INL-28574      | 251 | INL-39695-MBLK | 188 | KN-46056             | 13  |
| INL-28575      | 251 | INL-42264      | 250 | KN-46057             | 13  |
| INL-28576      | 251 | INL-42265      | 250 | KN-46058             | 13  |
| INL-29464-CW   | 249 | INL-42266      | 250 | KN-46059             | 13  |
| INL-29464-WW   | 249 | INL-42267      | 250 | SPA-19713-CHR        | 176 |
| INL-29465-CW   | 253 | INL-42270      | 250 | SPA-20182-CHR        | 176 |
| INL-30472-ACOP | 189 | INL-42271      | 250 | SPA-20829-MBLK       | 137 |
| INL-31538-ACOP | 189 | INL-42272      | 250 | SPA-20829-SBRS       | 137 |

|                 |     |                   |     |                   |     |
|-----------------|-----|-------------------|-----|-------------------|-----|
| SPA-22560       | 149 | SPA-35724         | 127 | SPA-44396         | 171 |
| SPA-22560-MBLK  | 149 | SPA-35725         | 127 | SPA-44397         | 171 |
| SPA-24468-CHR   | 177 | SPA-35726         | 127 | SPA-44466-BLK     | 154 |
| SPA-27405-CHR   | 148 | SPA-35727         | 127 | SPA-44466-CHR     | 154 |
| SPA-27405-MBLK  | 148 | SPA-35811-CHAMP   | 161 | SPA-44482         | 172 |
| SPA-30841-BRCOP | 126 | SPA-35812-BLK     | 164 | SPA-44483         | 172 |
| SPA-30841-MBLK  | 126 | SPA-35814-BLK     | 145 | SPA-45612-CHR     | 167 |
| SPA-30841-MWHT  | 126 | SPA-35836-SBRS    | 137 | SPA-45612-MBLK    | 167 |
| SPA-30842-CHR   | 126 | SPA-35843-SBRS    | 165 | SPA-45612-MWHT    | 167 |
| SPA-30842-SBRS  | 126 | SPA-36129-CHR     | 136 | SPA-45612-SBRS    | 167 |
| SPA-30842-SCHR  | 126 | SPA-36130-MBLK    | 140 | SPA-45805-BCHR    | 124 |
| SPA-30993-CHR   | 159 | SPA-37477-ABRS    | 147 | SPA-45805-BLK     | 124 |
| SPA-30993-MBLK  | 159 | SPA-37509-ABRS    | 147 | SPA-45805-BRNZ    | 124 |
| SPA-30993-SBRS  | 159 | SPA-37576-ABRS    | 166 | SPA-45805-CHR     | 124 |
| SPA-31306-CHR   | 164 | SPA-38571-ACOP    | 121 | SPA-45805-SBRS    | 124 |
| SPA-31306-MBLK  | 164 | SPA-38571-CHR     | 121 | SPA-45805-SNIC    | 124 |
| SPA-31309-CHR   | 146 | SPA-38571-MWHT    | 121 | SPA-45805-WHT     | 124 |
| SPA-31309-MBLK  | 146 | SPA-38571-SBLK    | 121 | SPA-45860-BLK     | 170 |
| SPA-31725-SBRS  | 164 | SPA-38571-SBRS    | 121 | SPA-45860-SBRS    | 170 |
| SPA-31736-CHR   | 154 | SPA-38572-ACOP    | 120 | SPA-6888.014      | 158 |
| SPA-31736-MBLK  | 154 | SPA-38572-BCHR    | 120 | SPA-6888.014-SBLK | 158 |
| SPA-31737-CHR   | 155 | SPA-38572-CHR     | 120 | SPA-6888.014-SBRS | 158 |
| SPA-31737-MBLK  | 155 | SPA-38572-MWHT    | 120 | SPA-PR-12744      | 160 |
| SPA-34008-WHT   | 135 | SPA-38572-SBLK    | 120 | SPA-PR-13145      | 166 |
| SPA-34009-WHT   | 135 | SPA-38572-SBRS    | 120 | SPA-PR-17146      | 165 |
| SPA-34010-SNIC  | 135 | SPA-38572-SNIC    | 120 | SKLS37177E        | 241 |
| SPA-34011-SNIC  | 135 | SPA-38576-SBRS    | 161 | SKLS37178E        | 241 |
| SPA-34012-CHR   | 135 | SPA-38576-TBLK    | 161 | SKLS37179E        | 241 |
| SPA-34013-CHR   | 135 | SPA-38577-BRCOP   | 127 | SKLS43184E        | 244 |
| SPA-34035       | 175 | SPA-39650-BLK     | 139 | SKLS43185E        | 244 |
| SPA-34038       | 175 | SPA-39650-CHR     | 139 | SKLS43188E        | 242 |
| SPA-34047-BRS   | 133 | SPA-39652-BLK     | 160 | SKLS50100E        | 243 |
| SPA-34047-CHR   | 133 | SPA-39778-BLK     | 165 | SKLS50101E        | 243 |
| SPA-34047-SBLK  | 133 | SPA-41028-BLK     | 153 | SKLS50103E        | 245 |
| SPA-34047-SNIC  | 133 | SPA-41028-SBRS    | 153 | SKLS50104E        | 245 |
| SPA-34050-BRS   | 133 | SPA-41029-MAR     | 152 | SKLS50106E        | 245 |
| SPA-34050-CHR   | 133 | SPA-41053-CHR     | 142 | SKLS50107E        | 243 |
| SPA-34050-SBLK  | 133 | SPA-41074-CHR     | 143 | SKLS50109E        | 242 |
| SPA-34050-SNIC  | 133 | SPA-41111-BLK     | 119 | VSC-39325         | 184 |
| SPA-35080-CHR   | 150 | SPA-41111-CHR     | 119 | VSC-39377         | 184 |
| SPA-35080-MBLK  | 150 | SPA-41111-SBRS    | 119 | VSC-39803         | 185 |
| SPA-35081-CHR   | 151 | SPA-41111-SNIC    | 119 | VSC-39806         | 185 |
| SPA-35081-MBLK  | 151 | SPA-41111-WHT     | 119 | ZN-20930-BLK      | 46  |
| SPA-35707       | 169 | SPA-41112-BLK/WHT | 121 | ZN-20941-ANTH-65  | 32  |
| SPA-35709       | 135 | SPA-41159-CHR     | 143 | ZN-20941-BLK-65   | 32  |
| SPA-35710       | 135 | SPA-41223-CHR     | 147 | ZN-20941-COP-65   | 32  |
| SPA-35711       | 135 | SPA-41296-CHR     | 138 | ZN-20941-SST-65   | 32  |
| SPA-35712       | 135 | SPA-41694-CHR     | 141 | ZN-20941-WHT-65   | 32  |
| SPA-35713       | 135 | SPA-41694-MBLK    | 141 | ZN-20944-ANTH     | 63  |
| SPA-35714       | 135 | SPA-41694-SNIC    | 141 | ZN-20944-BLK      | 63  |
| SPA-35715       | 135 | SPA-44379-CHR     | 163 | ZN-20945-BLK      | 68  |
| SPA-35716       | 135 | SPA-44380-SBRS    | 163 | ZN-20945-SST      | 68  |
| SPA-35717       | 135 | SPA-44381-MBLK    | 163 | ZN-20955-BLK      | 64  |
| SPA-35718       | 135 | SPA-44384-CHR     | 160 | ZN-20957-BLK      | 69  |
| SPA-35719       | 135 | SPA-44385-MBLK    | 160 | ZN-20965-BLK      | 79  |
| SPA-35720       | 135 | SPA-44386         | 173 | ZN-20965-SST      | 79  |
| SPA-35721       | 135 | SPA-44388         | 174 | ZN-23454-BLK      | 76  |
| SPA-35722       | 135 | SPA-44391         | 173 | ZN-25151-BLK      | 23  |
| SPA-35723       | 127 | SPA-44393         | 174 | ZN-25152-BLK      | 23  |

# index

|                  |    |                  |    |               |     |
|------------------|----|------------------|----|---------------|-----|
| ZN-25152-WHT     | 23 | ZN-35688-DGRY    | 76 | ZN-44264-BLK  | 51  |
| ZN-25153-WHT     | 24 | ZN-35688-WHT     | 76 | ZN-44371      | 24  |
| ZN-25154-WHT     | 24 | ZN-35690-WHT     | 24 | ZN-44375      | 24  |
| ZN-25155-WHT     | 24 | ZN-35738-BLK     | 79 | ZN-44411-BLK  | 57  |
| ZN-25156-BLK     | 25 | ZN-37052-BLK     | 77 | ZN-44553-BLK  | 53  |
| ZN-25340-SST     | 70 | ZN-37938-ANTH-65 | 34 | ZN-44554-BLK  | 53  |
| ZN-25464-BLK     | 65 | ZN-37938-BLK-65  | 34 | ZN-44555-BLK  | 53  |
| ZN-26536-ANTH-65 | 35 | ZN-37940-ANTH-65 | 34 | ZN-45596-BLK  | 53  |
| ZN-26536-BLK-65  | 35 | ZN-37940-BLK-65  | 34 | ZN-45597-BLK  | 53  |
| ZN-26536-COP-65  | 35 | ZN-37940-SST-65  | 34 | ZN-45626-ANTH | 35  |
| ZN-26536-SST-65  | 35 | ZN-38599-BLK     | 25 | ZN-45626-BLK  | 35  |
| ZN-26536-WHT-65  | 35 | ZN-38600-WHT     | 23 | ZN-45626-SST  | 35  |
| ZN-28708-BLK     | 71 | ZN-38602-BLK     | 65 | ZN-46033-BLK  | 66  |
| ZN-28708-SST     | 71 | ZN-38622-BLK     | 80 | ZN-46036-BLK  | 73  |
| ZN-29179-ANTH-65 | 33 | ZN-38623-ANTH    | 58 | ZN-46039-BLK  | 67  |
| ZN-29179-BLK-65  | 33 | ZN-38624-ANTH    | 58 | ZN-46040-BLK  | 67  |
| ZN-29179-SST-65  | 33 | ZN-38630-BLK     | 68 | ZN-46082-ANTH | 55  |
| ZN-29180-BLK-65  | 37 | ZN-38636-ANTH    | 45 | ZN-46083-ANTH | 55  |
| ZN-29180-SST-65  | 37 | ZN-38637-BLK     | 59 | ZR-32297-BLK  | 103 |
| ZN-29181-BLK     | 46 | ZN-38640-MBLK    | 64 | ZR-32298-BLK  | 102 |
| ZN-29184-BLK     | 79 | ZN-40001-ANTH    | 47 | ZR-32299-BLK  | 102 |
| ZN-29185-WHT     | 25 | ZN-40001-BLK     | 47 | ZR-32300-BLK  | 109 |
| ZN-29186-WHT     | 25 | ZN-40002-BLK     | 66 | ZR-32301-BLK  | 104 |
| ZN-29187-WHT     | 25 | ZN-40004-BLK/BRS | 72 | ZR-32302-BLK  | 103 |
| ZN-29189-ATR     | 38 | ZN-40004-BLK/SST | 72 | ZR-32328-BLK  | 104 |
| ZN-29190-ATR     | 39 | ZN-41101-BRNZ    | 44 | ZR-37441-BLK  | 112 |
| ZN-29347-Anth    | 48 | ZN-41101-RBRS    | 44 | ZR-37442-GMTL | 109 |
| ZN-29347-BLK     | 48 | ZN-41102-BRNZ    | 44 | ZR-37443-BLK  | 105 |
| ZN-29995-BLK     | 61 | ZN-41102-RBRS    | 44 | ZR-37444-BLK  | 105 |
| ZN-29997-BLK     | 79 | ZN-41106         | 78 | ZR-37445-BLK  | 113 |
| ZN-31757-ANTH    | 69 | ZN-41126         | 78 | ZR-37448-BLK  | 113 |
| ZN-31758-ANTH    | 45 | ZN-41157         | ?? | ZR-38155-SIL  | 108 |
| ZN-31759-ANTH    | 45 | ZN-41158         | ?? | ZR-38156-BLK  | 108 |
| ZN-31767-BLK     | 59 | ZN-42019-SST     | 49 | ZR-38529-SIL  | 110 |
| ZN-31768-BLK     | 59 | ZN-42066-BLK     | 61 | ZR-38532-SIL  | 110 |
| ZN-31805-WHT     | 25 | ZN-43121-SST     | 49 | ZR-38831-SIL  | 106 |
| ZN-31807-TBLK    | 72 | ZN-43344-ANTH    | 61 | ZR-38833-BLK  | 111 |
| ZN-31809-SST     | 73 | ZN-43344-RST     | 61 | ZR-38834-BLK  | 107 |
| ZN-32070-ANTH    | 63 | ZN-44218-ANTH    | 56 |               |     |
| ZN-32070-BLK     | 63 | ZN-44219-ANTH    | 57 |               |     |
| ZN-32255-BLK     | 43 | ZN-44223-BLK     | 54 |               |     |
| ZN-33460-BLK-65  | 47 | ZN-44227-BLK     | 56 |               |     |
| ZN-33579-BLK     | 23 | ZN-44230-GLD     | 74 |               |     |
| ZN-33579-WHT     | 22 | ZN-44230-SIL     | 74 |               |     |
| ZN-33615-BLK     | 23 | ZN-44231-GLD     | 75 |               |     |
| ZN-33615-WHT     | 23 | ZN-44231-SIL     | 75 |               |     |
| ZN-34018-SBLK-65 | 37 | ZN-44236-BLK     | 81 |               |     |
| ZN-34018-SST-65  | 37 | ZN-44237-BLK     | 81 |               |     |
| ZN-34019-ANTH    | 47 | ZN-44238-ANTH    | 81 |               |     |
| ZN-34022-BLK-65  | 33 | ZN-44239-ANTH    | 81 |               |     |
| ZN-34022-SST-65  | 33 | ZN-44245-ANTH    | 60 |               |     |
| ZN-34042-ANTH    | 38 | ZN-44251-BLK     | 60 |               |     |
| ZN-34043-ANTH    | 39 | ZN-44260-ANTH    | 51 |               |     |
| ZN-35072-BLK     | 43 | ZN-44260-BLK     | 51 |               |     |
| ZN-35593-BLK     | 41 | ZN-44262-ANTH    | 50 |               |     |
| ZN-35594-BLK     | 40 | ZN-44262-BLK     | 50 |               |     |
| ZN-35685-BLK     | 40 | ZN-44263-ANTH    | 50 |               |     |
| ZN-35686-BLK     | 41 | ZN-44263-BLK     | 50 |               |     |
| ZN-35688-BLK     | 76 | ZN-44264-ANTH    | 51 |               |     |

# FORUM

---

LIGHTING SOLUTIONS

## FORUM LIGHTING SOLUTIONS

GORSE MILL  
GORSE STREET  
OLDHAM  
OL9 9RJ  
UNITED KINGDOM  
**TEL:** +44 0161 359 4949

**E:** [INFO@FORUMLIGHTINGSOLUTIONS.COM](mailto:INFO@FORUMLIGHTINGSOLUTIONS.COM)  
**WWW:** [FORUMLIGHTINGSOLUTIONS.COM](http://FORUMLIGHTINGSOLUTIONS.COM)



**MIX**  
Paper | Supporting  
responsible forestry  
**FSC® C017574**

VISIT WEBSITE

