

Weston **Backlit** Downlight

















Weston



# READ THESE INSTRUCTIONS THOROUGHLY BEFORE **INSTALLATION KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE.**

### **IMPORTANT:**


This product must be installed by a qualified electrician or competent person, and in accordance with current building and IET wiring regulations.

#### **BOX CONTENTS**

This lighting fixture has been properly packed to avoid damage during transit. Before commencing with the installation carefully inspect the luminaire to confirm there is no damage. DO NOT INSTALL if any damage has occurred to the fixture or any of its components.

- Light Fitting
- Instruction Manual
- Loch3 Connector

#### TOOLS REQUIRED











# INSTALLATION INSTRUCTIONS





# 1. Disconnect the main power supply and cut your required size mounting hole. (See reverse for correct size)

Do not perform insulation strength or resistance

PLEASE READ THESE INSTRUCTIONS

BEFORE INSTALLATION.

comparing it with the luminaire label information

It is the installers responsibility to ensure installation is suitable for the total load of the luminaire(s). The

supply cable, fuses/circuit brakers must be correctly rated for the electrical load and considering for any

• Turn off the mains power before performing

inspections, installation, or removal

• Verify that the supply voltage is correct by

transient inrush currents that may occur

tests on installed luminarie(s) connected


WARNING: Risk of electric shock! Isolate

the mains power before proceeding.

- 2. Connect mains cable to Loch3 connector supplied as per wiring diagram
- 3. Connect the Loch3 connector together ensuring the driver is connected to the light fitting via the jack plug supplied as per wiring diagram
- 4. Fit the downlight into drilled hole by lifting the fixing levers
- 5. Re-connect the mains supply

DO NOT COVER PRODUCT OR CONTROL GEAR WITH INSULATION OR OTHER MATERIALS

















# Weston Backlit Downlight



### **DISPOSAL**

Disassembly instructions for end of life disposal available on website.

Disposal of Electronic Equipment WEEE Directive 2002/96/EC This product falls within the scope of the Waste Electrical & Electronic Equipment Directive (WEEE), which means the product should not be disposed of as normal household waste. Please recycle where facilities exist or check with your Local Authority. RoHS - All components and materials used in this product are RoHS 2002/95/EC compliant.

Specifications may change from time to time. The information contained in this leaflet is for guidance only and should not be considered as always accurate and should be treated as not representative.

## WARRANTY

This luminaire is warranted for a period of 5 years from the date of purchase\*\*. The backup battery pack in the emergency version is warranted for a period of 24 months. The warranty could be invalidated should the light fitting not be installed according to these instructions, outside the scope of the specification or the product has been altered or tampered with in any way. Please see website for terms and conditions.

### PRODUCT TEMP SPECIFICATION

Standard	0 to +45°0
Emergency	0 to +30°0

Revision L1.1 - AUGUST 2023

WESTON DOWNLIGHT DIMENSIONS										
art No.	Description	Watts	L(mm)	W (mm)	H (mm)	Hole Cut-Out	Weight			
430725	Weston Backlit Downlight TP (a) - White	7W	90	90	30	75mm	100g	w w		
130726	Weston Backlit Downlight TP (a) - White	10W	120	120	30	95mm	128g	H  <u>Z</u>		
430727	Weston Backlit Downlight TP (a) - White	15W	145	145	30	115mm	155g	L		
430728	Weston Backlit Downlight TP (a) - White	20W	185	185	30	155mm	225g			
430729	Weston Backlit Downlight TP (a) - White	24W	220	220	30	180mm	375g			

For emergency wiring, please see emergency pack instruction manual

This product contains a light source of energy efficiency Class C & D.